

the  
**capital**  
collection



Contemporary Fireplaces  
2008-2009  
[www.capitalfireplaces.co.uk](http://www.capitalfireplaces.co.uk)

# WELCOME TO THE CAPITAL COLLECTION

Within this brochure lies a stunning and individual choice of contemporary fireplaces. We have endeavoured to focus on today's home, showing fireplaces that complement current interior designs and aspirations.

Of particular note is our collaboration with **londonfiredesigns**. We have teamed up with this unique design house to bring you the original and beautiful living flame fires called AKAL, BOJI and ORACLE. We are sure that you will be impressed with these superb sculptural fire bowls.

## CONTENTS

### RAISED CHAMBER FIREPLACES

16" RAISED CHAMBER FIRES	3
22" RAISED CHAMBER FIRES	7
26" RAISED CHAMBER FIRES	11
LS-26" LOW SUITE	13
30" RAISED CHAMBER FIREPLACES	19
FIREBASKETS	23

### TECHNICAL INFORMATION

SIZES & FINISHES, FIRES & CERAMICS	25
BASKETS & FIREBOWLS	26

**londonfiredesigns**

**Jilly Swan** was commissioned by LFD to create the unique designs: AKAL, BOJI and ORACLE. Jilly Swan studied sculpture under Sir Roger de Grey at the City & Guilds of London Art School and went on to win the prestigious Madame Tussaud's 'Young Sculptor of the Year' award.

FRONT COVER IMAGE: **AKAL - CHROME**

LS-26 Low Suite - Aegan Limestone, remote control decorative gas fire with volcanic black ceramic shingle

BACK COVER IMAGE: **LS-26 LOW SUITE - AGEAN LIMESTONE**

Remote controlled decorative gas fire with ceramic shingle





**LBR-22 FRAME - QUARTZITE FINISH**

22" (560mm) Black raised chamber, remote controlled decorative gas fire with high definition ceramic log set



**LB-16 FRAME - QUARTZITE FINISH**

16" (405mm) Black raised chamber,  
decorative gas fire with ceramic driftwood



16" RAISED CHAMBER FIRES

**LBR-16 FRAME - QUARTZITE FINISH**

16" (405mm) Brushed Stainless Steel raised chamber, remote control decorative gas fire with ceramic charcoal

**16" (405mm) BRUSHED STEEL TRIM**

16" (405mm) Brushed Stainless Steel raised chamber,  
decorative gas fire with ceramic driftwood



**16" (405mm) BLACK STEEL TRIM**

16" (405mm) Black raised chamber,  
decorative gas fire with ceramic pebbles





## 16" RAISED CHAMBER FIRES



16" (405mm) POLISHED BRASS TRIM

16" (405mm) Black raised chamber,  
decorative gas fire with ceramic charcoal



### LB-22 FRAME - QUARTZITE FINISH

22" (560mm) Black raised chamber,  
decorative gas fire with ceramic pebbles

### RAISED CHAMBER OPTIONS

The two smaller sized chambers (22" and 16") each have the trim and frame options available. Each size chamber can be either black or brushed stainless steel and there are different ceramic decorative options available. These are shown in the technical pages at the back of this brochure, as are the gas fire options.



## 22" RAISED CHAMBER FIRES



### LBR-22 FRAME - QUARTZITE FINISH

22" (560mm) Black raised chamber, remote control decorative gas fire with high definition ceramic log set

**22" (560mm) POLISHED BRASS TRIM**

22" (560mm) Black raised chamber,  
decorative gas fire with ceramic pebbles



**22" (560mm) BLACK STEEL TRIM**

22" (560mm) Black raised chamber,  
decorative gas fire with ceramic driftwood





22" RAISED CHAMBER FIRES



22" (560mm) BRUSHED STEEL TRIM

22" (560mm) Black raised chamber,  
decorative gas fire with ceramic charcoal



**LB-26 FRAME - QUARTZITE FINISH**

26" (660mm) Black raised chamber,  
decorative gas fire with ceramic pebbles



26" RAISED CHAMBER FIRES

**LBR-26 FRAME - QUARTZITE FINISH**

26" (660mm) Brushed Stainless Steel raised chamber, remote control decorative gas fire with ceramic driftwood



**LS-26 LOW SUITE - AGEAN LIMESTONE**

Oracle Agean Limestone firebowl, remote control decorative gas fire with volcanic black ceramic shingle



LS-26 LOW SUITE



LS-26 LOW SUITE - AGEAN LIMESTONE  
remote control decorative gas fire with ceramic shingle

**LS-26 LOW SUITE - AGEAN LIMESTONE**

Zen chrome basket, decorative gas fire with high definition ceramic log set



**LS-26 LOW SUITE - AGEAN LIMESTONE**

Boji chrome firebowl, remote control decorative gas fire with volcanic black ceramic shingle





26" RAISED CHAMBER FIRES



26" (660mm) TRIMLESS RAISED CHAMBER

Black raised chamber, remote control decorative gas fire  
with high definition ceramic log set



### AKAL FIREBOWL - BRONZE FINISH

26" (660mm) Black raised chamber, black steel trim, remote control decorative gas fire, with volcanic black ceramic shingle

## 26" RAISED CHAMBER FIRES



**LFD**

### AKAL FIREBOWL - CHROME FINISH

26" (660mm) Black raised chamber, brushed steel trim, remote control decorative gas fire, with volcanic black ceramic shingle



**LB-30 FRAME - QUARTZITE FINISH**

30" (760mm) Brushed Stainless Steel raised chamber,  
decorative gas fire with ceramic driftwood

## 30" RAISED CHAMBER FIRES



### LBR-30 FRAME - QUARTZITE FINISH

30" (760mm) Black raised chamber, remote control decorative gas fire with high definition ceramic log set



**ORACLE FIREBOWL - AGEAN LIMESTONE**

30" (760mm) Black raised chamber, solid brass trim, remote control decorative gas fire with volcanic black ceramic shingle



30" RAISED CHAMBER FIRES



**BOJI FIREBOWL - BRONZE FINISH**

30" (760mm) Black raised chamber, black steel trim, remote control decorative gas fire with volcanic black ceramic shingle



### SIROCCO HIGHLIGHT BASKET

30" (760mm) Black raised chamber, brushed steel trim,  
decorative gas fire with ceramic firewood

## FIREBASKETS



### STRATA HIGHLIGHT BASKET

26" (660mm) Black raised chamber, brushed steel trim, decorative gas fire with ceramic charcoal

# SIZES & FINISHES

SPECIFICATIONS	BLACK	HIGHLIGHT	BRUSHED STAINLESS STEEL	BRONZE FINISH	POLISHED BRASS	QUARTZITE	CHROME	AGEAN LIMESTONE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
	<b>FIREBOWLS</b>										
AKAL				✓			✓		500	125	270
BOJI				✓			✓		460	160	280
ORACLE								✓	500	125	255
<b>SUITES</b>											
LS-26	✓		✓					✓	1160	725	75*
<b>RAISED CHAMBERS</b> <small>NOTE 1</small>											
16" CHAMBER	✓		✓						405	405	305
22" CHAMBER	✓		✓						560	405	305
26" CHAMBER	✓		✓						660	405	305
26" TRIMLESS CHAMBER	✓								660	400	355
30" CHAMBER	✓		✓						760	405	305
<b>FRAMES</b> <small>NOTE 2</small>											
LB-16						✓			720	570	50
LBR-16						✓			720	570	50
LB-22						✓			880	570	50
LBR-22						✓			880	570	50
LB-26						✓			980	570	50
LBR-26						✓			980	570	50
LB-30						✓			1080	570	50
LBR-30						✓			1080	570	50
<b>TRIMS</b>											
16" TRIM SINGLE PIECE	✓		✓		✓				515	495	10
22" TRIM SINGLE PIECE	✓		✓		✓				670	520	10
26" TRIM SINGLE PIECE	✓		✓		✓				770	520	10
30" TRIM SINGLE PIECE	✓		✓		✓				870	520	10
<b>BASKETS</b>											
SIROCCO		✓					✓		565	210	255
STRATA		✓							455	145	280
ZEN							✓		495	225	375

## NOTES:

**NOTE 1:** Please add 15mm to each dimension to establish the size of void required to fit the raised chamber.

**NOTE 2:** The LB frames require a sound structure in order to fix them to the wall. Please check with your retailer or CORGI registered installer to confirm the details for your particular circumstances.

**NOTE 3:** All dimensions are to the nearest 10mm.

FIRE TYPES	NG	LPG	CONTROL		INPUT kW
			MAN	REM	
<b>FIRE BOWLS</b>					
AKAL	✓	✓		✓	5.6
BOJI	✓	✓		✓	5.6
ORACLE	✓	✓		✓	5.6
<b>BASKETS</b>					
SIROCCO	✓	✓	✓	✓	6.9
STRATA	✓	✓	✓	✓	6.9
ZEN	✓	✓	✓	✓	6.9
<b>RAISED CHAMBER GAS FIRE</b>					
16" RAISED CHAMBER	✓	✓	✓	✓	6.0
22" RAISED CHAMBER	✓	✓	✓	✓	6.9
26" RAISED CHAMBER	✓	✓	✓	✓	9.0*
26" TRIMLESS CHAMBER	✓	✓		✓	6.9
30" RAISED CHAMBER	✓	✓	✓	✓	10.0*

# FIRES & CERAMICS

## FIRES

The fires shown in this brochure will provide limited heating and should be relied upon for the visual effect and as a secondary heat source. All fires are suitable for Class I and Class II except the 26" and 30" raised chamber fires.

## KEY

**NG** - Natural gas.

**LPG** - Liquid Petroleum Gas (LPG). Bottled gas used where natural gas is not available.

\* Since the gas input is greater than 7kW, an air vent from outside will be required. Generally, gas fires with a gas input of less than 7kW will not require such an air vent. In some cases where the room in which the fire is being installed is very well sealed then a vent may be required even if the input is less than 7kW. This is determined by your CORGI registered fitter carrying out all the correct tests before and after installation.

# CERAMICS

All of our basket and raised chamber fires may be used with the ceramic fuel shown below, please specify your preference.



The fires for the fire bowls come with ceramic Volcanic Black Shingle.

# BASKETS & FIREBOWLS



THE AKAL – Bronze finish



THE BOJI – Bronze finish



THE ORACLE – Agean Limestone



THE AKAL – Chrome finish



THE BOJI – Chrome finish



THE STRATA Chrome finish



THE SIROCCO Highlight



THE SIROCCO Full polished



THE ZEN polished

## A FOCUS ON SERVICE FOR YOUR PEACE OF MIND

The following information has been compiled to help you make your choice of fireplace an easy one. This is likely to be one of the more expensive additions you make to your home and we hope that with the following information it will be an alteration you will be pleased with for years to come.

### Reassurance before you choose your Capital Collection fireplace.

All cast iron products are manufactured in ISO 9002 accredited manufacturing facilities.

### All the gas fires we supply are tested in accordance with CE requirements and are CE marked.

Due to the manufacturing processes all measurements are approximate and may vary slightly so allow for a tolerance of  $\pm 10\text{mm}$ .

The colours shown in the brochures are as accurate as possible, but if the colour you require is critical then please consult your retailer before basing all your decisions on the colours shown here.

Gas fires with a gas input of 6.9kW or less do not normally require air vents. There are some circumstances where vents may be required. This is determined by your installer carrying out a spillage test during the commissioning process. If your chosen fire has a gas input greater than 6.9kW, a vent from outside will be required. Please ask your retailer for further information.

There are occasions when designs, or products are altered or discontinued without prior notice (a reserved right), so if you are about to set your heart on a particular fireplace, please consult your retailer before making that final commitment.

## FOCUS ON QUALITY & AFTER CARE

### Reassurance before you commit to the installation of your Capital Collection fireplace.

All installations must be carried out in accordance with the requirements set out in the Building Regulation documents, in particular, Approved Document J. There are independent bodies which have been approved to carry out installations in accordance with these regulations. For gas installations the most recognised independent body is CORGI. Please confirm with your retailer that your new fireplace will be installed appropriately. If you have your new fireplace fitted by a CORGI registered fitter you will be given a certificate stating that your installation has been carried out in accordance with the Building Regulations. If you do not have one of these certificates then you will have to arrange for your local Building Control Officer to inspect your installation and approve it.

Your Capital Collection Fireplace is made up of a number of different components and it is important to ensure that your installer not only meets the requirements above, but that he also has the necessary experience to fit ALL the required components, for example an Agean Limestone suite.

Variations in colour, veining and fossil formation in natural products are not considered defects, however in the unlikely event that there is a defect in any of the products shown in this brochure, then a replacement will be supplied without hesitation. Of course, this requires the products to be fully inspected prior to installation as no responsibility for re-fitting or redecoration can be accepted if defective products have been installed. In this case and in the case of accidental damage after installation, in-situ repairs can be made by specialists, subject to prior agreement of terms with your retailer.

### Understanding your new Capital Collection fireplace, its aftercare and maintenance.

#### Gas Fires

A gas fire is a technical piece of equipment and, just like a gas boiler needs regular servicing. Please ensure that you have your gas fire serviced regularly by a CORGI registered installer. This will help you enjoy safe and trouble free enjoyment of your fireplace for years to come.


#### Fire Bowl and Firebasket aftercare


For the chrome and bronze finishes please do not use an abrasive polish as this will remove the plating. Simply use a lint free cloth with a non-abrasive, water-free polish for these products. The solid brass products may be polished using proprietary products.

### All images are the property of Capital Fireplaces Ltd and are subject to the laws of copyright.

the  
**capital**  
collection



Original Capital Collection products are  (anti copying in design) registered, and are therefore protected by UK design right. We will not compromise on quality, neither should you, so in order for you to receive products manufactured to the highest possible standards, insist only on a genuine Capital Collection Fireplace.



DEALER STAMP

[www.capitalfireplaces.co.uk](http://www.capitalfireplaces.co.uk)