







WELCOME TO CELSI



At Celsi we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of premium electric fires.

I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Celsi heaters carry a 2 year guarantee to reflect my belief in their quality and durability.

This brochure has been designed to make the purchase of your new Celsi heater as simple as possible. I hope you find it both informative and inspiring.



THERE IS NO MORE VERSATILE FUEL FOR HOME HEATING THAN ELECTRICITY

With a choice ranging from highly chic wall mounted 'hang-on-the-wall' fires, to classically designed hearth mounted fires, there is a Celsi design to suit any home. Best of all you are free to enjoy any of these fantastic heating appliances in any room in your home simply by plugging into the nearest mains socket.

A Celsi electric fire will be the heart of your home all year round. Every fire in the range has a 'flame picture' only setting. Unlike gas or solid fuel fires, this allows you to enjoy an atmospheric glow even when it is too warm to turn on the heat.

If you would like to learn more about the many benefits of owning a Celsi electric fire please sit back and take a few minutes to look through the fantastic range of appliances.

PURAFLAME® RANGE

Combining style with innovation, the Puraflame® range of electric fires is the ultimate in high technology, and gives you the most convincing real fire effect available today.

A Puraflame® electric heater is extremely versatile and creates a breathtaking feature virtually anywhere in your home, from your lounge to your bedroom. Using LCD technology Puraflame® is the only electric fire to give you the astonishing look and sound of a real fire, combined with exceptional functionality. At the touch of a button you can control your room temperature, flame picture, flame speed, volume and brightness. Read more about this amazing functionality on page 4.

Celsi Puraflame[®] is not just a fireplace. It's an experience.



Puraflame Functionality at Your Fingertips	page 5
Puraflame Curved	page 6
Puraflame Panoramic	page 7
Puraflame Traditional	page 8
Puraflame Essence	page 9
Puraflame Prominence	page 10
Puraflame Contemporary	page 1

ELECTRIFLAME® RANGE

Celsi Electriflame uses advanced 3D technology to create one of the most realistic flame pictures found in any electric fire today.

Relax and enjoy the smoky, soothing flames and be amazed by the depth of the fuel effect. What's more, the high efficiency LED lights used to create the flame picture means that you benefit from low running costs too.

Electriflame comes with a variable flame dimmer with four settings, and two heat levels, as well as a flame effect only option. All this can be operated via the remote control handset or using the manual controls on the appliance.



Electriflame Black Glass	page 12
Electriflame Zimbali Glass	page 13
Electriflame Travertine	page 14
Electriflame Basalt Granite	page 15
Electriflame Piano Black	page 16
Electriflame Glowframe	page 17
Electriflame Essence	page 18
Electriflame Camber	page 19
Electriflame Daisy	page 20
Electriflame Modern	page 21
Electriflame Royale & 22" Royale	page 22
Electriflame Bauhaus	page 23

ACCENT RANGE

Accent hang-on-the-wall electric fires use ribbon flame technology to create a beautiful flame effect with a comforting under bed glow.

An Accent electric fire can create the perfect atmosphere to suit your mood with optional backlight in a choice of calming blue or vibrant orange glow, and variable flame speed ranging from a gentle wave to a dancing flicker. Take a closer look at the Accent Black Glass, Mirror and Marino fires on pages 24-25.



Accent Black Glass	page 24
Accent Mirror	page 24
Accent Marino	page 25

ULTIFLAME RANGE

Ultiflame fires use innovative technology to create an ideal electric heating appliance that combines slim product depth with the appearance of an exceptionally deep fuel bed. The fascinating and highly realistic flame picture is created using LED projection technology to give the look of a full depth fire which can be viewed from any angle. Ultiflame also benefit from a low power flame effect system which consumes 90% less energy than conventional electric fires when on the flame only setting.

The heat output temperature can be adjusted between 0.75kW and 1.5kW and the brightness of the fuel bed glow can be customised too. Every model in this range can be operated by push buttons discretely hidden beneath the canopy of the fire or via the control handset.



Ultiflame Legacy	page 26
Ultiflame Prominence	page 27
Ultiflame Essence	page 28
Ultiflame Contemporary	page 29
Ultiflame Traditional	page 30
Ultiflame Rockingham	page 31



CELSI PURAFLAME® THE MOST FUNCTIONAL ELECTRIC FIRE ON THE MARKET

FLAME PICTURES

Celsi has patented some of the most advanced technologies to create the most sophisticated and realistic fire effect in the world. Every Puraflame fire has been designed to give the appearance of outstanding depth along with an amazing 3D effect, and comes with a selection of real fire effects to choose from.



SMOULDERING LOG
Available on all models



BLAZING LOG

Available on all models



FLAMING COAL
Available on Curved and Panoramic only



GLOWING COAL

Available on Traditional, Rockingham, Essence and Prominence only

FLAME SPEED

You may prefer a slow and calming flame or a quick and spellbinding flicker. With a choice of 5 flame speeds you can speed up or slow down each of the real fire movies.

FIRE VOLUME

There's nothing more soothing than the authentic crackle of a real log fire. Lower the volume for a more subtle result or crank it up for full effect. There is also a mute button to silence the sound effect when you need to. When on 'flame only' setting, Puraflame is the quietest fire on the market.

MOOD LIGHTING

The mood lighting feature creates a calming ambience around the heater. A choice of 3 colours: white, amber and blue, lets you highlight the fire to suit your mood. This is only available on the Curved and Panoramic models and can be turned off if not required.



WHITE



AMBER



BLUE



OF

PICTURE BRIGHTNESS

Natural daylight or artificial lamplight can have a big impact on how you see the flame picture. We have included this brightness function to allow you the option to increase or dim the screen brightness to suit you and your environment.

SLEEP TIMER

An extremely practical function. The sleep timer can be used to automatically turn the heater to standby mode after a predetermined amount of time. Great if you want to doze off and not worry about turning the fire off once you have fallen asleep. The timer can be set for up to a maximum of 4 hours in 30 minute intervals and once this time has elapsed the appliance will automatically go into standby.

TEMPERATURE The fan heater can be ope

The fan heater can be operated in manual or automatic mode. When in manual mode you can use the heat button on the remote handset to select low heat, high heat or heat off.

To eliminate the hassle of constantly manually adjusting the heat output, every Puraflame fire features a state-of-the-art, digitally controlled thermostat. Use the temperature function to turn on automatic heat mode. You can pre-select your comfort level and the heater will automatically adjust between high heat and off, maintaining the room temperature you have selected.




FUNCTIONALITY AT YOUR FINGERTIPS



PURAFLAME® CURVED


- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 2kW heat output
- Programmable Thermostatic Heat Control
- Mood Lighting with choice of 3 colours
- Sleep Timer with 9 settings
- Adjustable screen brightness
- Stylish black glass fascia
- 2 Year Guarantee

Dimensions (H x W x D)	505mm x 980mm x 135mm
Heat Output – High	2kW
Heat Output - Low	1kW
Safety	Thermal cut out
Remote Control	Yes
Electronic Digital Thermostat	Yes
Mood Lighting	Yes
Flame Options	Smouldering Log Blazing Log Flaming Coal



PURAFLAME® is the quietest fire available on the market

*'flame only' setting








PURAFLAME® PANORAMIC

- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 2kW heat output
- Programmable Thermostatic Heat Control
- Mood Lighting with choice of 3 colours
- Sleep Timer with 9 settings
- Adjustable screen brightness
- Stylish black glass fascia
- 2 Year Guarantee

Dimensions (H x W x D)	400mm x 1080mm x 105mm	
Heat Output – High	2kW	
Heat Output - Low	1 kW	
Safety	Thermal cut out	
Remote Control	Yes	
Electronic Digital Thermostat	Yes	
Mood Lighting	Yes	
Flame Options	Smouldering Log Blazing Log Flaming Coal	






Please note: When installed there must be a minimum distance of 300mm between the bottom of the fire and the floor.



PURAFLAME® TRADITIONAL

- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 2kW heat output
- Programmable Thermostatic Heat Control
- Sleep Timer with 9 settings
- Adjustable screen brightness
- 2 Year Guarantee
- A wide range of fascia designs and colours are available
- Fits a standard 3" rebate fire surround.
- An optional 3" spacer is available for flat wall installations



Dimensions (H x W x D)	607mm x 497mm x 75mm
Heat Output – High	2kW
Heat Output - Low	1kW
Safety	Thermal cut out
Remote Control	Yes
Electronic Digital Thermostat	Yes
Flame Options	Smouldering Log Blazing Log Glowing Coal
Available finishes	Brass or Silver




PURAFLAME® TRADITIONAL in Silver





PURAFLAME® ESSENCE

- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 2kW heat output
- Programmable Thermostatic Heat Control
- Sleep Timer with 9 settings
- Adjustable screen brightness
- 2 Year Guarantee
- A wide range of fascia designs and colours are available
- Fits a standard 3" rebate fire surround.
- An optional 3" spacer is available for flat wall installations



Dimensions (H x W x D)	625mm x 535mm x 75mm
Heat Output – High	2kW
Heat Output - Low	1kW
Safety	Thermal cut out
Remote Control	Yes
Electronic Digital Thermostat	Yes
Flame Options	Smouldering Log Blazing Log Glowing Coal
Available finishes	Brushed Steel, Antique Brass, Satin Brass and Black





PURAFLAME®
ESSENGE
in Antique Brass



PURAFLAME® ESSENGE in Brushed Silver




PURAFLAME® ESSENCE in Black





PURAFLAME® PROMINENCE

- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 2kW heat output
- Programmable Thermostatic Heat Control
- Sleep Timer with 9 settings
- Adjustable screen brightness
- 2 Year Guarantee
- A wide range of fascia designs and colours are available
- Fits a standard 3" rebate fire surround.
- An optional 3" spacer is available for flat wall installations




Dimensions (H x W x D)	607mm x 497mm x 75mm
Heat Output – High	2 kW
Heat Output - Low	1 kW
Safety	Thermal cut out
Remote Control	Yes
Electronic Digital Thermostat	Yes
Flame Options	Smouldering Log Blazing Log Glowing Coal
Available finishes	N/A





PURAFLAME® CONTEMPORARY

- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 2kW heat output
- Programmable Thermostatic Heat Control
- Sleep Timer with 9 settings
- Adjustable screen brightness
- 2 Year Guarantee
- A wide range of fascia designs and colours are available
- Fits a standard 3" rebate fire surround
- An optional 3"spacer is available for flat wall installations



Dimensions (H x W x D)	607mm x 497mm x 75mm
Heat Output – High	2kW
Heat Output - Low	1kW
Safety	Thermal cut out
Remote Control	Yes
Electronic Digital Thermostat	Yes
Flame Options	Smouldering Log Blazing Log Glowing Coal
Available finishes	Black, Brass and Silver



PURAFLAME®

CONTEMPORARY
in Brass



PURAFLAME®
GONTEMPORARY
in Silver










ELECTRIFLAME® BLACK GLASS

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

Dimensions (H x W x D)	BLACK GLASS 1300 600mm x 1300mm x 126mm	BLACK GLASS 1100 600mm x 1100mm x 126mm
Heat Output - High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes








ELECTRIFLAME® ZIMBALI GLASS

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option • Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

Dimensions (H x W x D)	21MBALI 1300 590mm x 1290mm x 126mm	21MBALI 1100 590mm x 1090mm x 126mm
Heat Output - High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes








ELECTRIFLAME® TRAVERTINE

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

	Dimensions (H x W x D)	TRAVERTINE 1300 600mm x 1300mm x 150mm	TRAVERTINE 1100 600mm x 1100mm x 150mm
	Heat Output – High	1.5kW	1.5kW
	Heat Output - Low	0.75kW	0.75kW
	Safety	Thermal cut out	Thermal cut out
	Remote Control	Yes	Yes










ELECTRIFLAME® BASALT GRANITE

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

	Dimensions (H x W x D)	BASALT GRANITE 1300 600mm x 1300mm x 150mm	BASALT GRANITE 1100 600mm x 1100mm x 150mm
	Heat Output – High	1.5kW	1.5kW
	Heat Output - Low	0.75kW	0.75kW
	Safety	Thermal cut out	Thermal cut out
	Remote Control	Yes	Yes








ELECTRIFLAME® PIANO BLACK

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes


	PIANO BLACK 1300	PIANO BLACK 1100
Dimensions (H x W x D)	600mm x 1300mm x 150mm	600mm x 1100mm x 150mm
Heat Output - High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes





ELECTRIFLAME® GLOWFRAME

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Contemporary glass black fascia
- Fascia features a choice of frosted or gold light effect
- Hearth mounted and wall mounted versions
- Available in two sizes





ELECTRIFLAME GLOWFRAME
Gold

	GLOWFRAME 16"	GLOWFRAME 22"
Dimensions (H x W x D)	610mm x 510mm x 75mm inset + 50mm fascia	610mm x 660mm x 75mm inset + 50mm fascia
Heat Output - High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes
Available finishes	Frosted or Gold	Frosted or Gold








ELECTRIFLAME® ESSENCE

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of four colour options brushed silver, antique brass, satin brass or black



Dimensions (H x W x D)	625mm x 535mm x 75mm inset + 80mm fascia	
Heat Output – High	1.5kW	
Heat Output - Low	0.75kW	
Safety	Thermal cut out	
Remote Control	Yes	
Available finishes	Brushed Silver, Antique Brass, Satin Brass or Black	



ELECTRIFLAME
ESSENCE in Satin Brass




ELECTRIFLAME ESSENCE in Black



ELECTRIFLAME ESSENGE in Brushed Silver

ELECTRIFLAME® CAMBER

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of four colour options polished silver, champagne or black



Dimensions (H x W x D)	615mm x 534mm x 75mm inset + 90mm fascia	
Heat Output – High	1.5kW	
Heat Output - Low	0.75kW	
Safety	Thermal cut out	
Remote Control	Yes	
Available finishes	Polished Silver, Champagne or Black	



ELECTRIFLAME
GAMBER
in Champagne




ELECTRIFLAME
CAMBER
in Black





ELECTRIFLAME® DAISY

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of three colour options silver, brass or black



Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass, Silver or Black



ELECTRIFLAME
DAISY in Brass



ELECTRIFLAME DAISY in Black




ELECTRIFLAME® MODERN

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of two colour options brass or black



ELECTRIFLAME
MODERN
Brass



Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia	
Heat Output – High	1.5kW	
Heat Output - Low	0.75kW	
Safety	Thermal cut out	
Remote Control	Yes	
Available finishes	Brass or Black	







ELECTRIFLAME® ROYALE


- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of three colour options silver, brass or black
- Available in 16" and 22" fire widths



ELECTRIFLAME
ROYALE 22" in Black



ELECTRIFLAME
ROYALE 22" in Silver



	ROYALE 16"	ROYALE 22"
Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia	595mm x 640mm x 75mm inset + 35mm fascia
Heat Output – High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes
Available finishes	Brass, Silver or Black	Brass or Silver



ELECTRIFLAME® BAUHAUS


- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of three colour options silver, brass or black



ELECTRIFLAME
BAUHAUS in Brass



ELECTRIFLAME BAUHAUS in Black



Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mmm fascia
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass, Silver or Black








ACCENT BLACK GLASS & MIRROR

- Beautiful Ribbon Flame Effect
- Variable Flame Speed
- White and frosted stone fuel bed accompanied by a comforting under bed glow
- Up to 2kW heat output
- Optional calming blue or vibrant orange backlight
- Eye-catching glass fascias
- 2 Year Guarantee



	ACCENT BLACK GLASS	ACCENT MIRROR
Dimensions (H x W x D)	410mm x 900mm x 110mm	410mm x 900mm x 110mm
Heat Output – High	2kW	2kW
Heat Output - Low	1kW	1kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes
Mood Lighting	Yes	Yes


Please note: When installed there must be a minimum distance of 300mm between the bottom of the fire and the floor.



ACCENT MIRROR

ACCENT MARINO

- Beautiful Ribbon Flame Effect
- Variable Flame Speed
- White and frosted stone fuel bed accompanied by a comforting under bed glow
- Up to 2kW heat output
- Optional calming blue or vibrant orange backlight
- High quality steel fascias in a choice of four finishes
- 2 Year Guarantee



	ACCENT MARINO	ACCENT MARINO
Dimensions (H x W x D)	442mm x 950mm x 110mm	518mm x 950mm x 111mm
Heat Output – High	2kW	2kW
Heat Output - Low	1kW	1kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes
Mood Lighting	Yes	Yes
Available finishes	Graphite Grey, Black and Cream	N/A





AGGENT MARINO ULTRA AGGENT MARINO in Cream




ACCENT MARINO in Black





ultiflame LEGACY

- Innovative LED flame projection technology
- Appearance of an exceptionally deep fuel bed
- Flame visibility from any angle
- Coal effect fuel bed accompanied by a welcoming under bed glow
- Up to 1.5kW heat output
- High efficiency flame effect system
- Contemporary silver and black fascia
- Remote control operation
- 2 Year Guarantee




Dimensions (H x W x D)	630mm x 600mm x 182mm
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	N/A

Please note: When installed there must be a minimum distance of 300mm between the bottom of the fire and the floor.

ultiflame PROMINENCE

- Innovative LED flame projection technology
- Appearance of an exceptionally deep fuel bed
- Flame visibility from any angle
- Coal effect fuel bed accompanied by a welcoming under bed glow
- Up to 1.5kW heat output
- High efficiency flame effect system
- Wide range of fascia designs and colours to choose from
- Remote control operation
- Optional 3" spacer available for flat wall installations.
- 2 Year Guarantee




Dimensions (H x W x D)	607mm x 497mm x 75mm
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	N/A





ultiflame essence

- Innovative LED flame projection technology
- Appearance of an exceptionally deep fuel bed
- Flame visibility from any angle
- Coal effect fuel bed accompanied by a welcoming under bed glow
- Up to 1.5kW heat output
- High efficiency flame effect system
- Wide range of fascia designs and colours to choose from
- Remote control operation
- Optional 3" spacer available for flat wall installations.
- 2 Year Guarantee



Dimensions (H x W x D)	625mm x 535mm x 75mm
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brushed Silver, Antique Brass, Satin Brass and Black



ULTIFLAME ESSENCE in Black




ULTIFLAME
ESSENCE in Satin Brass



ULTIFLAME
ESSENCE in Brushed Silver

ultiflame CONTEMPORARY

- Innovative LED flame projection technology
- Appearance of an exceptionally deep fuel bed
- Flame visibility from any angle
- Coal effect fuel bed accompanied by a welcoming under bed glow
- Up to 1.5kW heat output
- High efficiency flame effect system
- Wide range of fascia designs and colours to choose from
- Remote control operation
- Optional 3" spacer available for flat wall installations.
- 2 Year Guarantee



Dimensions (H x W x D)	607mm x 497mm x 75mm
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brushed Silver, Polished Brass and Black



ULTIFLAME
CONTEMPORARY
in Black




ULTIFLAME
CONTEMPORARY
in Polished Brass





ultiflame TRADITIONAL

- Innovative LED flame projection technology
- Appearance of an exceptionally deep fuel bed
- Flame visibility from any angle
- Coal effect fuel bed accompanied by a welcoming under bed glow
- Up to 1.5kW heat output
- High efficiency flame effect system
- Wide range of fascia designs and colours to choose from
- Remote control operation
- Optional 3" spacer available for flat wall installations.
- 2 Year Guarantee




Dimensions (H x W x D)	607mm x 497mm x 75mm
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass or Silver



ULTIFLAME TRADITIONAL in Silver

ultiflame ROCKINGHAM

- Innovative LED flame projection technology
- Appearance of an exceptionally deep fuel bed
- Flame visibility from any angle
- Coal effect fuel bed accompanied by a welcoming under bed glow
- Up to 1.5kW heat output
- High efficiency flame effect system
- Wide range of fascia designs and colours to choose from
- Remote control operation
- Optional 3" spacer available for flat wall installations.
- 2 Year Guarantee



Dimensions (H x W x D)	613mm x 510mm x 75mm
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	N/A



DISCLAIMER

Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase.

Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information.

Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types.

according to fire model and flue types.

We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat.

In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present.

(This brochure is copyright 2012 and must not be reproduced in whole or in any part without prior written permission).

We would like to thank OER Fireplaces (01782 319350) for supplying the fire surrounds used in this brochure.



We are confident you are getting a product that is built to last.

That's why we offer a 2 Year
Guarantee on all Celsi electric fires.





BFM Europe Ltd Gordon Banks Drive Trentham Lakes Stoke-on-Trent ST4 4TJ

Tel:01782 339000

www.bfm-europe.com

Email:sales@bfm-europe.com



www.bfm-europe.com

Go direct to the Celsi website on your smart phone or tablet device, just scan in this QR code.

