

traditional and contemporary electric fires and surrounds



# a warming experience

*Burley* has a fine reputation for quality products which has allowed the company to develop from a small family concern to become one of the UK's leading manufacturers of electric fires. Today *Burley* combines traditional family values of customer service, workmanship and value for money, with the very latest in technology, innovation and styling.

## **The range**

The following pages offer the ultimate in choice. *Burley's* wide range encompasses the timeless, classically designed traditional models through to the most contemporary, hang-on-the-wall fires. Whatever your taste, *Burley* has a fire which will enhance your home.

## **The benefits**

Simply switch on your *Burley* fire to enjoy the warmth and comfort of a traditional fire without time-consuming preparation and clearing up. Relax in the knowledge that you have invested in a stunning centrepiece to your home which requires little maintenance and is 100% efficient.

## **The features**

A *Burley* electric fire is a quality product, designed to serve you faithfully for years to come.

All castings are solid brass or aluminium. No imitation plastic mouldings or other components of inferior quality are used. Many *Burley* fires incorporate special features such as touch control, remote control and ioniser. All display a realistic flame effect which can operate with or without heat.

To find a *Burley* stockist near you, view our website [www.burley.co.uk](http://www.burley.co.uk) or speak to our friendly sales desk on **01572 756956**.





Integral ioniser, removes dust and cleans and freshens room air.

Silent heater, provides a full 2kW of heat.

Heater outlet and controls, concealed so as not to spoil the clean lines of the fire.

Beautifully styled remote control that you won't be losing down the back of the sofa. Models with remote control are denoted with '-R' or '-S'.

Thermostatic control, constantly monitors the temperature of your room and maintains perfect comfort.

*Virtualflame*, simply the most realistic flame effect you can buy.

**SENSA-SWITCH** – Burley's exclusive touch control.

Just touch the glass for full control of the light, flame, ioniser and heater. Simple, clean and very cool.

Slim and sleek, engineered from 1.2mm steel, a functional and practical pleasure for many years to come.

Quick connector, allows you to hide cables during installation of the wall plate, then just clip in the fire.

4mm toughened glass with printing fired into the glass for a perfect finish and durability.

Simple bulb changing method, takes seconds and requires no tools.

Fuel bed comes with pebbles, sea shells, drift wood and log effect, so you can create your own look.

Separate wall plate, allows you to quickly and safely remove the fire during decorating etc.



## sometimes a few things combine to make a world of difference

Integral ioniser, removes dust and cleans and freshens room air.

Full width fan allows slower running so quieter operation of the 2kW's of heat.

Concealed heater, so as not to spoil the beautiful aspect of the fire.

**SENSA-SWITCH** – Burley's exclusive touch control. Touch the top of the fire for full control of the light, flame, ioniser and heater, easy. Models with **SENSA-SWITCH** are denoted with '-S'.

Thermostatic control, you set the desired temperature of your room, then sit back and enjoy the view.

Unique *Virtualflame*. Bright dancing flame effect, brightens up any room or any damp afternoon.


Soft touch button switches for easy operation. On all models with '-R' and '-S'.

Brass plated titanium provides the highest quality finish, giving a bright maintenance free finish for years ahead.

Built entirely from 1mm sheet steel for strength, durability, style and assurance of quality.

You may want to inset your fire into a fireplace or stand it on a hearth. We include spacers to allow you to install it anywhere.

Remote touch wall plate, lets you operate your fire from any convenient height, just with the softest brush of the finger.



Simple and quick bulb changing method.

Solid cast brass front, burnished and laquered so you can spend your time enjoying your fire, not polishing it.




Features shown on 515-S and 540-S as examples. Check back page to see which features apply to which models.



Empingham 540-S shown with the Kennet 722 surround in mahogany

**Empingham** 540-S / 540-R



**Swinstead** 535-R / 539-R

Without a trim to recess fully into a standard fireplace opening.



Swinstead 539-R, detail of brass front

Swinstead 535-R, black front



Preston 548

Burley's classically designed range of traditional fires can freestand or inset into any standard surround to form an instant centrepiece to your room.

Waltham 544-S / 544-R



544BR-S



Waltham 544CH-S shown with the Tean 752 surround in natural beech



Rotherby 531BL-R shown with the Coniston 717 surround

## Rotherby 531-R

Ultra slim and versatile.



531BR-R



531CH-R



Weston 124-S




Weston 124 a versatile portable stove to complement any room



# stoves

Traditionally styled with solid cast legs and cast opening doors. **SENSA-SWITCH** (-S) models include detachable, decorative warming shelves.



Chilton 128



Chilton 128-S

burley



Cottesmore 223



Halstead 292



Waverley 228



Halstead 293

# baskets

With or without heat, Burley baskets offer a welcoming glow.



Cottesmore 224BR



Cottesmore 224



Stamford 227 shown with the Windermere 716 surround

The Stamford is cast in solid aluminium, blackened, then partly polished to give a bright finish, visually the result of decades of black leading.



Hallaton 225






Lyddington Forge 101



Rushden 547-R shown with the Walden 764 surround in cherry

### Rushden 547-R

The Rushden and Aisby offer a dramatic selection of flame effects in red, white, blue, orange or green as well as coal, pebble or marble fuel beds, so you can change the appearance of the fire whenever you wish.



### Aisby 536GY-S / 536



Aisby 536GY-S



Aisby 536 shown with the Hawkridge 783 surround



Clipsham 554-S

**Ketton 551-S / Lyndon 553-S / Clipsham 554-S**

Sleek glass front with black and cast trim.  
 Wall mounted, floor standing or semi-inset  
 into surround (551-S and 553-S).  
 Wall mounted only (554-S).



Ketton 551-S



Lyndon 553-S



Oakham 537-R shown with stainless steel panels in the Thames 797 surround in slate

**Oakham 537-R**

Wall mounted or floor standing, with or without surround. Supplied in black complete with optional stainless steel side panels as well as a fuel bed choice of coal, pebbles and shells. An extruded polished chrome trim can be purchased as an additional enhancement.



838CH chrome trim option






**Manton Suite 738**

Versatile, slimline suites comprising stone effect surround and Oakham fire, with fuel bed and trim options included.




Manton suite with 838CH frame

**Oakham Suite 737**





Uppingham 519-R



The ultra contemporary Uppingham and Witham are identical apart from size. Both are supplied in black with optional stainless steel horizontal panels included.






Witham 516-R






515M-S mirror front



### Ayston 515-S and 515M-S

Simply touch the clear or mirrored glass front of the Ayston to operate this impressive fire.  
(See details on page 3)



515-S glass front



Detail 3D black



## Knossington 517-R

New models with a Wow Factor.

The three-dimensional Knossington enters new frontiers of fireplace design.

The flat fronted but equally impressive Pilton is featured on the front cover.

## Pilton 512-R



512DK-R



512LT-R

**Whitwell** 511-S

The Whitwell, with **SENSA-SWITCH** features. Fully inset into a wall or show the smaller black or two-tone chrome trims in Burley's Meden 795 surround.



511BL-S, small black trim



511TC-S, small two-tone chrome trim



511BL-S, large black trim



511CH-S, large chrome trim



211BL-R





211BR-R



211SS-R shown in the Meden 795 surround in natural beech. (Logs not included)

## Drayton 211-R

The Drayton with hand-painted logs can inset fully into a wall or either the Derwent 794 (p23) or Meden 795 surrounds.






520BL-R

### Allextion 520-R

The elegant portrait-styled Allextion forms an attractive feature and centre piece to the room.



520CH-R



556BL-S





556CH-S



556BN-S

### Greetham 556-S

Slim, picture frame design with the touch control of **SENSA-SWITCH**.



# surrounds




Ullswater 715

Shown with 544BR-S



Rydal 711

Shown with 531CH-R



Thames 797

Shown with 544BR-S

Name	Model	Page	Finish Option	Suitable Fires	Height	Width	Depth	Height	Width	Depth	Height	Width
					a	b	c	d	e	f	g	h
Rydal	711	22	Portland	■ + 227	1045	1155	405	745	755	100	565	440
Ullswater	715	22	Limestone	■ + 227	1115	1210	405	835	750	175	565	440
Windermere	716	9	Arctic White	■ + 227	1100	1285	405	778	835	155	565	440
Coniston	717	6	Portland	■ + 227	1065	1355	405	810	780	143	565	440
Kennet	722	4	Mahogany / Oak	■	1098	1330	336	812	744	133	565	440
Oakham Suite	737	13	Stone Effect with 537 Oakham Fire		945	1190	195					
Manton Suite	738-R	13	Stone Effect with 537-R Oakham Fire		900	1000	140					
Manton Suite	738-R + 838CH	13	As above + 838CH chrome Trim		900	1000	165					
Tean	752	5	Natural Beech	■	1187	1330	375	900	820	190	565	440
Yeo	760	23	Natural Beech / Dark Beech	■	942	987	325	695	590	190	565	440
Walden	764	10 / 23	Cherry / Oak	■	890	805	240	557	730	117	565	440
Helford	781	23	Cherry and Natural Beech combination	■	1185	1330	336	900	822	133	565	440
Hawkridge	783	10	Natural Beech with Glass Shelf	■	1160	1330	336	800	822	133	565	440
Torrige	787	23	Natural Beech with Brushed Steel Trim	■	1185	1330	336	900	822	133	565	440
Derwent	794	23	Maple	211	998	1372	290				660	770
Meden	795	19	Natural Beech	211 + 511 narrow	1055	1215	380	640	770	300		
Thames	797	12 / 22	Cast Stone / Slate	537	945	1050	130	723	612	415	565	440

■ = models 531, 536, 540, 544, 547, 548, 551 and 553



Torridge 787

Shown with 547-R



Helford 781

Shown with 547-R



Walden 764

Shown with 531BL-R



Yeo 760

Shown with 536

Derwent 794




Shown with 211SS-R

Name	Model	Page	Finishes	Control	Ioniser	2kW fan heater	Flame type	Positioning	Fuel effect	Overall			Inset		
										Height	Width	Depth	Height	Width	Depth
Lyddington	101	9	Bl	M		M	U	F	L	572	560	254			
Weston	124	7	Bl	M		M	V	F	L	620	525	325			
Weston	124-S	7	Bl	SRM	✓	TR	V	F	L	620	800	325			
Chilton	128	7	Bl	M		M	V	F	L	685	660	325			
Chilton	128-S	7	Bl	SRM	✓	TR	V	F	L	685	945	325			
Drayton	211-R	19	Bl / Br / Ss	RM		TR	V	I	L	640	790	255	580	660	240
Cottesmore	223	8	Bl	M		M	U	F	C	260	465	320			
Cottesmore	224	8	Bl / Br	M		M	U	F	C	465	470	280			
Hallaton	225	9	Bl	M		M	U	F	C	465	470	270			
Stamford	227	9	Po	M		M	V	FJ	C	630	560	350			
Waverley	228	8	Po	M		M	U	F	PL	260	460	320			
Halstead	292	8	Br	M		M	U	I	C	250	395	330	250	F 385 B 275	250
Halstead	293	8	Bl	M		M	U	I	C	250	395	330	250	F 385 B 275	250
Whitwell	511-S large	18	Bl / Ch	SRM	✓	TR	V	I	PL	805	945	280	580	660	240
Whitwell	511-S small	18	Bl / Tc	SRM	✓	TR	V	I	PL	660	800	270	580	660	240
Pilton	512-R	17	Lt / Dk	R	✓	TR	V	W	PNH	600	900	165			
Ayston	515-S	16	Gl / Mi	SRM	✓	TR	V	W	PNH	600	940	165			
Witham	516-R	15	Bl + Ss	R	✓	TR	V	W	PNH	600	940	165			
Knossington	517-R	17	Bl	R	✓	TR	V	W	PNH	660	940	210			
Uppingham	519-R	14	Bl + Ss	R	✓	TR	V	W	PNH	600	1110	165			
Allerton	520-R	20	Bl	R	✓	TR	V	W	PNH	826	610	125			
Allerton	520-R	20	Ch	R	✓	TR	V	W	PNH	860	630	135			
Rotherby	531-R	6	Bl / Br / Ch	RM		TR	V	FI	C	580	506	165	522	F 364 B 325	57
Swinstead	535-R	4	Bl	RM		TR	V	I	C	555	400	180	548	F 385 B 290	95
Aisby	536	10	Ss	M		TM	VB	FIJ	CPG	610	520	170	548	F 385 B 290	95
Aisby	536GY-S	10	Dk	SRM	✓	TR	VB	FIJ	CPG	610	520	170	548	F 385 B 290	95
Oakham	537-R	12	Bl / Ss	RM		TR	V	FIW	CPG	590	635	130			
Oakham	537-R + 838 trim	12	Ch	RM		TR	V	FIW	CPG	590	635	155			
Swinstead	539-R	4	Br	RM		TR	V	I	C	555	400	180	548	F 385 B 290	95
Empingham	540-R	4	Br	RM		TR	V	FIJ	C	610	520	157	548	F 385 B 290	95
Empingham	540-S	4	Br	SRM	✓	TR	V	FIJ	C	610	520	157	548	F 385 B 290	95
Waltham	544-R	5	Br / Ch	RM		TR	V	FIJ	C	610	520	190	548	F 385 B 290	95
Waltham	544-S	5	Br / Ch	SRM	✓	TR	V	FIJ	C	610	520	190	548	F 385 B 290	95
Rushden	547-R	10	Ss	RM		TR	VB	FI	CPG	610	520	190	548	F 385 B 290	95
Preston	548	5	Br	M		TM	V	FIJ	C	610	520	158	548	F 385 B 290	95
Ketton	551-S	11	Po	SRM	✓	TR	V	FJW	PGH	605	520	130			
Lyndon	553-S	11	Po	SRM	✓	TR	V	FJW	PGH	605	520	130			
Clipsham	554-S	11	Po	SRM	✓	TR	V	JW	PGH	670	520	130			
Greetham	556-S	21	Bl / Br / Ch	SRM	✓	TR	V	JW	PH	630	575	140			

- Key**
- B** Blue, Red, White, Orange, Green flame options
  - C** Coal
  - F** Freestanding
  - G** Marbles
  - H** Shells
  - I** Inset
  - J** Semi inset
  - L** Log effect
  - M** Manual
  - N** White chips
  - P** Pebbles
  - R** Remote control
  - S** Sensa-Switch
  - T** Thermostat
  - U** Flicker effect
  - V** Virtual-flame
  - W** Wall mounted
  - Bl** Black
  - Bl+Ss** BL with optional SS trim
  - Bn** Brown
  - Br** Brass
  - Ch** Chrome
  - Dk** Dark grey
  - Gl** Glass
  - Lt** Light grey
  - Mi** Mirror
  - Po** Polished
  - Ss** Brushed stainless steel
  - Tc** Two tone chrome

**Inset dimensions**



All measurements are in millimetres.

Because our policy is one of constant development, details may vary slightly from those given in this publication.

**Burley Appliances Limited**

Lands End Way, Oakham, Rutland LE15 6RB  
United Kingdom

For more information or details of your nearest stockist:

Telephone (01572) 756956 Fax (01572) 724390  
email: sales@burley.co.uk www.burley.co.uk