

# the fire collection





### Why Dimplex?

There is nothing quite like the effect of a fire. It creates a wonderful feeling of comfort and cosiness. But open fires can be inconvenient and messy. Likewise, with a gas fire, you need to consider flue and gas connection constraints, the permanency and cost of installation and the need for annual servicing. With a Dimplex electric fire, you don't have to think about any of these things! All fires come complete with a fitted plug and many don't even require a fireplace. You simply plug-in and go!\*

### Experience

No one has more experience in this market than Dimplex – in fact we have been manufacturing electric fires for 60 years and during this time have constantly been at the forefront of product development. Our unique flame effect – Optiflame® – is now the world's best-selling electric flame effect and we have recently introduced a new effect – Opti-myst® which is the first truly three-dimensional electric smoke and flame effect (please see page 5 for more details).

### Safety Assured

With a Dimplex electric fire, you also get the added reassurance of BEAB approval\*\* which means all our fires have been produced to the most stringent safety requirements for domestic electrical appliances.

No other company can give you as much choice as Dimplex. Whatever your taste – ultra modern, traditional or classic, Dimplex has a fire to suit your decor and lifestyle.



\* Wall mounted fires require some installation, Opti-myst® range requires water to be added.

\*\* All Dimplex fires are approved by BEAB or awaiting approval at time of printing.

## Electric Fires – the Future

Dimplex electric fires have many energy saving benefits which not only save you money but will reduce your carbon emissions as well.

Unlike a gas fire, the 'flames' on a Dimplex electric fire can be used independently of the heat, so you can still enjoy the cosiness of the flames on dark mild evenings or when the central heating is on, without overheating and for only around 2p an hour.

When you do require heating, most models feature half heat settings so you can reduce the amount of energy used and some also feature thermostats for maximum comfort and efficiency.

All Dimplex fires are also 100% efficient at point of use, and unlike virtually all gas fires, waste no heat up the chimney or flue.

Selected fires and suites now feature LED lamps to further reduce running costs over conventional and compact fluorescent (CFL) bulbs. With LEDs, the total energy consumption in effect only setting is between 14 and 18 watts per hour, depending on model, equating to an annual cost of around £2\* per annum. LED lamps also have an exceptionally long lifespan – the lamps in our LE range of fires are expected to last 100,000 hours or almost 55 years\*\*.

\* Average 2008 rates p/kWh assuming 5 hours/7 days per week usage.

\*\* Assuming usage of 5 hours and 7 days per week.



# choosing your fire

## Opti-myst®

Pages 5–9

The most realistic flame and smoke effect ever seen in an electric fire.



## Living Art

Page 10

A completely new concept that combines electric fire technology and art.



## Wall Mounted Fires

Pages 11–19

A stunning range of contemporary designs.



## Inset Fires

Pages 20–28, 33–48

A range of contemporary and traditional fires that, subject to model, will inset into fireplace openings, the wall or a suitable fire surround. Many models can also be freestanding with spacer kit supplied.



## Freestanding Fires

Pages 29–32, 49

Four totally different 'inset' style fires, which can be fitted against any flat wall.



## Stoves

Pages 50–53

Impressively authentic, this is a range of modern and traditional stove style fires that can be used almost anywhere.



## Suites

Pages 54–62

A range of traditional and modern surrounds, which include an Optiflame® fire, for a complete fireplace in an instant.



## Surrounds

Page 63

A range of three pre-assembled surrounds ready for use with most inset Optiflame® fires.



## Radiant Bar Fires

Page 64

A range of traditional radiant fires.



## Accessories / Specifications

Pages 65–67

See these pages for detailed specifications and our range of accessories.



## Introducing opti-myst<sup>®</sup>

a revolution in electric fire technology

Dimplex, creators of the world's best-selling electric flame effect Optiflame<sup>®</sup>, now bring you another stunning flame effect – Opti-myst<sup>®</sup>. Deceptively real, Opti-myst<sup>®</sup> will captivate you from the moment you see it.

Using unique state-of-the-art technology, Dimplex has created the most realistic flame and smoke effect ever seen in an electric fire – an illusion so effective that we challenge you to distinguish it from the real thing.

The fully 3-dimensional effect uses established ultrasonic technology adapted from commercial applications to create an ultra-fine water mist that is illuminated to create the 'flames' and 'smoke'. This, combined with the Optiglo<sup>®</sup> glowing logs and shimmering ashbed, produces an effect that surpasses all expectations for realism in an electric fire. See it and believe it!

This amazing effect is currently available in four new fires:

- The Chesford inset fire with titanium effect finish
- The Cavendish inset fire with brass effect finish
- The Cadogan traditionally styled stove
- The Cassington contemporary styled stove

Turn over the page to find out more!



# Chesford



- Opti-myst® flame and smoke effect
- Multiple worldwide patents pending
- Fully variable flame and smoke intensity control
- Silent operation
- 180° flame and smoke viewing angle
- Dichroic Xenon bulbs with extended life
- 1.3 litre easy refill water tank
- Optiglo® glowing logs with shimmering ash bed
- 1kW and 2kW heat selection from concealed fan heater
- Opti-myst® effect can be used independently of heat
- Thermostat
- Remote control
- Virtually maintenance-free
- Titanium effect finish
- Model no. CSD20

## Product Dimensions

Please see pages 65-67

For details of surrounds, see back page



Remote control



CHESFORD shown in OER surround

**NEW**  
Opti-myst® effect



CAVENDISH shown in OER surround

## Cavendish



- Opti-myst® flame and smoke effect
- Multiple worldwide patents pending
- Fully variable flame and smoke intensity control
- Silent operation
- 180° flame and smoke viewing angle
- Dichroic Xenon bulbs with extended life
- 1.3 litre easy refill water tank
- Optiglo® glowing logs with shimmering ash bed
- 1kW and 2kW heat selection from concealed fan heater
- Opti-myst® effect can be used independently of heat
- Thermostat
- Remote control
- Virtually maintenance-free
- Brass effect finish
- Model no. CSH20

### Product Dimensions

Please see pages 65-67

For details of surrounds, see back page



Remote control

# Cadogan



- Opti-myst® flame and smoke effect
- Multiple worldwide patents pending
- Fully variable flame and smoke intensity control
- Silent operation
- 180° flame and smoke viewing angle
- Dichroic Xenon bulbs with extended life
- 2 litre easy refill water tank
- Optiglo® glowing logs with shimmering ash bed
- 1 and 2kW heat selection from concealed fan heater
- Opti-myst® effect can be used independently of heat
- Thermostat
- Remote control
- Virtually maintenance-free
- Traditionally styled stove design
- Model no. CGN20

NB. Allow 300mm clearance on both sides of the stove so that the doors can be opened fully.

## Product Dimensions

Please see pages 65-67



Remote control



CADOGAN

**NEW**  
Opti-myst® effect



CASSINGTON

## Cassington



- Opti-myst® flame and smoke effect
- Multiple worldwide patents pending
- Fully variable flame and smoke intensity control
- Silent operation
- 180° flame and smoke viewing angle
- Dichroic Xenon bulbs with extended life
- 2 litre easy refill water tank
- Optiglo® glowing logs with shimmering ash bed
- 1 and 2kW heat selection from concealed fan heater
- Opti-myst® effect can be used independently of heat
- Thermostat
- Remote control
- Virtually maintenance-free
- Contemporary-style stove design
- Model no. CSN20

NB. Allow 300mm clearance on both sides of the stove so that the doors can be opened fully.

### Product Dimensions

Please see pages 65-67



Remote control

# Living Art

- Wall mounted TFT display unit in landscape format
- Compact flash card with choice of audio visual playback of 8 different continuous-loop moving scenes:
  - the four seasons
  - a roaring log fire
  - a cosy coal fire
  - a dying embers log fire
  - a soothing aquarium
- In-built speakers
- Fully functional remote control giving scene selection, volume control and heat on/off operation
- Finished in black
- Twin fan heaters with total output of 1kW
- Wall mounting only
- Model no. LVA191



## Product Dimensions

Please see page 65-67



Remote control

## Moods at your fingertips

The LVA191 has eight different scenes, each controlled by the stylish remote, giving total control of mood, sound and heat.



## SP16

- A contemporary flame effect fire designed for wall mounting
- Chassis can also be inset so that only the frame protrudes
- Remote control for armchair selection of on/off, heat and flame effect light levels
- Choice of two heat settings
- Optiflame® effect with Optiglo® glowing log bed
- Black finish
- Concealed fan heater gives output of 2kW
- Flame effect can be used independently of heat
- Model no. SP16

Opening requirements for recessed installation

H 520mm W 1143mm D 146mm

### Product Dimensions

Please see pages 65-67



Remote control

SP16

## SP5

- A contemporary flame effect fire designed for wall mounting
- Chassis can also be inset so that only the frame protrudes
- Remote control giving armchair selection of on/off, heat output and flame effect light levels
- Silent heating operation
- Optiflame® log effect
- Satin silver effect finish
- Unique “smart” heated glass
- Radiant and convected heat output of 500 Watts
- Model no. SP520

Opening requirements for recessed installation

H 640mm W 1143mm D 146mm

### Product Dimensions

Please see pages 65-67



Remote control



SP5

## SP9

- A contemporary flame effect fire designed for wall mounting
- Chassis can also be inset so that only the frame protrudes
- Remote control for armchair selection of on/off, heat output and flame effect light levels
- Optiflame® log effect
- Large white pebble bed available as optional extra (part no. SP9001). See page 67 for details
- Black finish
- Unique “smart” heated glass
- Radiant and convected heat output of 420 Watts
- Model no. SP920

Opening requirements for recessed installation

H 676mm W 895mm D 150mm

### Product Dimensions

Please see pages 65-67



Remote control

SP9 shown inset into a false wall



SP9 with optional pebbles

# SP8

- A contemporary flame effect fire designed for wall mounting
- Remote control for armchair selection of on/off, heat output and flame effect light levels
- Optiflame® large white pebble effect
- Log bed available as optional extra (part no. SP8001). See page 67 for details
- Silver finish with contrasting grey
- Fully concealed 2kW fan heater with remote and manual switching
- Choice of 1kW and 2kW fan heat settings
- Flame effect can be used independently of heat source
- Wall mounted only (cannot be recessed)
- Model no. SP820

## Product Dimensions

Please see pages 65-67




SP8 with optional log fuel bed



Remote control

SP8





OBSIDIAN with logs

## Obsidian

- A contemporary flame effect fire designed for wall mounting
- Remote control giving armchair selection of on/off, heat output and flame effect light levels
- Choice of Optiflame® log and Optiflame® white pebbles (both supplied)
- Finished in black
- Fully concealed 2kW fan heater with remote and manual switching
- Choice of 1kW and 2kW heat settings
- Flame effect can be used independently of heat source
- Wall mounted only (cannot be recessed)
- Model no. OBS20

### Product Dimensions

Please see pages 65-67



OBSIDIAN with pebbles



Remote control

# Ravello

- Open fronted contemporary fire with concealed 2kW fan heater
- Flame effect can be used independently of heat
- 2kW fan heater with electronic thermostat
- For use wall-mounted or inset
- Remote control
- Optiflame® effect with Optiglo® glowing log bed and white pebbles (both supplied)
- Black finish
- Model no. RVO20

Opening requirements for recessed installation

H 600mm W 410mm D 110mm

### Product Dimensions

Please see pages 65-67



RAVELLO with pebbles



RAVELLO with logs shown inset into a false wall

## Nardini

- Open fronted contemporary fire with concealed 2kW fan heater
- Flame effect can be used independently of heat
- Fan heater with choice of 1kW and 2kW heat settings
- For use wall-mounted or inset
- Thermostat
- Choice of Optiflame® log effect and Optiflame® white pebbles (both supplied)
- Black glass front
- Model no. NDN20

Opening requirements for recessed installation

H 600mm W 400mm D 145mm

### Product Dimensions

Please see pages 65-67



NARDINI with pebbles

NARDINI with logs

## Bach

- Glass fronted contemporary fire with concealed 2kW fan heater
- Flame effect can be used independently of heat
- Fan heater with choice of 1kW and 2kW heat settings
- For use wall-mounted or inset
- Thermostat
- Optiflame® log effect
- Dark grey frame with black front
- Remote control
- Model no. BCH20

Opening requirements for recessed installation


H 580mm W 580mm D 130mm

### Product Dimensions

Please see pages 65-67



BACH



BIZET with black frame

## Bizet

- Contemporary fire designed for use either wall-mounted or recessed
- Flame effect can be used independently of heat
- 2kW fan heater with a choice of 1kW and 2kW heat settings
- Thermostat
- Finished in silver grey with a reversible frame finished in gloss black and gloss white
- Remote control
- Optiflame® log effect
- Model no. BZT20

Opening requirements for recessed installation

H 580mm W 580mm D 130mm

### Product Dimensions

Please see pages 65-67



BIZET with white frame

# Valencia

- A contemporary inset log effect fire which can be set into the wall or a suitable fire surround
- Optiflame® log effect
- 1.5kW fan heater which is fully concealed
- Choice of 2 heat settings
- Remote control – on/off, heat setting and flame effect light levels
- Flame effect can be used independently of heat
- Model no. VAL15

Opening requirements for recessed installation

H 632mm W 648mm D 185mm

### Product Dimensions

Please see pages 65-67

For details of surrounds, see back page



Remote control



VALENCIA shown in Manhattan Style surround



NAVARRA shown inset into false wall

## Navarra

- Contemporary inset fire which can be set into the wall or a suitable fire surround
- Optiflame® effect with white pebbles
- 1.5kW fan heater which is fully concealed
- Choice of 2 heat settings
- Remote control – on/off, heat setting and flame effect light levels
- Flame effect can be used independently of heat
- Model no. NAV15P

Opening requirements for recessed installation  
H 532mm W 550mm D 210mm

### Product Dimensions

Please see pages 65-67



Remote control

# X1B

- Canopy free fire – no protrusion from fan heater
- 1.5kW inset or freestanding fire with unique Optiflame® effect
- Electronic thermostatic control giving highly accurate room temperature control
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Fits flat-to-wall with 70mm spacer (included)
- Manual or remote control giving armchair selection of on/off
- Coal and small white pebbles supplied as standard
- Flame effect can be used independently of heat source
- Model no. X1B

## Product Dimensions

Please see pages 65-67

For details of surrounds, see back page



X1 Black with coals



Remote control



X1 BLACK shown in OER surround



## X1S

- Canopy free fire – no protrusion from fan heater
- 1.5kW inset or freestanding fire with unique Optiflame® effect
- Electronic thermostatic control giving highly accurate room temperature control
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Fits flat-to-wall with 70mm spacer (included)
- Manual or remote control giving armchair selection of on/off
- Coal and small white pebbles supplied as standard
- Flame effect can be used independently of heat source
- Model nos. X1S

### Product Dimensions

Please see pages 65-67



X1 Silver with pebbles



Remote control

X1 SILVER with coals shown flat-to-wall using spacer provided

# Amalfi

- Stainless steel effect with chrome effect details
- 2kW fan heater with choice of heat settings
- Thermostat
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Flame effect can be used independently of heat
- Inset depth of just 55mm fully inset or can be used flat-to-wall using spacer provided
- Optiflame® effect with coal and white pebbles
- Model no. AMF20

## Product Dimensions

Please see pages 65-67

For details of surrounds, see back page



AMALFI with coals



AMALFI with pebbles in JRG surround

## Delius

- Stainless steel effect with chrome effect details and polished cast fret
- 2kW fan heater with choice of heat settings and thermostat
- Flame effect can be used independently of heat
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Inset depth of just 55mm fully inset or can be used flat-to-wall using spacer provided
- Optiflame® effect with coal and white pebbles
- Model no. DLS20

### Product Dimensions

Please see pages 65-67

For details of surrounds, see back page



DELIUS with coals

DELIUS with pebbles in Allwood Fireplaces surround



# Aspen

- Inset fire with unique Optiflame® effect
- Supplied with pebbles and real coal
- 2kW fan heater with choice of two heat settings
- Flame effect can be used independently of heat
- Inset depth of just 55mm\* fully inset or can be used flat-to-wall using spacer provided
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Stainless steel effect finish with brass effect details
- Model No. ASP20

\* 55mm depth applies to series K and onwards; before series K inset depth is 115mm

## Product Dimensions

Please see pages 65-67

For details of surrounds, see back page



ASPEN with coals



ASPEN with pebbles shown in Allwood Fireplaces surround

## Avola

- Inset fire with unique Optiflame® effect
- Supplied with pebbles and real coal
- 2kW fan heater with choice of two heat settings
- Flame effect can be used independently of heat
- Inset depth of just 55mm\* fully inset or can be used flat-to-wall using spacer provided
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Stainless steel effect finish
- Model No. AVA20

\* 55mm depth applies to series K and onwards; before series K inset depth is 115mm

### Product and Opening Dimensions

Please see pages 65-67

#Plinth not supplied



AVOLA with pebbles

AVOLA with coals inset into a wall on a plinth#

# Elda

- Inset fire with unique Optiflame® effect
- Supplied with pebbles and real coal
- 2kW fan heater with choice of two heat settings
- Flame effect can be used independently of heat
- Inset depth of just 55mm\* fully inset or can be used flat-to-wall using spacer provided
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Stainless steel effect finish
- Model No. ELD20

\* 55mm depth applies to series K and onwards; before series K inset depth is 115mm

## Product and Opening Dimensions

Please see pages 65-67

For details of surrounds, see back page



ELDA with pebbles



ELDA with coals in Aristocratic Designs surround

## Detroit

- Freestanding fire with Optiflame® effect
- Supplied with white pebbles and real coals
- Fits flat-to-wall; no inset depth required
- 2kW fan heater with 2 heat settings
- Flame effect can be used independently of heat
- Black and chrome effect finish
- Shown with optional hearth pad model no. HPD001 (see page 67)
- Model no. DTT20



DETROIT with coals

### Product Dimensions

Please see pages 65-67



DETROIT with pebbles

# Castillo

- Unique Optiflame® effect
- Freestanding and fits flat to wall
- Real coals and white pebbles supplied
- Chrome and satin silver effect
- 2kW fan heater with choice of 2 heat settings
- Compatible with hearth pad accessory HPD001 (see page 67)
- Flame effect can be used independently of heat source
- Model no. CST20



CASTILLO with pebbles

**Product Dimensions**  
Please see pages 65-67



CASTILLO with coals

## Zamora

- Unique Optiflame® effect
- Freestanding and fits flat to wall
- Real coals and white pebbles supplied
- Black and chrome effect finish
- 2kW fan heater with choice of 2 heat settings
- Shown with optional hearth pad model no. HPD001 (see page 67)
- Flame effect can be used independently of heat source
- Model no. ZAM20



ZAMORA with coals

### Product Dimensions

Please see pages 65-67



ZAMORA with pebbles

# Roda

- Freestanding fire with Optiflame® effect
- Comes with choice of pebbles and coal
- Comes with spacer which makes product freestanding
- Will fit standard 16" and 18" fireplace openings if freestanding spacer is removed and inset depth of 55mm can be accommodated\*
- 2kW fan heater with choice of 2 heat settings
- Stainless steel effect finish
- Compatible with hearth pad accessory HPD001 (see page 67)
- Flame effect can be used independently of heat source
- Model no. ROD20

\* 55mm depth applies to series K and onwards; before series K inset depth with spacer removed is 115mm

## Product and Opening Dimensions

Please see pages 65-67

\*Plinth not supplied



RODA with coals



RODA with pebbles shown flat-to-wall on plinth\*



## Carnevale

- Cast one-piece fret and front in polished brass effect finish
- 2kW fan heater with choice of heat settings
- Thermostat
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Flame effect can be used independently of heat
- Inset depth of just 55mm fully inset or can be used flat-to-wall using spacer provided
- Optiflame® effect with real coal
- Model no. CNV20

### Product Dimensions

Please see pages 65-67

For details of surrounds, see back page

CARNEVALE in OER surround

## Gilmore

- Cast, polished one-piece fret and front
- 2kW fan heater with choice of heat settings
- Thermostat
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Flame effect can be used independently of heat
- Inset depth of just 55mm fully inset or can be used flat-to-wall using spacer provided
- Optiflame® effect with real coal
- Model no. GMR20



### Product and Opening Dimensions

Please see pages 65-67

\*Plinth not supplied

GILMORE shown on a plinth\*



EXBURY shown in JRG surround

## Exbury

- Canopy free fire – no protrusion from fan heater
- 1.5kW inset or freestanding fire with unique Optiflame® effect
- Electronic thermostatic control giving highly accurate room temperature control
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Fits flat-to-wall with 70mm spacer (included)
- Manual or remote control giving armchair selection of on/off
- Brass effect finish
- Real coals
- Flame effect can be used independently of heat source
- Model no. EBY15

### Product Dimensions

Please see pages 65-67

For details of surrounds, see back page



Remote control

# Adagio

- Inset fire with unique Optiflame® effect
- Supplied with large white pebbles and real coal
- One piece cast front and frame
- 2kW fan heater with choice of two heat settings
- Flame effect can be used independently of heat
- Inset depth of just 55mm\* fully inset or can be used flat-to-wall using spacer provided
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Polished cast iron finish with brass effect knob and stainless steel effect canopy
- Model No. ADG20

\* 55mm depth applies to series K and onwards; before series K inset depth is 115mm

## Product and Opening Dimensions

Please see pages 65-67

For details of surrounds, see back page



ADAGIO with coals



ADAGIO with pebbles shown in JRG surround

## Adagio Brass

- Inset fire with unique Optiflame® effect
- Supplied with large white pebbles and real coal
- One piece cast front and frame
- 2kW fan heater with choice of two heat settings
- Flame effect can be used independently of heat
- Inset depth of just 55mm\* fully inset or can be used flat-to-wall using spacer provided
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Polished brass effect finish with brass/chrome effect knob and black canopy
- Model No. ADG20BR

\* 55mm depth applies to series K and onwards; before series K inset depth is 115mm

### Product and Opening Dimensions

Please see pages 65-67

For details of surrounds, see back page



ADAGIO BRASS shown in JRG surround



ADAGIO BRASS with pebbles

## Danesbury

- Inset fire with unique Optiflame® effect
- Supplied with real coal
- 2kW fan heater with choice of two heat settings
- Thermostat
- Flame effect can be used independently of heat
- Controls concealed beneath lift-up canopy
- Inset depth of just 55mm\* fully inset or can be used flat-to-wall using spacer provided
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Choice of finishes: DAN20BR – brass effect; DAN20BL – black; DAN20AB –antique brass effect

\* 55mm depth applies to series K and onwards; before series K inset depth is 115mm

### Product and Opening Dimensions

Please see pages 65-67

For details of surrounds, see back page



DANESBURY BRASS shown in JRG surround



DANESBURY BLACK shown in Allwood Fireplaces surround



DANESBURY ANTIQUE BRASS shown in OER surround

**Product and Opening Dimensions**

Please see pages 65-67

For details of surrounds, see back page

# Chalbury

- Inset fire with unique Optiflame® effect
- Supplied with real coal
- 2kW fan heater with choice of two heat settings
- Flame effect can be used independently of heat
- Inset depth of just 55mm\* fully inset or can be used flat-to-wall using spacer provided
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Choice of two finishes: CHB20CH – chrome effect finish with black; CHB20BR – brass effect finish with black

\* 55mm depth applies to series K and onwards; before series K inset depth is 115mm



## Product and Opening Dimensions

Please see pages 65-67

For details of surrounds, see back page

CHALBURY CHROME shown in JRG surround



CHALBURY BRASS shown in JRG surround

**Product and Opening Dimensions**

Please see pages 65-67

For details of surrounds, see back page

# Loxley

- Canopy-free fire – no protrusion from fan heater
- 1.5kW inset or freestanding fire with unique Optiflame® effect
- Supplied with real coals
- Fits flat-to-wall with 70mm spacer supplied
- 1.5kW fan heater with electronic thermostat
- Flame effect can be used independently of heat
- Remote control
- Brass effect finish
- Model no. LXY15

## Product and Opening Dimensions

Please see pages 65-67

For details of surrounds, see back page



Remote control



LOXLEY shown in JRG surround

## Ashington

- Inset fire with unique Optiflame® effect
- Supplied with real coal
- 2kW fan heater with choice of two heat settings
- Flame effect can be used independently of heat
- Inset depth of just 55mm\* fully inset or can be used flat-to-wall using spacer provided
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Brass effect finish with black
- Model No. ASN20

\* 55mm depth applies to series K and onwards; before series K inset depth is 115mm

### Product and Opening Dimensions

Please see pages 65-67

For details of surrounds, see back page

ASHINGTON shown in Dimplex Ashmore surround

# Horton

- Inset fire with unique Optiflame® effect
- Supplied with real coal
- 2kW fan heater with choice of two heat settings
- Thermostat
- Flame effect can be used independently of heat
- Controls concealed beneath lift-up canopy
- Inset depth of just 55mm\* fully inset or can be used flat-to-wall using spacer provided
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Choice of finishes: HTN20BR – brass effect with black detail; HTN20BL – black with brass effect detail; HTN20CH – chrome effect with black detail

\* 55mm depth applies to series K and onwards; before series K inset depth is 115mm



## Product and Opening Dimensions

Please see pages 65-67

For details of surrounds, see back page

HORTON BRASS shown in Be Modern surround



HORTON CHROME in Aristocratic Designs surround



HORTON BLACK in Be Modern surround

# Wynford

- Inset fire with unique Optiflame® effect
- Supplied with real coal
- 2kW fan heater with choice of two heat settings
- Flame effect can be used independently of heat
- Inset depth of just 55mm\* fully inset or can be used flat-to-wall using spacer provided
- Designed to fit 16" and 18" fireplaces and all conventional flues
- Choice of two finishes: WYN20BR – brass effect finish with black detail; WYN20CH – chrome effect finish with black detail

\* 55mm depth applies to series K and onwards; before series K inset depth is 110mm

## Product and Opening Dimensions

Please see pages 65-67

†Surround now obsolete



WYNFORD BRASS shown in Be Modern surround†



WYNFORD CHROME shown in Be Modern surround<sup>†</sup>

**Product and Opening Dimensions**

Please see pages 65-67

<sup>†</sup>Surround now obsolete

## Longbourn

- Inset fire with unique Optiflame® effect with real coals
- Fits standard 16" and 18" fireplace openings and all conventional flues
- 2kW fan heater with choice of 2 heat settings plus thermostat control
- Comes with a spacer allowing fire to be fully inset or freestanding
- Flame effect can be used independently of heat source
- Model No. LBN20



### Product and Opening Dimensions

Please see pages 65-67

<sup>†</sup>Surround now obsolete

Longbourn shown in Be Modern surround<sup>†</sup>



CHERITON LE shown flat-to-wall on an HPD001 Hearth Pad

## Cheriton

- Freestanding fire with Optiflame® effect and real coals
- Designed to fit “flat to wall”; no inset depth required
- Black and brass effect finish
- 2kW fan heater with choice of 2 heat settings
- Compatible with hearth pad accessory HPD001 (see page 67)
- Flame effect can be used independently of heat source
- Model No. CHT20

## Cheriton LE

- Low energy version of Cheriton has LED flame effect
- Running cost of 1p for 9 hours on effect only
- LED lifespan – 100,000 hours
- Thermostat
- Remote control
- Model No. CHT20LE

### Product Dimensions

Please see pages 65-67



CHERITON CHT20

## Stockbridge Black

- Authentic cast-iron style stove with glossy black finish
- Choice of Optiflame® with real coal and Optiflame® log effect in one model. Comes fitted with log fuel effect – just change to coal as appropriate
- 1kW or 2kW fan heat selection
- Thermostat
- Remote control giving armchair selection of on/off heat output and flame effect light levels
- Flame effect can be used independently of heat source
- Compatible with hearth pad accessory HPD001 (see page 67)
- Model no. SKG20BL



STOCKBRIDGE BLACK with coals

### Product Dimensions

Please see pages 65-67

†Plinth shown is not supplied



Remote control



STOCKBRIDGE BLACK with log effect†



RECTORY with real coals and optional stove pipe STP001<sup>†</sup>

# Rectory

- Cast-iron style stove finished in black
- Choice of unique Optiflame<sup>®</sup> effect with real coals and Optiflame<sup>®</sup> log effect in one model. Comes fitted with log fuel effect – just change to coal as appropriate
- 1kW or 2kW fan heat selection
- Opening door
- Thermostat control
- Remote control for armchair selection of on/off heat output and flame effect light levels
- Compatible with stove pipe accessory STP001 and hearth pad accessory HPD001 (See page 67)<sup>†</sup>
- Flame effect can be used independently of heat source
- Model no. REC20R

### Product Dimensions

Please see pages 65-67

<sup>†</sup>Plinth shown is not supplied



Remote control

## Club

- Mid-sized cast-iron style electric stove
- Optiflame® log effect with the illusion of 'dying embers' even when switched off
- 2kW fan heater with choice of 2 heat settings
- Finished in matt black
- Remote control of on/off
- Compatible with stove pipe accessory STP001 and hearth pad accessory HPD001 (see page 67)
- Flame effect can be used independently of heat source
- Model no. CLB20R

### Product Dimensions

Please see pages 65-67

†Plinth shown is not supplied



## Tango

- Traditional 'cast iron' style stove in matt black finish
- Unique Optiflame® coal effect with real coals
- Choice of 1kW or 2kW fan heat settings
- Remote control of on/off
- Flame effect can be used independently of heat source
- Compatible with hearth pad accessory HPD001 (see page 67)
- Model no. TNG20R

### Product Dimensions

Please see pages 65-67





SPRINGBORNE<sup>†</sup>

## Springborne

- Compact stove designed to fit in or on a standard fireplace and hearth
- Optiflame<sup>®</sup> coal effect with real coal
- Opening doors
- 1kW or 2kW fan heat selection
- Black cast effect finish
- Remote control of on/off
- Compatible with hearth pad accessory HPD001 (see page 67)<sup>†</sup>
- Flame effect can be used independently of heat source
- Model no. SBN20R

### Product Dimensions

Please see pages 65-67

<sup>†</sup>Plinth shown is not supplied



BRAYFORD<sup>†</sup>

## Brayford

- Compact stove designed to fit in or on a standard fireplace and hearth
- Optiflame<sup>®</sup> log effect
- 1kW or 2kW fan heat selection
- Black cast effect finish
- Remote control of on/off
- Compatible with hearth pad accessory HPD001 (see page 67)<sup>†</sup>
- Flame effect can be used independently of heat source
- Model no. BFD20R

### Product Dimensions

Please see pages 65-67

<sup>†</sup>Plinth shown is not supplied

## Multifire LE Suite

- Freestanding fire suite with integral Optiflame® fire
- Stone effect surround and dark grey fire
- Optiflame® LED effect with Optiglo® glowing log bed
- Concealed 2kW fan heater with electronic thermostat
- Remote control for armchair selection of on/off and heat selection
- Flame effect can be used independently of heat
- Running cost of approximately £2 per annum on effect only
- LEDs have expected lifespan of 100,000 hours
- Model no. MFS12LE




### Product Dimensions

Please see pages 65-67

MULTIFIRE Suite

**COMPLETE SUITE**  
including fire and surround



## Chadwick Suite

- Freestanding suite with integral Optiflame® fire
- Stone effect surround and dark grey fire
- 1.2kW fan heater
- Flame effect can be used independently of heat
- Optiflame® log effect
- Model no. CDW12WW

**Product Dimensions**

Please see pages 65-67

CHADWICK

## Mozart Suite

- Free-standing suite with integral Optiflame® log fire
- Surround has stone-effect finish with black marble-effect back panel
- 2kW fan heater with choice of heat settings
- Concealed controls
- Flame effect can be used independently of heat
- Choice of finishes: MZT20 – stone effect finish surround with black marble effect back panel; MZT20BL – gloss black surround with black marble effect back panel and black fire



**COMPLETE SUITE**  
including fire and surround

### Product Dimensions

Please see pages 65-67

MOZART stone effect

**COMPLETE SUITE**  
including fire and surround



MOZART BLACK

**Product Dimensions**  
Please see pages 65-67

## Dillon LE Suite

- Freestanding suite with integral Optiflame® fire
- Stone effect surround and black fire
- 2kW fan heater with 1kW and 2kW heat settings and thermostat
- Optiflame® effect with real coal and white pebbles and LED flame effect
- Running cost of only £2 per annum on effect only
- LEDs have an expected lifespan of 100,000 hours
- Flame effect can be used independently of heat
- Model no. DLN20LE



### Product Dimensions

Please see pages 65-67

DILLON

**COMPLETE SUITE**  
including fire and surround



## Barletta LE Suite

- Freestanding suite with integral Optiflame® fire
- Black surround and chrome effect fire
- 2kW fan heater with 1kW and 2kW heat settings and thermostat
- Optiflame® effect with white pebbles and LED flame effect
- Flame effect can be used independently of heat
- Running cost of only £2 per annum on effect only
- LEDs have an expected lifespan of 100,000 hours
- Model no. BRL20LE

### Product Dimensions

Please see pages 65-67

BARLETTA

## Bexington LE Suite

- Freestanding suite with integral Optiflame® fire
- 2kW fan heater with 1kW and 2kW heat settings and thermostat
- Optiflame® effect with real coal and LED flame effect
- Flame effect can be used independently of heat
- Running cost of only £2 per annum on effect only
- LEDs have an expected lifespan of 100,000 hours
- Choice of two finishes: BXT20LE – oak effect surround and brass effect fire; BXT20MHLE – mahogany effect surround and brass effect fire



BEXINGTON Oak

### Product Dimensions

Please see pages 65-67



BEXINGTON Mahogany

**COMPLETE SUITE**  
including fire and surround

**COMPLETE SUITE**  
including fire and surround



## Branscombe LE Suite

- Freestanding suite with integral Optiflame® fire
- Oak effect surround, black marble effect back panel and brass effect fire
- 2kW fan heater with 1kW and 2kW heat settings and thermostat
- Optiflame® effect with real coal and LED flame effect
- Flame effect can be used independently of heat
- Running cost of only £2 per annum on effect only
- LEDs have an expected lifespan of 100,000 hours
- Model no. BRM20LE

### Product Dimensions

Please see pages 65-67

BRANSCOMBE

## Burlington

- Victorian-style cast aluminium fireplace with integral Dimplex Optiflame® electric fire
- Can be fitted flat-to-wall with no chimney opening or aperture required
- Total depth (projection from wall) only 235mm
- Features new HeatStream® concealed heat output, giving radiant and convected heat
- Supplied with real coals
- 1.2kW fan heater with choice of heat setting
- Black with polished aluminium detail
- Flame effect can be used independently of heat
- Can be used with or without a hearth (not supplied)
- Must be wall-fixed using integral brackets
- When the fan heater is switched on this product becomes warm to the touch and therefore we recommend that heat-sensitive items are not placed on the shelf.
- Model no. BLN12

### Product Dimensions

Please see pages 65-67

BURLINGTON

**COMPLETE SUITE**  
including fire and surround





HOLWELL

## SURROUNDS

- Fully assembled surround, back panel and hearth, purpose designed for use with Dimplex Optiflame® fires
- No structural alterations needed as surround is freestanding – all you need is a flat wall and a power point for the fire
- For use with electric fires only

### Holwell

- Surround finished in maple effect with black back panel and hearth
- Compatible with all of the current Dimplex 16"/18" inset fires
- Model No. GDS1A



ROCKBOURNE



ASHMORE

### Rockbourne

- Natural stone effect surround
- Compatible with all of the current Dimplex 16"/18" inset fires except Gilmore and Carnevale
- Model No. GDS3

### Ashmore

- Surround finished in mahogany effect with cream back panel and hearth
- Compatible with all of the current Dimplex 16"/18" inset fires
- Model No. GDS1

#### Product Dimensions

Please see page 67



LYMINGTON shown on metal hearth (not supplied)



THEME



YEOMINSTER shown on plinth (not supplied)



OPTIMA



LYNDHURST shown on metal hearth (not supplied)

## Lymington

- A free-standing fire with unique Optiflame® coal effect
- 2kW radiant heat, plus 0.7kW convected heat
- Flame effect can be used independently of heat source
- 'Economiser' control
- Finished in matt black with brass effect trim
- Model No. LYM28E

## Theme

- Attractive cherry finish surround
- Flickering flame coal effect
- 2kW of radiant heat with 'Economiser' control
- Effect can be used independently of heat source
- 0.8kW convector with variable thermostat for background warmth
- Choice of heat settings
- Model No. 316CHE

## Yeominster

- Traditional freestanding fire
- Flickering log effect
- 2kW radiant heat with 1kW/2kW heat selection
- Effect can be used independently of heat source
- Model No. YEO20

## Optima

- Freestanding or wall-mounted
- Attractive cherry finish surround
- 2kW of radiant heat with 'Economiser' control
- Effect can be used independently of heat source
- Flickering flame coal effect
- Choice of heat settings
- Model No. 314CHE

## Lyndhurst

- Stylish black canopy
- Flickering flame log effect
- 2kW of radiant heat with 'Economiser' control
- Effect can be used independently of heat source
- 0.7kW of thermostatically controlled convected heat
- Choice of heat settings
- Model No. 430RCE/B

### Product Dimensions

Please see pages 65-67



# Technical Specification

(Excluding Living Art fire)

Lynington LYM28E	Lyndhurst 430RCE/B	Mozart MZT20, MZT20BL	Multifire LE Suite MFS12	Nardini NDN20	Navarra NAV15P	Obsidian OBS20	Optima 314GHE	Ravello RVO20	Reactory REC20R	Roda ROD20	SP520	SP16	SP820	SP920	Springborne SEN20R	Stockbridge Black SKG20BL	Tango TING20R	Theme 316GHE	Valencia VAL15	Wynford WYN20BR, WYN20GH	X1 Black X1B	X1 Silver X1S	Yeominster YEO20	Zamora ZAM20
---------------------	-----------------------	--------------------------	-----------------------------	------------------	-------------------	-------------------	------------------	------------------	--------------------	---------------	-------	------	-------	-------	-----------------------	------------------------------	------------------	-----------------	-------------------	-----------------------------	-----------------	------------------	---------------------	-----------------

## PRODUCT FEATURES

Heat source:																								
- Fan			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
- Radiant / & convected	✓	✓						Radiant			✓			✓				✓					✓	
HEATSTREAM™ Technology																								
Choice of heat setting	✓	✓	✓	Electronic stat	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Electronic stat	Electronic stat	✓	✓
LED flame effect				✓																				
Remote control				✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		✓	✓		
Thermostat / Economiser (Econ)	Econ	Econ		✓	✓			Econ	✓	✓						✓		Econ			✓	✓		
Fitted plug	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Flame effect independent of heat†	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
BEAB Approval ▲	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

## FLAME / FUEL EFFECT

Optiflame® real coals (or coal effect)	Effect								Flicker		✓	✓				✓	✓	✓	Flicker		✓	✓	✓	✓
Optiflame® log effect (or flicker log)		Flicker	✓	✓	✓		✓		✓	✓		✓	✓		✓		✓		✓				Flicker	
Optiflame® pebbles / white pebbles (WH)					✓WH	✓WH	✓WH		✓WH		✓			✓WH							✓WH	✓WH		✓WH
Opti-myst® log effect																								
Optiglo® glowing log bed				✓					✓				✓											

## TECHNICAL DETAILS

Type	FS	FS	SUITE	SUITE	WM-INSET	INSET	WM	FS/WM	WM-INSET	STOVE	FS	WM-INSET	WM-INSET	WM	WM-INSET	STOVE	STOVE	STOVE	FS	INSET	INSET	INSET+FS	INSET+FS	FS	FS
Total output (kW)	2.7	2.7	2.0	2.0	2.0	1.5	2.0	2.0	2.0	2.0	2.0	0.5	2.0	2.0	0.4	2.0	2.0	2.0	2.8	1.5	2.0	1.5	1.5	2.0	2.0
Power consumption effect only (Watts)	130	120	130	18	130	130	140	120	140	130	130	300	300	140	300	130	130	130	130	130	130	130	130	60	130

## PRODUCT DIMENSIONS#(mm)

Height	690	680	857	875	620	550	605	540	620	665	617	650	525	675	696	545	640	545	610	655	620	582	582	395	665
Width	720	710	920	1140	700	600	700	775	700	540	514	1200	1200	578	1010	440	620	440	775	700	520	519	519	631	603
Total depth (max)	275	225	375	325	152	220	154	215	153	375	220	182	182	181	168	310	390	310	265	218	155	198	198	214	226
Depth of inset (where applicable)	-	-	-	-	~	~	-	-	~	-	-	~	~	-	~	-	-	-	-	~	55*	70	70	-	-

## NOTES

FS Free-standing  
WM Wall Mounting

# For effective performance of some fires, certain minimum clearance criteria must be applied. Whilst we endeavour to manufacture our fires within strict tolerances, we reserve the right to make changes to the manufacturing process without prior warning, therefore we recommend you measure the fire prior to undertaking any irrevocable work on a fireplace or surround.

▲ Range or model approved by BEAB or approval applied for at time of printing.

† Please note: Used in an environment where background noise is very low, it may be possible to hear the fan which operates the flame effect. This is normal and should not be a cause for concern.

\* 55mm depth applies to series K and onwards; before series K depth was 115mm (110mm for Wynford).


\*\* NB. Allow 300mm clearance on both sides of the stove so that the doors can be opened fully.

~ See relevant product page for opening requirements


All dimensions are shown in millimetres. Please allow +/- 5mm tolerance.

## Technical specification – Living Art fire



- 19" WXGA 16:9 aspect ratio TFT display in landscape format
- 1Gb compact flash card with video footage
- 8 ohm speaker set
- Adjustable sound level
- Effect only consumption is 160W



## Detailed dimensions – Optiflame® wall mounted range




## Detailed dimensions – Optiflame® and Opti-myst® electric inset fires



	A	B	C	D	E	F	G	H
Adagio	390	344	55	10	95	55	555	130
Amalfi	390	344	55	10	75	55	555	107
Ashington	390	344	55	10	80	55	555	116
Aspen	390	344	55	10	75	55	555	107
Avola	390	344	55	10	70	55	555	107
Carnevale	390	344	55	10	95	55	555	106
Cavendish	405	310	160	N/A	230	160	537	150
Chalbury	390	344	55	10	80	55	555	110
Chesford	405	310	160	N/A	230	160	537	150
Danesbury	390	344	55	10	70	55	555	115
Delius	390	344	55	10	75	55	555	125
Elda	390	344	55	10	70	55	555	107
Exbury	390	338	70	26	89	70	544	134
Gilmore	390	344	55	10	95	55	555	110
Horton	390	344	55	10	75	55	555	115
Longbourn	395	340	60	16	127	67	540	180
Loxley	390	338	70	26	89	70	544	134
Wynford	390	344	55	10	70	55	555	100
X1	390	338	70	26	83	70	544	128

All dimensions are shown in millimetres. Please allow +/- 5mm tolerance.

## Surrounds



Surrounds	Model No.	Finish of surround	Finish of back panel	A	B	C	D	E	F	Weight of Surround
Holwell	GDS1A	Maple effect	Black back panel & hearth	1200	1120	402	278	432	559	43kg
Ashmore	GDS1	Mahogany effect	Cream back panel & hearth	1200	1120	402	278	432	559	43kg
Rockbourne	GDS3	Natural stone effect	Natural stone effect panel & hearth	1200	1080	350	253	432	559	48kg

All dimensions in mm

## Accessories

### ALTERNATIVE FUEL BEDS

- SP8 – log fuel bed available. Kit comprises a one-piece log fuel bed assembly. Part No. SP8001
- SP9 – white pebble fuel bed available. Kit comprises plain fuel bed and set of large white pebbles. Part No. SP9001



SP8 with optional log fuel bed (part no. SP8001).



SP9 with optional pebble fuel bed (part no. SP9001).


### HEARTH PAD

- Suitable for electric fires and stoves ONLY
- Slate effect finish
- Model no. HPD001
- Approximate dimensions:  
15mm (H)  
800mm (W)  
380mm (D)



### STOVE PIPE

- Stove pipe kit compatible with Cadogan CGN20 Club CLB20L Rectory REC20R Springborne SBN20R Brayford BFD20R
- 'Slot together' construction allows for two different height/depth options\*
- Part No. STP001
- See page 51 for stove pipe on fire



### After Sales Service

After sales service if required is absolutely no problem with Dimplex – we have a network of appointed Service Agents spread throughout the Country who are qualified and trained to repair or service any of our appliances.

A list of Service Agents is available on request.

### CE Mark

Our products carry the CE mark complying with European safety standards and the European Standard for electro magnetic compatibility.

### British Electrotechnical Approvals Board BEAB Approved

The mark of the British Electrotechnical Approvals Board signifies that the appliance bearing it has been produced to the stringent safety requirements for domestic electrical appliances as laid down in BSEN60335.

All Dimplex electric fires are approved by BEAB or awaiting approval at time of printing.

### Specifications


Dimplex policy is one of continuous improvement; the Company therefore reserves the right to alter specifications without notice. Although every care has been taken in the reproduction of product finishes in this brochure, the colour photographs and the flame effects should be taken only as a guide. The information contained in this brochure is correct at the time of printing. You are advised to consult your dealer before purchasing.

### The Dimplex Range

Dimplex offers the widest range of electric space and water heating products in the world – over 400 – to meet almost any heating need. In addition to this publication, we have a wide range of brochures for both domestic and commercial applications. Choose from:



Range brochure



Heat pumps brochure



Solar heating brochure



Water heating brochure



Commercial brochure



Outdoor heating brochure



Daytona towel rail brochure



Portables brochure

**Dimplex**<sup>®</sup>  
Comfort. By design

Dimplex UK Limited, Millbrook House, Grange Drive, Hedge End, Southampton, SO30 2DF.

Selected surrounds featured in this brochure were supplied by the companies listed below. Any surround not listed is no longer available.

Horton HTN20BR  
Horton HTN20BL  
Wynford WYN20CH  
Wynford WYN20BR

Be Modern Group  
Western Approach  
South Shields  
Tyne & Wear NE33 5QZ  
Telephone: 0191 455 3571

Elda ELD20  
Horton HTN20CH

Aristocratic Designs  
43 Holbeck Lane  
Holbeck, Leeds  
West Yorkshire LS11 9UL  
Telephone: 0113 244 0827

Adagio ADG20  
Adagio ADG20BR  
Amalfi AMF20  
Chalbury CHB20BR  
Chalbury CHB20CH  
Danesbury Brass DAN20BR  
Exbury EBY15  
Loxley LXY15

Aspen ASP20  
Danesbury Black DAN20BL  
Delius DLS20

Allwood Fireplaces Ltd  
Units 3-4  
Radnor Park Trading estate  
Back Lane  
Congleton  
CW12 4XJ  
Telephone: 01260 298868  
Fax: 01260 298830

Carnevale CNV20  
Cavendish CSH20  
Chesford CSD20  
Danesbury Antique Brass DAN20AB  
Valencia VAL15  
X1 Black X1B

OER  
Fireplace Works  
Normacot Road  
Longton, Stoke on Trent  
Staffordshire ST3 1PN  
Telephone: 01782 319350  
Fax: 01782 593479  
www.oerfireplaces.com

JRG Group  
3 Crompton Way  
North Newmoor Ind. Estate  
Irvine, Ayrshire KA11 4HU  
Tel: 0871 200 8080  
Fax: 01294 211222  
www.jrggroup.com

Selected furniture supplied by BoConcept, Bournemouth / The Furnishing Place, Maidenhead / David Mack, Bournemouth / The Pier, Bournemouth / David Phipps, Dorset / Quality Pine, Bournemouth / Furniture Village.

Dimplex is a Registered Trade Mark in the United Kingdom.

All Optiflame fires are protected by patent nos GB2230335, AU621713, USA4965707, IE63651 and NZ232435.

All the products shown in this brochure are protected by intellectual property rights owned by Dimplex UK Ltd or members of the Glen Dimplex Group on an international basis.

The Glen Dimplex Group of Companies will actively protect these rights.

© Dimplex UK Limited  
All rights reserved. Material contained in this publication may not be reproduced in whole or in part, without prior permission in writing of Dimplex UK Limited.

Brochure designed and produced by CCA Marketing Limited, Christchurch (Bournemouth). www.cca-marketing.com

### Useful Contacts

Email: [customer.services@dimplex.co.uk](mailto:customer.services@dimplex.co.uk)

Web: [www.dimplex.co.uk](http://www.dimplex.co.uk)

Tel: 0845 600 5111

Fax: Customer Care: 01489 773053

Brochureline: 01489 773061

Main Reception: 01489 773050