

THE
GALLERY
COLLECTION

STOVES 2011 - 2012



THE GALLERY COLLECTION

WELCOME TO THE GALLERY COLLECTION

The Gallery Collection presents an extensive range of traditional and contemporary stoves, combining supreme craftsmanship, quality materials and elegance in design.

There's nothing quite like the feeling invoked by the comforting glow and warmth of a cast iron stove. Our desire is to provide you with a superb choice of high performance, efficient stoves that are skilfully made with high quality materials.

Featured within this brochure is a range of stoves suitable for many scenarios and fuel types such as wood, gas or multi fuel. You'll find stoves with a variety of heat outputs ranging from 4.9kW to 12kW and with efficiencies of up to 79%.

This year we are proud to present the inclusion of six DEFRA approved stoves to the range, each suitable for use within smoke controlled areas.

Most of the fireplaces within this brochure (items such as hearths, chambers, beams and surrounds) are part of the Gallery Collection and can be purchased along with your stove.

For more information on these items and many more, please ask your dealer for our other Gallery Collection brochures: FIREPLACE SUITES AND FIRES and MANTELS AND CAST IRON FIREPLACES.

Once you've found your perfect fireplace, why not take a look at our new range of stove accessories on page 28.

CONTENTS

TIGER CLEAN BURN	04	FIREFOX 12 BOILER STOVE	18
TIGER MULTI FUEL	06	FIREFOX 5 GAS	20
TIGER GAS	08	FIREFOX 8 GAS	20
FIREFOX 5 MULTI FUEL	10	GALLERY CLASSIC 5	22
FIREFOX 8 MULTI FUEL	12	GALLERY CLASSIC 8	24
FIREFOX 5 CLEAN BURN II	14	KOOGA CLEAN BURN	26
FIREFOX 8 CLEAN BURN	14	STOVE ACCESSORIES	28
FIREFOX 8 TD MULTI FUEL	16	STOVE INFORMATION	30
FIREFOX 12 MULTI FUEL	18	CARE & MAINTENANCE	31





TIGER CLEAN BURN

DEFRA approved wood burning stove

FUEL TYPE

Wood, Coal, Anthracite

HEAT OUTPUT

Up to 5kW

EFFICIENCY

Up to 73%

FLUE DIAMETER

150mm

DIMENSIONS

(H)595 x (W)545 X (D)335

SHOWN WITH

MAIN IMAGE

SLABBED BRICK CHAMBER - 48" SLABBED GRANITE HEARTH

- SLABBED GRANITE BACK HEARTH - BESPOKE OAK BEAM







TIGER MULTI FUEL

Versatile cast iron stove

FUEL TYPE

Wood, Coal, Anthracite

HEAT OUTPUT

Up to 6kW

EFFICIENCY

Up to 77%

FLUE DIAMETER

150mm

DIMENSIONS

(H)595 x (W)545 X (D)335

SHOWN WITH

MAIN IMAGE

BESPOKE BRICK BUILT COUNTRY COTTAGE FIREPLACE



SHOWN HERE WITH

AMERICANA COOK TOP - SLABBED 36" X 36" SLATE HEARTH



Quality cast iron gas stove

FUEL TYPE

Gas

HEAT OUTPUT

Up to 5kW

EFFICIENCY

Up to 73%

FLUE DIAMETER

125mm

DIMENSIONS

(H)595 x (W)545 X (D)335

SHOWN WITH

MAIN IMAGE

CONISTON 54 PORTUGUESE LIMESTONE SUITE - NATURAL REEDED

FIREBOARD CHAMBER - PORTUGUESE LIMESTONE BACK HEARTH



FIREFOX 5 MULTI FUEL

Quality cast iron stove

FUEL TYPE

Wood, Coal, Anthracite

HEAT OUTPUT

Up to 4.9Kw

EFFICIENCY

Up to 78%

FLUE DIAMETER

125mm

DIMENSIONS


(H)575 x (W)400 X (D)355

SHOWN WITH

MAIN IMAGE

SLABBED BRICK CHAMBER - 56" BARLEY

SLATE HEARTH - 48" DISTRESSED OAK VENEERED BEAM







FIREFOX 8 MULTI FUEL

Quality cast iron stove

FUEL TYPE

Wood, Coal, Anthracite

HEAT OUTPUT

Up to 8.4kW

EFFICIENCY

Up to 79%

FLUE DIAMETER

150mm

DIMENSIONS

(H)595 x (W)545 X (D)360

SHOWN WITH

MAIN IMAGE

48" SLABBED GRANITE HEARTH - SLABBED GRANITE BACK HEARTH



SHOWN WITH

SIENNA 54 MANTEL - REEDED FIREBOARD CHAMBER

- 54" SLABBED GRANITE HEARTH - SLABBED GRANITE BACK HEARTH

FIREFOX 5 CLEAN BURN II & FIREFOX 8 CLEAN BURN

Quality cast iron stoves

FIREFOX 5 CLEAN BURN II

FUEL TYPE*

Wood, Coal, Anthracite

HEAT OUTPUT

Up to 4.9kW

EFFICIENCY

Up to 79%

FLUE DIAMETER

125mm

DIMENSIONS

(H)575 x (W)400 X (D)355

FIREFOX 8 CLEAN BURN

FUEL TYPE*

Wood, Coal, Anthracite

HEAT OUTPUT

Up to 7.9kW

EFFICIENCY

Up to 77%


FLUE DIAMETER

150mm

DIMENSIONS

(H)595 x (W)545 X (D)360

* Only wood and smokeless fuels may be used in clean burn mode





SHOWN WITH
EVESHAM 56 MANTEL - GRANITE SLIPS - SLABBED BRICK CHAMBER
- 56" SLABBED GRANITE HEARTH - SLABBED GRANITE BACK HEARTH

FIREFOX 8TD MULTI FUEL

Firefox 8 stove with twin doors



SHOWN WITH
36" x 36" SLABBED SLATE HEARTH - BAMPTON LOG BASKET



FUEL TYPE

Wood, Coal, Anthracite

HEAT OUTPUT

Up to 8.4Kw

EFFICIENCY

Up to 79%

FLUE DIAMETER

150mm

DIMENSIONS

(H)595 x (W)545 X (D)360



SHOWN WITH
BESPOKE BRICK BUILT FIREPLACE

FIREFOX 12 MULTI FUEL

& optional boiler model

FIREFOX 12 MULTI FUEL

FUEL TYPE

Wood, Coal, Anthracite

HEAT OUTPUT

Up to 13kW

EFFICIENCY

Up to 76%

FLUE DIAMETER

150mm

DIMENSIONS

(H)680 x (W)655 X (D)415

FIREFOX 12 BOILER

FUEL TYPE

Wood, Anthracite

HEAT OUTPUT

Up to 13kW

EFFICIENCY

Up to 73%

FLUE DIAMETER

150mm

DIMENSIONS

(H)680 x (W)655 X (D)415

The Firefox 12B is equipped with an efficient boiler that not only warms your room but will run up to 8 radiators and also heat your household water.

OUTPUT TO WATER

Nominal output when burning wood

7.4kW

OUTPUT TO ROOM

6.2kW

Nominal output when burning solid fuel

8kW

4.8kW



FIREFOX 5 & 8 GAS

Quality cast iron gas stoves

FIREFOX 5 GAS

FUEL TYPE

Gas

HEAT OUTPUT

Up to 4kW

EFFICIENCY

Up to 73%

FLUE DIAMETER

125mm

DIMENSIONS

(H)575 x (W)400 X (D)355

FIREFOX 8 GAS

FUEL TYPE

Gas

HEAT OUTPUT

Up to 5kW

EFFICIENCY

Up to 73%

FLUE DIAMETER

150mm

DIMENSIONS

(H)595 x (W)545 X (D)360



SHOWN WITH
DURRINGTON 48 PORTUGUESE LIMESTONE SUITE - NATURAL REEDED FIREBOARD CHAMBER





SHOWN WITH
OAK HOWARD 53 MANTEL - SLABBED BRICK CHAMBER WITH FRONT RETURNS & ARCH - 55" AUTUMN QUARRY TILE HEARTH

GALLERY CLASSIC 5 CLEAN BURN

Quality cast iron stove

FUEL TYPE*

Wood, Coal, Anthracite

HEAT OUTPUT

Up to 4.9kW

EFFICIENCY

Up to 79%

FLUE DIAMETER

125mm

DIMENSIONS

(H)595 x (W)450 X (D)395

* Only wood and smokeless fuels may be used in clean burn mode

SHOWN WITH

MAIN IMAGE

SLABBED BRICK CHAMBER - 48" SLABBED GRANITE HEARTH

- SLABBED GRANITE BACK HEARTH - VENEERED DISTRESSED OAK BEAM







CLASSIC 8 MULTI FUEL

Quality cast iron stove



FUEL TYPE*

Wood, Coal, Anthracite

HEAT OUTPUT

Up to 8.4kW

EFFICIENCY

Up to 79%

FLUE DIAMETER

150mm

DIMENSIONS

(H)615 x (W)595 X (D)385

* Only wood and smokeless fuels may be used in clean burn mode

SHOWN WITH
36" x 36" SLABBED SLATE HEARTH



KOOGA CLEAN BURN

DEFRA approved wood burning stove

FUEL TYPE

Wood

HEAT OUTPUT

Up to 5kW

EFFICIENCY

Up to 73%

FLUE DIAMETER

125mm

DIMENSIONS

(H)540 x (W)380 X (D)395

SHOWN WITH
36" x 36" SLABBED GRANITE HEARTH





STOVE ACCESSORIES



ELIPSE
PEWTER
CODE: 2109



HOOK
BLACK
CODE: 1147



MANOR
BLACK & PEWTER
CODE: 1056
ALSO AVAILABLE IN:
BLACK & BRASS (1066);
BLACK (1065)



LOOP
PEWTER
CODE: 1195
ALSO AVAILABLE
IN BLACK (1190)



SMALL MERLIN
BLACK & CHROME
CODE: 2109



CATALAN
BLACK
CODE: 1181



TEMPLE
BLACK
CODE: 1191



LOG ROLLER
GUN METAL
CODE: 1020



LOG TONGS
GUN METAL
CODE: 1021



LOG STATION
BLACK
CODE: 0317



SALISBURY
BLACK
CODE: 0322



WARWICK
BLACK & PEWTER
CODE: 1396
ALSO AVAILABLE
IN BLACK & BRASS (1370)



WATERLOO
BLACK
CODE: 0327



CATHEDRAL (SET OF 3)
BLACK
CODE: 1305




DYNASTY 3 FOLD

BRASS

CODE: 1794

ALSO AVAILABLE IN:
PEWTER (1228);
CHROME (1227);
BLACK (1796)



DYNASTY 4 FOLD

BLACK

CODE: 1771



CAMBER

BLACK

CODE: 2065



GATEWAY 3 FOLD

BLACK

CODE: 1769



SENTRY

BLACK

CODE: 1997



SMITHYS LOG HOLDER

& TOOLS

BLACK

CODE: 0344



DUO

PEWTER

CODE: 1143

ALSO AVAILABLE
IN BLACK (1142)



LOG HOOP

BLACK

CODE: 0319



VIKING

BLACK

CODE: 0371



CRADLE

WILLOW

CODE: 0302



BAMPTON

WILLOW

CODE: 1338



CRESCENT

BLACK

CODE: 0359



EDGCOTT

WILLOW

CODE: 1337



RUSHDEN

WILLOW

CODE: 1336

STOVE INFORMATION

CHOOSING YOUR STOVE

There are many factors that will determine which is the ideal stove for you. Luckily we have a variety of stove types to ensure there is an option to suit your particular needs.

MULTI FUEL

If a stove is specified as multi fuel then it can burn a number of different fuel types including wood, coal, coke, peat, anthracite and smokeless fuels.

CLEAN BURN

Some towns and cities of the UK are designated SMOKE CONTROL areas and prohibit the burning of smoke producing fuels such as wood. In such circumstances, stoves can still be used if they burn smokeless fuels or gas. However, if you live in a smoke controlled area and still want the freedom to burn wood you can use a DEFRA approved CLEAN BURN stove. These stoves are specially designed to burn wood whilst producing lower smoke emissions. For information on smoke controlled areas visit the DEFRA website www.smokecontrol.defra.gov.uk.

CHOICE

To help you decide we've put together a table below so you can compare the features and specifications of each stove in the Gallery Collection. Don't forget, your retailer can be on hand with helpful advice to assist you with your decision.



STOVE	FUEL TYPES	OUTPUT	EFFICIENCY	WATER BOILER	CLEAN BURN	FLUE DIAMETER	DIMENSIONS IN mm (HxWxD)
TIGER CLEAN BURN	MULTI*	5kW	73%	x	✓	150mm	595x545x335
TIGER MULTI FUEL	MULTI	6kW	77%	x	x	150mm	595x545x335
TIGER GAS	GAS	5kW	73%	x	x	150mm	595x545x335
FIREFOX 5 MULTI FUEL	MULTI	4.9kW	78%	x	x	125mm	575x400x355
FIREFOX 8 MULTI FUEL	MULTI	8.4kW	79%	x	x	150mm	595x545x360
FIREFOX 5 CLEAN BURN II**	MULTI*	4.9kW	79%	x	✓	125mm	575x400x355
FIREFOX 8 CLEAN BURN**	MULTI*	7.9kW	77%	x	✓	150mm	595x545x360
FIREFOX 8 TD MULTI FUEL	MULTI	8.4kW	79%	x	x	150mm	595x545x360
FIREFOX 12 MULTI FUEL	MULTI	13kW	76%	x	x	150mm	680x655x415
FIREFOX 12 BOILER	WOOD	13kW	73%	✓	x	150mm	680x655x415
FIREFOX 5 GAS	GAS	4kW	73%	x	x	125mm	575x400x355
FIREFOX 8 GAS	GAS	5kW	73%	x	x	125mm	595x545x360
GALLERY CLASSIC 5 CLEAN BURN**	MULTI*	4.9kW	79%	x	✓	125mm	595x450x395
GALLERY CLASSIC 8 CLEAN BURN**	MULTI*	7.9kW	77%	x	✓	150mm	615x595x385
KOOGA CLEAN BURN	MULTI	5kW	73%	x	✓	125mm	540x380x395

* Only wood and smokeless fuels are permitted for clean burn use.

** Pending Defra approval.

GENERAL INFORMATION

All Gallery stoves are manufactured from cast iron and it is vital that appliances undergo a period of 'burning in'. This involves small fires initially and then gradually increasing in size with each firing. If this process is adhered to then you should experience years of trouble free and, enjoyable use.

All Gallery stoves are CE approved to EN13240 and are suitable for use with a variety of fuels such as wood, coal, coke, peat, anthracite or smokeless fuels.

For safety all Gallery solid fuel stoves are supplied with a heat resistant mitten, as the stoves are very hot when being used.

Each stove has a riddling grate mechanism to ease de-ashing. Ensure that all ash is removed from your solid fuel stove (once cooled) on a regular basis. It is important that a build up of ash is not allowed to occur as this will affect the life of the consumable parts within the burning chamber.

All Gallery solid fuel stoves can be top or rear flue exit, gas stoves are top exit only.

Gallery stoves (excluding gas) utilize an 'air wash' system which helps to keep the large viewing glass clean during operation and improve efficiency.

Your Gallery fireplace is made up of a number of different components and it is important to ensure that your installer has the necessary qualifications and experience to fit ALL the components of a fireplace.

All gallery stoves are supplied with detailed, comprehensive installation and user instructions.

It is critical that ALL installations conform to relevant Building Regulations and should be carried out by a qualified Gas Safe Register registered installer when fitting a gas stove, or a HETAS qualified engineer when installing for use with solid fuel. Failure to comply with these requirements may reduce the efficiency and serviceability of your appliance and will invalidate any guarantee. It is essential that prior to any installation, a relevant qualified engineer verifies the proposed site, location and conditions are suitable for the stove selected.

All installations must be carried out in accordance with the requirements set out in the Building Regulation documents, in particular Approved Document J. Independent bodies have been approved to carry out installations in accordance with these regulations. For gas installations the most recognised independent body is GAS SAFE REGISTER (Board Gais in ROI) and for solid fuel installations it is HETAS. Please confirm with your retailer that your new fireplace will be installed appropriately. A CO detector must be installed with all solid fuel appliances.,

If your new fireplace is fitted by a GAS SAFE REGISTER (Board Gais in ROI) or HETAS registered fitter you will be given a certificate stating that your installation has been carried out in accordance with the Building Regulations. If you do not have one of these certificates then you must arrange for your local Building Control Officer to inspect your installation and approve it.

There are occasions when designs, or products are altered or discontinued without prior notice (a reserved right). Please consult your retailer before making your final choice.

UNDERSTANDING YOUR GALLERY STOVE

CAST IRON

Do not use a water-based cleaner or polish to clean cast iron products.

There are some very high temperature burning fuels which can cause damage to any fireplace. Please refer to the Solid Fuel Association (www.solidfuel.co.uk) recommendations and use an approved coal merchant as your supplier.

No responsibility can be accepted if high temperature fuels have been used or if there is excessive draft.

Clean ash away regularly as a build up beneath the fire will cause the grate to burn out quickly. The grate is a consumable part of your fire and will need replacement from time to time, depending on the frequency and burning temperature of your fires.

GAS STOVES

A gas stove is a technical piece of equipment and needs regular servicing. Ensure that you have your gas stove serviced regularly by a Gas Safe Register (Board Gais in ROI) registered installer.

THE
GALLERY
COLLECTION

BROUGHT TO YOU BY PERCY DOUGHTY & CO



AUTHORISED DEALER



www.percydoughty.com

