



At the heart of your home

GAS FIRES 2013





At the heart of your home

Welcome to Flavel



At Flavel we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of affordable gas fires to complement all tastes and lifestyles. I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Flavel gas fires carry a 3 year guarantee to reflect my belief in their quality and durability. This brochure has been designed to make the purchase of your new Flavel gas fire as simple as possible. I hope you will find it both informative and inspiring.

BFM Europe
BRITISH FIRE MANUFACTURERS

Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and service. Every Flavel gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



Strata in brown Page 34



Every model carries the peace of mind of a 3 year guarantee and the reassurance of the Flavel Airwatch System on all living flame effect fires. This device immediately cuts off the gas supply in the unlikely event of the flame being extinguished through blockage.

Our 3 Year Guarantee is subject to terms & conditions including annual services carried out by a Gas Safe Register engineer and annual replacement of the oxy-pilot assembly.

Contents

An introduction to High Efficiency Gas Fires 4
 Guide to symbols..... 6

Gas fires for any chimney or flue type



Caress Plus Contemporary in brass Page 12

Windsor Traditional & Classic Traditional, Classic, Plus & HE.....	8-9	Melody.....	23
Windsor Contemporary Contemporary, Plus & HE.....	10-11	Kamina.....	24
Caress Plus & Slimline.....	12-13	Curve.....	25
Kenilworth Plus & HE.....	14-15	Finesse.....	26
Linear Linear, Plus, HE.....	16-17	Vesta.....	27
Calypso Plus.....	18	Renoir.....	28
Rhapsody Plus.....	19	Emberglow.....	29
Stirling Plus.....	20	Regent.....	30
Warwick.....	21	Regent LFE.....	31
Atlanta.....	22	Firenza.....	32
		Welcome.....	33
		Strata.....	34
		Misermatic.....	35
		Renaissance.....	36

Gas fires for Class 1 or 2 flues only



Diamond HE pebble Page 45

Richmond Richmond & Plus.....	38-39
Calypso.....	40
Rhapsody.....	41
Caress Contemporary & Traditional Contemporary, Traditional, & HE.....	42-43
Waverley.....	44
Diamond HE.....	45
Rocco.....	46
Jazz.....	47

Gas fires for homes without a chimney or flue




Atlanta Balanced Flue Page 53

Calibre Balanced Flue.....	49
Raglan Balanced Flue.....	50
Orchestra Balanced Flue.....	51
Emberglow Balanced Flue.....	52
Atlanta Balanced Flue.....	53
Rocco Balanced Flue.....	54
Jazz Balanced Flue.....	55
Warwick Powerflue.....	56
Linear Powerflue.....	57
Kenilworth Powerflue.....	58
Thurcroft Portable Stove.....	59

high efficiency

Open Fronted Plus

Open fronted HE fires provide the look and feel of a real open fire with net efficiencies of up to 74%. This type of fire provides both radiant and convected heat. Radiant heat is emitted from the coal effect fuel effect and the convected heat is generated by cool air drawn into the base of the fire which passes through a heat exchanger and is then emitted as warm air through the gap above the canopy.



74% net efficiency




Richmond Plus in brass page 38-39

Windsor Traditional Plus	9
Windsor Contemporary Plus	10
Caress Plus Contemporary	12
Caress Plus Traditional.....	13
Kenilworth Plus.....	14
Linear Plus.....	16
Calypso Plus	18
Rhapsody Plus	19
Stirling Plus.....	20
Richmond Plus.....	38

Glass Fronted High Efficiency

This type of high efficiency fire has a glass panel across the front of the fire which radiates the heat generated from the fuel effect directly into the room. The glass panel concentrates the radiant heat so that more heat is forced into the room and less is lost through the chimney. Combined with convected heat which is produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air through the gap above the canopy, this makes glass fronted HE's the most efficient conventional flue fires available.

Hearth Mounted




89% net efficiency



Caress HE in brass page 42-43

Windsor Traditional HE.....	8
Windsor Contemporary HE.....	10
Kenilworth HE.....	14
Linear HE.....	16
Caress HE.....	42

Hole in the Wall



71% net efficiency



Kamina in black page 24

Kamina.....	24
Curve HE.....	25
Diamond HE.....	45
Rocco.....	46

Flavel has always had a reputation as a manufacturer of some of the most efficient fires on the market. Now we have set new industry standards with the introduction of the **Flavel HE high efficiency range: exceptional heat output combined with lower running costs compared to standard gas fires.**


Flavel's R&D team has invested in developing the technology to meet the key objective of producing gas fires that save energy and as a result, help to keep costs down.

Get up to
94%
net efficiency
from your gas fire...

Outset High Efficiency


Living Flame Effect

This type of fire sits on the hearth rather than being inset into the chimney. They are glass fronted and work much in the same way as any inset glass fronted fire but with glass panels on both the front and sides of the appliance there is a much larger area of radiant heat generated from the fuel effect.




Radiant

Outset radiant fires produce both radiant and convected heat. They feature ceramic radiant plaques instead of a coal or pebble effect fuel effect. As they suggest, the ceramic radiant plaques generate radiant heat which is emitted directly into the room. Convected heat is produced by cool air drawn into the base of the fire, through the heat exchanger and then emitted as warm air through the gap at the top of the heater.



Balanced Flue High Efficiency

Balanced flue fires are designed for those who want all the benefits of a gas fire but don't have a built in chimney or flue in their home. A balanced flue fire comes with its own flue terminal which is vented directly through an outside wall. They are glass fronted, completely room sealed appliances and work by drawing and venting external air via a pair of co-axial tubes into the fire for combustion purposes. The radiant heat generated from the fuel-bed combines with convected heat, which is produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air through the gap above the canopy, making balanced flues one of the most efficient types of gas fires available.



78% net efficiency



Emberglow in black page 29

Renoir28
Emberglow29

84% net efficiency



Strata in brown page 34

Regent.....31
Firenza.....32
Welcome.....33
Strata34
Misermatic.....35
Renaissance.....36

94% net efficiency



Calibre Balanced Flue in silver page 49

Calibre Balanced Flue.....49
Raglan Balanced Flue.....50
Orchestra Balanced Flue.....51
Emberglow Balanced Flue52
Atlanta Balanced Flue53
Rocco Balanced Flue.....54
Jazz Balanced Flue55

Guide to symbols

Type of Chimney or Flue

The type of chimney or flue you have dictates the type of fire you can have. But if you're not sure, then take a look at your roof and compare it with the simple guide below. It's worth remembering that a full depth fire often requires a traditional chimney or rebate on the fire surround, whilst a slimline fire will fit virtually any chimney or flue.



Brick Chimney - Class 1 Flues

Apart from products designed for "no chimney" applications, all Flavel products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Fabricated Flue - Class 2 Flues

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Flavel fires featuring this icon are only suitable for Pre-Cast flues conforming to BS EN 1858.

Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described on the left, then you will require either a Balanced Flue or a Powerflue.



Powerflue

Powerflue fires use an electronically driven fan unit mounted on the external wall to expel the flue gases directly outside the building.



Balanced Flue

Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

Controls



Manual Control

A simple and discreet control system located behind the fire's trim or fret on inset fires and the bottom right side on outsets.



Slide Control

Convenient control that eliminates the necessity of bending down.



Switch Control

Instant heat at the flick of a switch.



Top Control

A push down and twist ignition and control located on the top of outset fires means you don't have to bend down to light the fire.



Semi Remote Control

Light the fire using the manual control system then use the remote control handset to adjust the flame height and heat output.



Electronic Flame Control

Discreet easy access buttons are used to ignite the fire and adjust heat and flame height.



Fully Remote Control

The remote control handset is used to light the fire as well as adjust the flame height and heat output.



Electronic Top or Side Control System

Both ignition and heat are controlled by a single rotary motion to light the fire. These easy to use controls are now available on our best selling radiant outsets. Requires an AA battery.

Power Supply

Your gas supply will either be natural gas or LPG, depending on the area in which you live.



Natural Gas

If you have a gas meter then you will have natural gas.



LPG

LPG is the most popular alternative to natural gas.

Online video



Watch the video

Wherever you see this symbol, use the QR code scanner app on your smartphone or mobile device to watch a short video of this fire.



Brick Chimney



Pre-Fabricated



Pre-Cast
(BS EN 1858)

Gas Fires for All chimney & flue types

Whether your home has a brick chimney, pre-fabricated flue or pre-cast (BS EN 1858) flue you will be able to choose any fire from pages 8 to 36. We offer a huge range of products from radiant outsets to hole-in-the-wall fires. Your choice will depend on both the look and performance which is most suitable for you.

We offer a wide variety of products and each one offers different levels of energy efficiency. Depending on the style you would like, the hours of use, and the initial price you would like to pay, the most efficient gas fire may not always be the correct choice for you.

We have created the efficiency guide below to help you discover which type of fire is most suitable for you. We have clearly labelled each fire in this brochure to allow you to quickly and easily identify the level of efficiency that you can expect from that model.



Ultra High Efficiency Gas Fires - Net Efficiency 76%+

Ultra High Efficiency gas fires are exceptionally efficient and offer the largest energy cost saving per kilowatt of gas used to run the fire. These products tend to be glass fronted, radiant outset fires or balanced flue models. For more information about each of these product types see pages 4 and 5.



High Efficiency Gas Fires - Net Efficiency 66% to 75%

High Efficiency gas fires are very efficient and offer both style and performance. Many of these products are open fronted convectors, referred to as 'Plus' models in this brochure. They give you the look and feel of a real fire with maximum heat output. This category also includes some outset radiant heaters. For more information please see pages 4 and 5.



Standard Efficiency Gas Fires - Net efficiency 50% to 65%

Standard Efficiency gas fires can be used as a secondary heat source in conjunction with central heating. These products are ideal if you are looking for a great fireplace feature for occasional use.



Decorative Gas Fires - Net Efficiency up to 49%

These fires should be purchased for decorative purposes only and not used as a primary or secondary heat source. They provide a stunning focal point and help to create the ambiance of a real fire.



Windsor Plus Traditional HE in brass



High Efficiency



Watch the video



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

Windsor

Traditional & Classic

The Windsor Traditional is a very popular and timeless design featuring a coal fuel effect and authentic flickering flames. This slimline gas fire is extremely versatile as it will fit perfectly into all flue types including pre-cast (BS EN 1858).

Windsor Traditional HE
in silver



Windsor Traditional
in brass



Windsor Classic
in silver



The Windsor Traditional is available as a standard radiant model, a glass fronted ultra high efficiency HE model and also now available on the open-fronted high efficiency Plus platform. Each model offers exceptional heat output and is available in manual control. A slide control option is available on the Windsor Traditional HE and there is an electronic flame control (EFC) version of the Windsor Traditional Plus.

We offer the Windsor Classic as a slightly more modern alternative to the Traditional model. The Windsor Classic is available in brass or silver finishes and features the very attractive Grace fret.


Safety

Flame Supervision Device & Airwatch System

Specification

Model	Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options		Fire Back Design		Fuel Effect	Colour Options	
				Manual	Slide	Plain	Brick	Coal	Brass	Silver
Windsor Traditional HE	4.0kW	3.2kW	89%	✓	✓	✓		✓	✓	✓
Windsor Traditional Plus	6.5kW	4.1kW	70%	✓		✓		✓	✓	✓
Windsor Traditional	6.5kW	3.3kW	56%	✓		✓	✓	✓	✓	✓
Windsor Classic	6.5kW	3.3kW	56%	✓		✓		✓	✓	✓

Dimensions



Windsor Traditional HE	Windsor Traditional Plus	Windsor Traditional	Windsor Classic
A 592mm	A 592mm	A 592mm	A 592mm
B 475mm	B 475mm	B 475mm	B 475mm
C 550mm	C 548mm	C 550mm	C 550mm
D 125mm	D 120mm	D 120mm	D 120mm
E 327mm	E 324mm	E 329mm	E 329mm



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue



Windsor Contemporary

Stunning styling makes the Windsor Contemporary the centrepiece of your room. This slimline gas fire will fit almost any chimney or flue, including Pre-Cast (BS EN 1858) and is available as a glass fronted HE (high efficiency), open-fronted Plus or the standard open fronted model.

Windsor Contemporary HE
with silver trim and coal fuel effect



Windsor Contemporary
with brass trim and coal fuel effect



Windsor Contemporary
with silver trim and driftwood fuel effect



Ultra High Efficiency



Standard Efficiency



Standard Efficiency

The Windsor Contemporary HE and Windsor Contemporary Plus are available with either coal or pebble fuel effects and the standard open fronted model has the additional option of a driftwood fuel effect.

Each model comes with this modern polished silver fascia and there is also a brass option on the standard open fronted and the HE models. See below for technical information and details of fuel effects and fascia colours available on each model.

Specification	Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design			Fuel Effect			Colour Options		
				Manual	Plain	Brick	Coal	Pebble	Driftwood	Brass	Polished Silver	Brushed Silver	
Windsor Contemporary HE	4.0kW	3.2kW	89%	✓	✓		✓	✓		✓	✓		
Windsor Contemporary Plus	6.5kW	4.1kW	70%	✓	✓		✓	✓			✓		
Windsor Contemporary	6.5kW	3.3kW	56%	✓	✓	✓	✓	✓	✓	✓*	✓	✓	

*Not available with pebble fuel effect.

Dimensions	Windsor Contemporary HE		Windsor Contemporary Plus		Windsor Contemporary	
	A	B	A	B	A	B
Height	592mm	475mm	592mm	475mm	592mm	475mm
Width	475mm	550mm	475mm	548mm	475mm	550mm
Depth	125mm	125mm	120mm	120mm	120mm	120mm
Base Width	327mm	327mm	324mm	324mm	329mm	329mm



Windsor Contemporary Plus with pebble fuel effect



High Efficiency



Watch the video

Caress Plus Contemporary in silver



High Efficiency





Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

Caress

The Caress Plus and Caress Slimline gas fires feature a fabulous, top quality cast trim and fret in a choice styles and colours. The Caress Traditional comes with the timeless Blenheim fret and the Caress Contemporary features the Royale fret. Both designs are available in solid cast brass or polished silver cast iron.

Caress Plus Traditional
in brass



High Efficiency

Caress Slimline MC
in brass



Standard Efficiency

Caress Slimline SC
in polished cast iron



Standard Efficiency

The Caress Plus and Caress Slimline are each available with the option to choose manual or slide* control. A remote control model of the Caress Plus is also available.

*Coal bed and flame picture differs between manual and slide control Caress Slimline models.

Specification	Heat Input [max]	Heat Output [max]	Net Efficiency	Control Options			Fire Back Design	Fuel Effect	Colour Options				
				Manual	Slide	Remote	Plain	Coal	Traditional		Contemporary		
Model													
Caress Plus	6.5kW	4.4kW	70%	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Caress Slimline	6.5kW	3.3kW	56%	✓	✓		✓	✓	✓	✓			

Dimensions	Caress Plus	Caress Slimline Manual Control	Caress Slimline Slide Control
A	615mm	615mm	615mm
B	510mm	510mm	510mm
C	548mm	550mm	550mm
D	170mm	120mm	105mm
E	365mm	329mm	325mm



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue



Kenilworth

The Kenilworth gas fire features a welcoming full depth coal fuel effect and will fit most chimney and flue types including a precast flue with a 3" rebate on the fire surround. Each fire features a Profiled trim in a choice of brass, black or silver and the option of the traditionally styled Balmoral fret or the contemporary Grace fret.

Kenilworth HE
in black



Ultra High Efficiency

Kenilworth Plus
in silver



High Efficiency

Kenilworth
in brass with Grace fret



Standard Efficiency

Safety
Flame Supervision Device & Airwatch System

Control Options

Fire
Back
Design

Fuel
Effect

Colour Options

Specification

Model	Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options			Plain	Coal	Colour Options			
				Manual	Slide	Remote			Balmoral		Grace	
								Brass	Black	Brass	Silver	
Kenilworth HE	4.5kW	3.2kW	78%	✓		✓	✓	✓	✓	✓	✓	
Kenilworth Plus	6.9kW	4.4kW	70%	✓	✓	✓	✓	✓	✓	✓	✓	
Kenilworth	6.9kW	3.3kW	59%	✓		✓	✓	✓	✓	✓	✓	

Dimensions		Kenilworth HE	Kenilworth Plus	Kenilworth
A	595mm	A 595mm	A 595mm	A 595mm
B	500mm	B 500mm	B 500mm	B 500mm
C	550mm	C 550mm	C 548mm	C 550mm
D	180mm	D 170mm	D 170mm	D 170mm
E	365mm	E 365mm	E 365mm	E 365mm

Kenilworth Plus in brass with Balmoral fret



High Efficiency



Linear Plus with coal fuel effect



High Efficiency





Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

Linear

The Linear is a stunning modern design with the combination of black ribbed back panels and polished silver fascia. This full depth gas fire delivers a wonderful flickering glow and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

Linear HE
with pebble fuel effect



Ultra High Efficiency

Linear HE
with coal fuel effect



Ultra High Efficiency

Linear
with pebble fuel effect



Standard Efficiency

The Linear is operated by manual control and is available in a choice of coal or pebble fuel effect. There is a choice of three models available, a glass fronted ultra high efficiency, a high efficiency Plus and the original Linear open fronted radiant fire.


Safety

Flame Supervision Device & Airwatch System

Specification

Model	Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design	Fuel Effect		Colour Options
				Manual	Ribbed	Coal	Pebble	Polished Silver
Linear HE	4.5kW	3.2kW	78%	✓	✓	✓	✓	✓
Linear Plus	6.9kW	4.4kW	70%	✓	✓	✓	✓	✓
Linear	6.9kW	3.3kW	53%	✓	✓	✓	✓	✓

Dimensions



Linear HE	Linear Plus	Linear
A 595mm	A 595mm	A 595mm
B 483mm	B 483mm	B 483mm
C 550mm	C 548mm	C 550mm
D 180mm	D 170mm	D 170mm
E 365mm	E 365mm	E 365mm

Calypso Plus in brass



High Efficiency



Calypso Plus



Brick Chimney



Pre-Fabricated Flue




Pre-Cast Flue

The Calypso Plus is a striking open fronted full depth convector gas fire with a net efficiency of 70% and a heat output of 4.4kW. This fire will be equally at home in a contemporary or traditional fire surround and room setting. It also has the convenience of a user friendly dual directional slide control.

Safety
Flame Supervision Device & Airwatch System

Specification			Control Options	Fire Back Design	Fuel Effect	Colour Options
Heat Input (max)	Heat Output (max)	Net Efficiency	Slide	Plain	Coal	Brass
6.9kW	4.4kW	70%	✓	✓	✓	✓





Rhapsody Plus in silver



High Efficiency



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

Rhapsody Plus

Rhapsody Plus in brass



Rhapsody Plus in black



Rhapsody Plus in brass and black



The classic Rhapsody Plus open fronted high efficiency fire has a very realistic full depth fuel effect, a heat output of 4.4kW and a net efficiency of 70%.


Safety

Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design	Fuel Effect	Colour Options			
			Slide	Plain	Coal	Brass	Brass and Black	Black	Silver
6.9kW	4.4kW	70%	✓	✓	✓	✓	✓	✓	✓

Dimensions



- A 605mm
- B 491mm
- C 548mm
- D 170mm
- E 365mm

Stirling Plus in black



High Efficiency



Stirling Plus



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue


The Stirling Plus open fronted high efficiency slimline gas fire will fit into all flue types and, with a very impressive heat output of 4.1kW, is sure to be a popular choice. The Stirling Plus is operated by a choice of manual or EFC control and is available in either a black or brass finish.

Safety

Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options		Fire Back Design	Fuel Effect	Colour Options	
			Manual	EFC	Plain	Coal	Brass	Black
6.5kW	4.1kW	70%	✓	✓	✓	✓	✓	✓



Stirling Plus with brass trim and Blenheim antique fret



Warwick in brass



Standard Efficiency



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

Warwick

This ultra slim Warwick gas fire will fit almost any chimney or flue, and has an impressive 3.5kW heat output.

Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input [max]	Heat Output [max]	Net Efficiency	Control Options	Fire Back Design	Fuel Effect	Colour Options		
			Manual	Plain	Coal	Brass	Black	Silver
6.5kW	3.3kW	56%	✓	✓	✓	✓	✓	✓


Warwick with black trim and Balmoral black fret



Warwick with silver trim and Grace silver fret



Dimensions



- A 595mm
- B 500mm
- C 550mm
- D 100mm
- E 325mm

Atlanta in brushed steel



Decorative



Atlanta



Brick Chimney



Pre-Fabricated Flue




Pre-Cast Flue

Simplicity of form. Complexity of flame. The glass front of the Atlanta amplifies a unique flame pattern through an undulating back panel and its sleek design ensures easier and cheaper installation. Offset against a brushed steel trim it conjures up an ethereal yet comforting minimalism.

Safety
Flame Supervision Device & Airwatch System

Specification			Control Options	Fire Back Design	Fuel Effect
Heat Input (max)	Heat Output (max)	Net Efficiency	Manual	Plain	Flame Only
4.7kW	2.0kW	46%	✓	✓	✓



Melody in silver

Standard Efficiency



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

Melody

Melody in brass and black



Melody in brass



Melody in black




The Melody is an elegant slimline fire enabling installation in almost any flue including pre-cast. The discreet slide control ensures convenient operation with a heat output of up to 3.3kW.

Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design	Fuel Effect	Colour Options			
			Slide	Plain	Coal	Brass	Brass and Black	Black	Silver
6.5kW	3.3kW	56%	✓	✓	✓	✓	✓	✓	✓



Kamina in black



High Efficiency



Kamina



Brick Chimney



Pre-Fabricated Flue




Pre-Cast Flue

The sleek black glass fascia on this “hang-on-the-wall” gas fire is perfectly complemented by the unique flame pattern created by an undulating back panel. Installation is virtually hassle free as this highly contemporary fire literally hangs on the wall, thereby minimising any costly or messy building work. With a maximum heat output of 4kW the Kamina is perfectly suited to contemporary homes requiring state-of-the-art appearance and performance.

Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design	Fuel Effect	Colour Options
6.5kW	4.0kW	71%	Fully Remote	Ribbed	Flame Only	Black



Curve in black



High Efficiency



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

Curve


The Curve “hang-on-the-wall” fire with its sleek lines, textured fascia and glass front, complements the unique flame pattern created by an undulating back panel. This stunning fire is easy to install as it literally hangs on the wall, rather than slotting into the structure. The Curve is perfectly suited to contemporary homes requiring state-of-the-art appearance and the performance to match.

Safety: Flame Supervision Device & Airwatch System

Specification

Specification		Control Options	Fire Back Design	Fuel Effect	Colour Options		
Heat Input (max)	Heat Output (max)	Net Efficiency	Fully Remote	Ribbed	Flame Only	Black	Graphite Grey
6.5kW	4.0kW	71%	✓	✓	✓	✓	✓

Dimensions



- A 635mm
- B 870mm
- C 445mm
- D 166mm


Curve in graphite grey



Finesse in brass



Standard Efficiency



Finesse



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

The most versatile hole-in-the-wall gas fire from Flavel. The Finesse will fit virtually any flue and is available in three different variations – a brass trim option with coal fuel effect to suit a classical setting and a chrome trim option with a choice of coal or pebble fuel effect.


Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input [max]	Heat Output [max]	Net Efficiency	Control Options		Fire Back Design		Fuel Effect		Colour Options		*Only available with coal fuel effect
			Manual	Plain	Coal	Pebble	Brass*	Chrome			
6.5kW	3.3kW	56%	✓	✓	✓	✓	✓	✓	✓	✓	

Finesse with coal fuel effect and chrome trim

Finesse with pebble fuel effect and chrome trim





Vesta with coal



Standard Efficiency



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

Vesta

Specifically designed to fit a standard Pre-Cast flue this slimline hole-in-the-wall fire is highly contemporary with its reflective black and stainless steel fascia and choice of coal or pebble fuel effect.

Safety
Flame Supervision Device & Airwatch System

Specification

Control Options


Fire Back Design

Fuel Effect

Vesta with pebble fuel effect



Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design	Fuel Effect	
			Manual	Plain	Coal	Pebble
6.5kW	3.6kW	61%	✓	✓	✓	✓



Renoir in black



Ultra High Efficiency



Renoir



Brick Chimney



Pre-Fabricated Flue




Pre-Cast Flue

The Renoir outset living flame effect gas fire features a beautiful flickering flame effect and is operated by an electronic side control system to make it much easier to ignite the fire. This classically designed fire has an impressive heat output of 4.3kW and a net efficiency of 78%.

Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options		Fire Back Design	Fuel Effect	Colour Options	
			Electronic Side	Fully Remote	Plain	Coal	Black	Bronze
6.0kW	4.3kW	78%	✓	✓	✓	✓	✓	✓



Renoir in bronze



Emberglow coal

Ultra High Efficiency



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

Emberglow


The Emberglow ultra high efficiency outset gas fire features an elegant design with high quality cast iron canopy and fire front. With front and side windows the mesmerising dancing flames can be seen from all angles and it is operated by an easy to use electronic side control system.

Safety

Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Fuel Options		Control Options		Fire Back Design	Fuel Effect
			Natural Gas	LPG	Electronic Side	Fully Remote	Plain	Coal
6.0kW	4.3kW	78%	✓	✓	✓	✓	✓	✓



Regent LFE in black



Standard Efficiency



Regent LFE



Brick Chimney



Pre-Fabricated Flue




Pre-Cast Flue

One of the most popular radiant fires in the UK, The Regent LFE is slim for a neat fit into an existing fireplace and is highly efficient. It provides radiant and convected heat and is an elegant interpretation of the Regency period.

Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options		Fire Back Design	Fuel Effect	Colour Options	
			Electronic Side	Fully Remote	Plain	Coal	Black	Bronze
6.0kW	3.2kW	60%	✓	✓	✓	✓	✓	✓



Regent LFE in bronze





Regent in black



High Efficiency



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

Regent

One of the most popular radiant fires in the UK, the Regent features a slim design and has a net efficiency of 74%. The Regent is available in a choice of black or bronze finishes and is operated by electronic side control.

Regent in bronze




Safety

Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Colour Options	
			Electronic Side	Black	Bronze
6.6kW	4.4kW	74%	✓	✓	✓


Dimensions



Firenza in bronze



High Efficiency



Firenza



Brick Chimney



Pre-Fabricated Flue




Pre-Cast Flue

The compact and economical Firenza can be wall or hearth mounted and has a net efficiency of 74%. The control handle is located on the top panel for ease of use.

Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Colour Options	
			Top Control	Black	Bronze
5.2kW	3.4kW	74%	✓	✓	✓



Firenza in black





Welcome in bronze



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

Welcome

The Welcome's beautiful electrically illuminated coal effect brings life to the room even when the heat is off, providing a charming focal point to any room. It is also highly efficient at 74% (net), resulting in lower running costs.

Welcome in black




Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Colour Options	
			Electronic Side	Black	Bronze
6.6kW	4.4kW	74%	✓	✓	✓

Dimensions



Strata in brown



Ultra High Efficiency



Strata



Brick Chimney



Pre-Fabricated Flue




Pre-Cast Flue

The Strata offers an incredible net efficiency of 84% and 5.2kW heat output. It has a stylish contemporary look with soft, curved lines and is available in a choice of black or brown finishes.

Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Colour Options	
			Electronic Top	Black	Brown
6.9kW	5.2kW	84%	✓	✓	✓



Strata in black





Misermatic in teak



Ultra High Efficiency



Brick Chimney



Pre-Fabricated Flue



Pre-Cast Flue

Misermatic

Incredible 84% net efficiency and adaptability; the Misermatic has them both. Available in either teak or mahogany finish, this fire can be wall or hearth mounted and with easily accessible top-mounted controls, it represents the ideal choice for any number of interiors.


Safety

Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Colour Options	
			Electronic Top	Teak	Mahogany
6.9kW	5.2kW	84%	✓	✓	✓

Misermatic in mahogany



Renaissance in silver



Ultra High Efficiency



Renaissance



Brick Chimney



Pre-Fabricated Flue




Pre-Cast Flue

The Renaissance provides a natural talking point the moment you enter the room. Its stylish retro design is matched by its forward thinking simplicity of installation, impressive 5.2kW heat output and astounding 84% net efficiency.

Safety
Flame Supervision Device & Airwatch System

Specification			Control Options	Colour Options	
Heat Input (max)	Heat Output (max)	Net Efficiency	Electronic Top	Black	Silver
6.9kW	5.2kW	84%	✓	✓	✓



Renaissance in black





Brick Chimney



Pre-Fabricated

Gas Fires for Class 1 or 2 flues only



Each fire on pages 38 to 47 is suitable for homes with a brick chimney or a pre-fabricated flue. They all feature full depth fuel effects which create striking flame pictures.

We offer a wide variety of products and each one offers different levels of energy efficiency. Depending on the style you would like, the hours of use, and the initial price you would like to pay, the most efficient gas fire may not always be the correct choice for you.

We have created the efficiency guide below to help you discover which type of fire is most suitable for you. We have clearly labelled each fire in this brochure to allow you to quickly and easily identify the level of efficiency that you can expect from that model.



Ultra High Efficiency Gas Fires - Net Efficiency 76%+

Ultra High Efficiency gas fires are exceptionally efficient and offer the largest energy cost saving per kilowatt of gas used to run the fire. These products tend to be glass fronted, radiant outset fires or balanced flue models. For more information about each of these product types see pages 4 and 5.



High Efficiency Gas Fires - Net Efficiency 66% to 75%

High Efficiency gas fires are very efficient and offer both style and performance. Many of these products are open fronted convector, referred to as 'Plus' models in this brochure. They give you the look and feel of a real fire with maximum heat output. This category also includes some outset radiant heaters. For more information please see pages 4 and 5.



Standard Efficiency Gas Fires - Net efficiency 50% to 65%

Standard Efficiency gas fires can be used as a secondary heat source in conjunction with central heating. These products are ideal if you are looking for a great fireplace feature for occasional use.



Decorative Gas Fires - Net Efficiency up to 49%

These fires should be purchased for decorative purposes only and not used as a primary or secondary heat source. They provide a stunning focal point and help to create the ambiance of a real fire.



Richmond Plus in brass



High Efficiency





Brick Chimney



Pre-Fabricated Flue

Richmond

Plus & Standard

You can now achieve the look of a real open coal fire, combined with the convenience of gas fuel. The Richmond full depth convector fire combines a brilliant flame effect with high efficiency and outstanding warmth. It is suitable for installation into standard brick chimneys or pre-fabricated flues and comes in a choice of manual, slide or remote control.

Richmond Plus in silver



Richmond in black



High Efficiency



Standard Efficiency

The Richmond features a Profiled trim and Dallas fret and is available in black, silver or brass finishes.


Safety

Flame Supervision Device & Airwatch System

Specification

Model	Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options			Fire Back Design	Fuel Effect	Colour Options		
				Manual	Slide	Fully Remote	Plain	Coal	Brass	Black	Silver
Richmond Plus	6.9kW	4.6kW	74%	✓	✓	✓	✓	✓	✓	✓	✓
Richmond	6.9kW	4.0kW	65%	✓	✓	✓	✓	✓	✓	✓	✓

Dimensions



Richmond Plus
 A 600mm
 B 498mm
 C 548mm
 D 223mm
 E 400mm

Richmond
 A 595mm
 B 500mm
 C 550mm
 D 250mm
 E 400mm

Calypso in brass



Standard Efficiency



Calypso



Brick Chimney




Pre-Fabricated Flue

The Calypso successfully combines exceptional fire design with today's necessity for convenience in the form of a user friendly dual directional slide control. Add to this a full depth fuel effect for maximum effect and you have the perfect fire for modern living.

Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input [max]	Heat Output [max]	Net Efficiency	Control Options	Fire Back Design	Fuel Effect
			Slide	Plain	Coal
6.9kW	3.9kW	65%	✓	✓	✓





Rhapsody in brass



Standard Efficiency



Brick Chimney



Pre-Fabricated Flue

Rhapsody

Rhapsody in black



Rhapsody in silver



Rhapsody in brass and black




With its elegant arched trim and striking fret the Rhapsody is a classic. The full depth coal bed creates a beautiful flame picture and underglow, making it virtually indistinguishable from a real coal fire.

Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input [max]	Heat Output [max]	Net Efficiency	Fuel Options		Control Options		Fire Back Design	Fuel Effect	Colour Options			
			Natural Gas	LPG	Slide	Plain	Coal	Brass	Brass and Black	Black	Silver	
6.9kW	4.0kW	65%	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Dimensions



- A 605mm
- B 491mm
- C 547mm
- D 254mm
- E 400mm



Brick Chimney



Pre-Fabricated Flue



Caress

Contemporary & Traditional

The Caress full depth living flame effect convector gas fire boasts an impressive 4kW heat output and incredible efficiency. It is available in a choice of Traditional or Contemporary styling and both versions come in a choice of solid cast brass or polished silver cast iron.

Caress Contemporary HE in silver



Caress Traditional HE in brass



Caress Contemporary in silver



Ultra High Efficiency



Ultra High Efficiency



Standard Efficiency

The Caress is suitable for installation into standard brick chimneys or pre-fabricated flues and can be operated by a choice of manual, slide or remote control.


There are two models to choose from; the ultra high efficiency Caress HE and the open fronted Caress. Both models offer manual, slide or remote control operation.

Safety
Flame Supervision Device & Airwatch System

Specification

Model	Heat Input (max)	Heat Output (max)	Net Efficiency	Fuel Options			Control Options			Fire Back Design	Fuel Effect	Colour Options					
				Natural Gas	LPG*	Manual	Slide	Remote	Plain			Coal	Traditional		Contemporary		
Caress HE	5.0kW	4.0kW	89%	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Caress	6.9kW	4.0kW	65%	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*LPG only available on Caress HE Traditional in brass and Caress HE Contemporary in silver



Caress Traditional in brass



Standard Efficiency



Waverley with inset tray



Decorative



Fret not included

Waverley



Brick Chimney




Pre-Fabricated Flue

The Waverley, with its beautiful decorative flame effect, is a perfect replacement for a solid fuel grate. The 16" tapered inset tray is designed to fit a standard 16" fire back, providing a realistic coal effect for almost any style of fireplace.

Safety
Flame Supervision Device & Airwatch System

Specification	Control Options	Fuel Effect
Heat Input (max)		
Heat Output (max)	Manual	Coal
6.9kW	4.2kW	✓





Diamond HE with coal fuel effect



Ultra High Efficiency



Brick Chimney



Pre-Fabricated Flue

Diamond HE

As Flavel's debut high efficiency hole-in-the-wall fire, the Diamond HE is a contemporary and economical heating solution with a net efficiency of 78%. This fully glass fronted model features the stunning 'Diamond' fascia design and is available with a choice of coal or pebble fuel effect.

Safety
Flame Supervision Device & Airwatch System




Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design	Fuel Effect	
			Fully Remote	Plain	Coal	Pebble
4.5kW	3.2kW	78%	✓	✓	✓	✓

Diamond HE with pebble fuel effect



Dimensions



- A 650mm
- B 600mm
- C 550mm
- D 180mm
- E 365mm
- F 65mm

Rocco in black with silver trim



Ultra High Efficiency



Rocco



Brick Chimney



Pre-Fabricated Flue


This stunning glass fronted hole-in-the-wall fire features a realistic log fuel effect and comes in a range of fascia and back panel colour combinations.

Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design	Fuel Effect	Colour Options			
			Semi Remote	Ribbed	Log	Rocco Black		Rocco Cream	
5.4kW	4.2kW	87%	✓	✓	✓	Black	Silver	Champagne	Champagne

Rocco in black with black trim



Rocco in black with champagne trim



Rocco in cream with champagne trim





Jazz in black with black trim



Standard Efficiency



Brick Chimney



Pre-Fabricated Flue

Jazz

This stunning glass fronted hole-in-the-wall fire has petite dimensions and a highly realistic log fuel effect. The Jazz black models come complete with high quality trims in three finishes – silver, champagne and black. The Jazz cream is complemented by a champagne trim.

Safety
Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design	Fuel Effect	Colour Options			
			Semi Remote	Ribbed	Log	Jazz Black		Jazz Cream	
5.5kW	3.0kW	59%	✓	✓	✓	Black	Silver	Champagne	Champagne


Jazz in black with silver trim



Jazz in cream with champagne trim



Dimensions



- A 549mm
- B 810mm
- C 460mm
- D 295mm
- E 631mm



Powerflue



Balanced Flue

Gas fires for homes without a chimney or flue

The following gas fires have been designed for homes which don't have a standard brick chimney or built in flue.

We offer a wide variety of products and each one offers different levels of energy efficiency. Depending on the style you would like, the hours of use, and the initial price you would like to pay, the most efficient gas fire may not always be the correct choice for you. We have created the efficiency guide below to help you discover which type of fire is most suitable for you. We have clearly labelled each fire in this brochure to allow you to quickly and easily identify the level of efficiency that you can expect from that model.



Ultra High Efficiency Gas Fires - Net Efficiency 76%+

Ultra High Efficiency gas fires are exceptionally efficient and offer the largest energy cost saving per kilowatt of gas used to run the fire. These products tend to be glass fronted, radiant outset fires or balanced flue models. For more information about each of these product types see pages 4 and 5.



High Efficiency Gas Fires - Net Efficiency 66% to 75%

High Efficiency gas fires are very efficient and offer both style and performance. Many of these products are open fronted convectors, referred to as 'Plus' models in this brochure. They give you the look and feel of a real fire with maximum heat output. This category also includes some outset radiant heaters. For more information please see pages 4 and 5.



Standard Efficiency Gas Fires - Net efficiency 50% to 65%

Standard Efficiency gas fires can be used as a secondary heat source in conjunction with central heating. These products are ideal if you are looking for a great fireplace feature for occasional use.





Calibre Balanced Flue in silver  Ultra High Efficiency



Balanced Flue


Calibre Balanced Flue

The Calibre Balanced Flue gas fire boasts a net efficiency of up to 94% and features a full depth coal fuel effect. This glass fronted fire has an exceptionally large viewing area and is available in a choice of brass or silver.

Specification		Fuel Options			Control Options			Fire Back Design	Fuel Effect	Colour Options	
Heat Input (max)	Heat Output (max)	Natural Gas	LPG*	Manual	EFC	Fully Remote	Plain	Coal	Brass	Silver	
4.6kW	4.3kW	✓	✓	✓	✓	✓	✓	✓			

*LPG only available on manual control models

Calibre Balanced Flue in brass



*Differs on EFC models. An optional flue extension is available to increase maximum length to 1015mm or manual and 973mm on EFC models.

Raglan Balanced Flue in brass



Ultra High Efficiency



Raglan Balanced Flue




Balanced Flue

With a net efficiency of 80% the stylish Raglan Balanced Flue is designed to fit into houses without a chimney or flue and its glass front does more than simply look great. It increases efficiency too.

Safety
Flame Supervision Device

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design	Fuel Effect	Colour Options
3.8kW	2.8kW	80%	Manual	Plain	Coal	Brass, Silver



Raglan Balanced Flue in silver





Orchestra Balanced Flue in silver



Balanced Flue

Orchestra Balanced Flue


If you want the warmth and mood created by a living flame fire yet don't have a chimney or flue, then the Orchestra is the perfect solution. This neat, glass fronted inset fire with a net efficiency of 80% is framed by a chamfered trim and sleek fret.

Safety
Flame Supervision Device

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Fuel Options		Control Options	Fire Back Design	Fuel Effect	Colour Options	
			Natural Gas	LPG	Manual	Plain	Coal	Brass	Silver
3.8kW	2.8kW	80%	✓	✓	✓	✓	✓	✓	✓

Orchestra Balanced Flue in brass



Emberglow Balanced Flue in black



Ultra High Efficiency



Emberglow Balanced Flue




Balanced Flue

The Emberglow Balanced Flue gas fire has a 78% net efficiency and an incredible 4.3kW heat output. Incorporating the classical elegance of cast iron and side windows so flames can be seen from all angles.

Safety
Flame Supervision Device

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design	Fuel Effect
6.0kW	4.3kW	78%	 Switch	 Plain	 Coal





Atlanta Balanced Flue in silver



High Efficiency



Balanced Flue

Atlanta Balanced Flue


Simplicity of form. Complexity of flame. The Atlanta's clean lines compliment its clean burning efficiency. The glass front amplifies a unique flame pattern through an undulating back panel.

Offset against a brushed steel trim it conjures up an ethereal yet comforting minimalism.

Safety
Flame Supervision Device

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design	Fuel Effect
4.0kW	2.8kW	66%	Manual	Plain	Coal



Rocco Balanced Flue in black with black trim



Ultra High Efficiency



Rocco Balanced Flue



Balanced Flue


This stunning glass fronted hole-in-the-wall fire features a realistic log fuel effect and comes in a range of fascia and back panel colour combinations.

Safety
Flame Supervision Device

Specification

Heat Input (max)	Heat Output (max)	Net Efficiency	Control Options	Fire Back Design	Fuel Effect	Colour Options
75kW	5.5kW	87%	Semi Remote	Ribbed	Log	Black Silver
			✓	✓	✓	✓ ✓

Dimensions



- A 613mm
- B 910mm
- C 515mm
- D 350mm
- E 725mm

Rocco Balanced Flue in black with silver trim





Jazz Balanced Flue in black with silver trim



Ultra High Efficiency



Balanced Flue

Jazz Balanced Flue

This stunning glass fronted hole-in-the-wall fire has petite dimensions and a highly realistic log fuel effect. Jazz Balanced Flue models come complete with high quality trims in two finishes – Silver and Black.

Safety
Flame Supervision Device


Specification

Heat Input [max]	Heat Output [max]	Net Efficiency	Control Options	Fire Back Design	Fuel Effect	Colour Options	
			Semi Remote	Ribbed	Log	Black	Silver
5.5kW	4.2kW	84%	✓	✓	✓	✓	✓

Jazz Balanced Flue in black with black trim



Dimensions



- A 549mm
- B 810mm
- C 460mm
- D 315mm
- E 631mm

Warwick Powerflue in brass



Standard Efficiency



Warwick Powerflue



Powerflue

The Warwick Powerflue gas fire has an impressive 3.2kW heat output and is available with the traditional Balmoral fret in a choice of black or brass finishes or for a more contemporary look we offer a silver model with the Grace fret.


Safety
Flame Supervision Device & Airwatch System

Specification

	Control Options	Fire Back Design	Fuel Effect	Colour Options		
Heat Input [max]	Manual	Plain	Coal	Balmoral Brass	Balmoral Black	Grace Silver
Heat Output [max]	✓	✓	✓	✓	✓	✓
6.5kW	3.2kW					

Warwick Powerflue in black

Warwick Powerflue in silver



*Maximum flue length 5 metres and 3 bends.



Powerflue

Linear Powerflue

A stunning modern design with the combination of black ribbed back panels and stainless steel fascia. Its full depth coal fuel effect offers a wonderful flickering glow and is available with coal or pebble fuel effect.


Safety

Flame Supervision Device & Airwatch System

Specification

Heat Input (max)	Heat Output (max)	Control Options		Fire Back Design		Fuel Effect	
		Manual	Ribbed	Coal	Pebble		
6.9kW	3.6kW	✓	✓	✓	✓		

Linear Powerflue with pebble fuel effect



*Maximum flue length 5 metres and 3 bends.

Kenilworth Powerflue in black



Standard Efficiency



Kenilworth Powerflue



Powerflue

Kenilworth Powerflue in brass with Balmoral fret

The Kenilworth Powerflue delivers generous warmth with a heat output of 3.6kW. There is a choice of two fret options; the Balmoral is a traditional design, available in black or brass finishes and the Grace is more modern and is available in brass or silver.

Safety
Flame Supervision Device & Airwatch System


Specification

Heat Input (max)	Heat Output (max)	Control Options	Fire Back Design	Fuel Effect	Colour Options			
		Manual	Plain	Coal	Balmoral		Grace	
6.9kW	3.6kW	✓	✓	✓	Brass	Black	Brass	Silver



Kenilworth Powerflue in brass with Grace fret

Kenilworth Powerflue in silver with Grace fret



*Maximum flue length 5 metres and 3 bends.





Thurcroft Stove in black



Ultra High Efficiency




No Flue

Thurcroft Stove

The Thurcroft is a 100% efficient portable stove and the ideal mobile gas appliance with a living flame effect that provides the warmth, appearance and atmosphere of a traditional stove. A self contained 7kg Butane gas cylinder* housed within the body of the stove provides up to 60 hours burning time.

Safety: Flame Supervision Device & Airwatch System

Specification		Fuel Options	Control Options	Fuel Effect	
Heat Input (max)	Heat Output (max)	Net Efficiency	Butane LPG	Manual	Coal
2.6kW	2.6kW	100%	✓	✓	✓



* Not included with the appliance.

For details on how to obtain a Butane gas cylinder please call 0870 241 1603 or visit www.calorgas.co.uk



www.bfm-europe.com

Go direct to the Flavel website on your smart phone or tablet device, just scan in this QR code.

WARNING BFM Europe Limited is a Gas Safe Register company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase.

Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information.

Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types.

We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat.

In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present. (This brochure is copyright 2013 and must not be reproduced in whole or in any part without prior written permission).

Issue No. 29

We would like to thank Kedleston Heating (01332 200303), Olde England Reproductions (01782 319350), Stanningley Firesides (0113 257 1512) and GB Mantles (01924 473243) for contributing fire surrounds to this brochure.



At the heart of your home

BFM Europe Limited, Trentham Lakes, Stoke-on-Trent, Staffordshire ST4 4TJ.
Tel: 01782 339000. Fax: 01782 339009. www.bfm-europe.com e-mail: info@bfm-europe.com