

PureGlow  
PASSION IN DESIGN

All appliances must be fitted by a competent engineer in accordance with the manufacturer's installation instructions. Gas appliances must be installed by a competent person. Gas Safe™ (formerly known as CORGI) registered operatives are the only class of person considered as competent by the HSE under the Gas Safety (Installation and Use) Regulations 1998. Our policy is one of continued improvement and development and therefore the right to change specification without prior notice is reserved. All dimensions are approximate.

No liability is accepted for problems caused by poor installation or misuse of our products. All PureGlow products should be fully inspected prior to installation as no responsibility for re-fitting, repairs or redecoration can be accepted if defective products have been installed. If installing a PureGlow surround in conjunction with a fire not manufactured by PureGlow, please refer to the manufacturer for suitability.

Dealer Stamp



Stour Vale Road, Lye, Stourbridge,  
West Midlands DY9 8PP  
Tel: 01384 893060 Fax: 01384 897728  
Email: sales@pureglowltd.co.uk  
Web: www.pureglowltd.co.uk

PureGlow  
PASSION IN DESIGN

# Fire and Fireplace Collection

2011



# a warm welcome

Nothing beats the look and feel of a beautiful home fire. And nothing matches the range, quality and flexibility that PureGlow fires and surrounds have to offer.

Chic and modern, classically elegant or clean and minimal - whatever your style, you're sure to find a combination to perfectly complement your home.

We hope you enjoy browsing this 2011 brochure, which we have carefully planned to make your decision process as simple, exciting and pleasurable as possible.

## Contents



### Surrounds

4 - 20



### Fires

21 - 27

Fire specifications	28 - 30
Flue Types	31
Surround specifications	32 - 33
Guarantee	34



**PureGlow**  
PASSION IN DESIGN



SELECTED PRODUCTS ONLY.

# PureGlow surrounds

Whatever the style of your home or your personal taste, you're certain to find a PureGlow fire surround that's just right for you.

If your heart is set on a stone surround then we've a range of four finishes for you to consider:

Black Granite is a beautiful naturally formed material, renowned for its high durability and stunning aesthetic qualities.

Perla Micro Marble is a composite stone comprising 98% marble and 2% resin. Its construction ensures colour consistency and eliminates imperfections. In every other aspect it is indistinguishable from natural marble.



Aegean Limestone is a sedimentary rock. Completely natural, it is composed of tiny fossils and other organisms that at one time formed part of the sea bed.

PureStone Sepol surrounds are also manufactured from limestone, and feature natural variations such as shading, veining, fossils and crystal markings. As a consequence every fireplace is totally unique.

If a wood finish is your preference, you'll appreciate the warmth and character of our Natural Oak and American Walnut finish surrounds.

Featuring a Jubilee open-fronted HE gas convector ceramic coal fire with 54" black granite hearth

Knighton 54" black granite



## Wenlock 54" Agean limestone

Featuring a Jubilee standard-cast insert with decorative gas coal fire with 54" black granite hearth



Featuring a Lytton glass-fronted HE gas convector ceramic coal fire with 54" black granite hearth

## Knighton 54" Perla marble



Ashton 54" Perla marble

Featuring a Grace brass Premier Plus electric fire



Featuring a Daisy chrome Premier Plus electric fire

Marlbrook 48" Perla marble



Wychbury 54" Perla marble

Featuring a Daisy antique brass class 2 gas ceramic coal fire



Featuring an Annabelle class 1 fingerslide gas ceramic coal fire

Kingsford 48" Sepol limestone



Wychbury 54" Sepol limestone

Featuring a Juliet highlighted class 1 gas ceramic coal fire



Featuring a Zara class 1 fingerslide gas ceramic coal fire

Drayton 50" Sepol limestone



Harvington 54" Sepol limestone

Featuring a Churchill chrome class 1 gas ceramic coal fire



Featuring a Daisy antique brass Premier Plus electric fire with Perla marble back and hearth

Hanley 54" Walnut



48" available

Stanford 54" Walnut

Featuring a Grace brass Premier Plus electric fire with Perla marble back and hearth



Featuring a Media full-polished Premier Plus electric fire with black granite back and hearth

Whitton 54" Natural Oak



48" available

# Hanley 54" Natural Oak

Featuring a Grace chrome Premier Plus electric fire with black granite back and hearth



48" available

Featuring a Carmen full-polished Premier Plus electric fire with black granite back and hearth

# Stanford 54" Natural Oak



## Stretton 48" Natural Oak

Featuring a Bauhaus Premier Plus electric fire with Marfil back and hearth



# PureGlow fires

A warm glowing fire is the focal point of any room, and our range of gas, electric and flueless gas fires have been carefully created to bring you the perfect blend of aesthetic beauty and energy efficiency.

Whether you prefer bold lines or subtle curves; understated style or classical elegance, with PureGlow fires you'll find you're spoilt for choice. And with over 60 years' experience in designing and manufacturing high quality products, you can depend on our reliability too.

There are a vast range of options available to you; from energy type to metal finish, and by complementing your fire with one of our superb fire surrounds you can create an effect that's as warm and unique as you are.

3  
GUARANTEE  
YEARS

SELECTED PRODUCTS ONLY.




The type of chimney your home has may well determine whether you require a gas, electric or flueless gas fire (please turn to page 31 to confirm which is best for you).

Gas and electric fires have very distinct flame effect and aesthetic qualities. A glance at the close-up images displayed here should help you appreciate the style of each before making your choice.

### Key

No chimney required	Available in coal effect
Class 1 flue required	Available in pebble effect
Class 2 flue required	Infrared remote
Fingerslide (Class 1 only)	High Efficiency
	Available as electric



### Zara

Gas				Electric	
Graphite class 1 gas coal fire	Polished class 1 gas coal fire	Graphite flueless gas fire	Polished flueless gas coal fire	Graphite Premier Plus electric fire	Polished Premier Plus electric fire

### Jubilee

Gas		
Open-fronted HE gas convector coal fire	Glass-fronted HE gas convector coal fire	Decorative gas coal fire (available as solid fuel kit)

### Chloe

Gas			Electric		
Highlighted class 1 gas coal fire	Black class 1 gas coal fire	Polished class 1 gas pebble fire	Highlighted Premier Plus electric fire	Black Premier Plus electric fire	Polished Premier Plus electric fire

### Lytton

Gas		
Open-fronted HE gas convector coal fire	Glass-fronted HE gas convector coal fire	Decorative gas coal fire (available as solid fuel kit)

### Juliet

Gas			Electric		
Highlighted class 1 gas coal fire	Black class 1 gas coal fire	Polished class 1 gas pebble fire	Highlighted Premier Plus electric fire	Black Premier Plus electric fire	Polished Premier Plus electric fire

## Churchill

1 IR C P 

Gas



Black & chrome class 1 gas coal fire



Black & brass class 1 gas coal fire

Electric



Black & chrome Premier Plus electric fire



Black & brass Premier Plus electric fire

## Carmen hole-in-the-wall

1 2 IR C P 

All Carmen fires are also available in Graphite

Gas



Black class 1 gas coal fire



Polished class 1 gas coal fire

Electric



Black Premier Plus electric fire



Polished Premier Plus electric fire

## Annabelle

1 2 FS IR C P 

Gas



Highlighted class 1 gas coal fire

Electric



Highlighted Premier Plus electric fire

## Media

1 2 IR C P 

Gas



Polished class 1 gas coal fire



Antique brass class 1 gas coal fire

Electric



Polished Premier Plus electric fire



Antique brass Premier Plus electric fire

## Carmen

1 2 IR C P 

All Carmen fires are also available in Graphite

Gas



Black class 1 gas coal fire



Polished class 1 gas coal fire

Electric



Black Premier Plus electric fire



Polished Premier Plus electric fire

## New Wave

1 2 IR C P 

Gas



Polished class 1 gas coal fire



Brass class 1 gas coal fire

Electric



Polished Premier Plus electric fire



Brass Premier Plus electric fire

Our fires come in a range of finishes, so there's bound to be one that's perfect for you.



Match your fire with one of our superb surrounds for a totally stunning effect.

Hand crafted, our unique designs add a touch of individuality to any room.



## Bauhaus



Gas



Polished class 1 gas coal fire



Antique brass class 1 gas coal fire

Electric



Polished Premier Plus electric fire



Antique brass Premier Plus electric fire

## Daisy



Gas



Chrome class 2 gas ceramic coal fire



Brass class 2 gas ceramic coal fire

Electric



Chrome Premier Plus electric fire



Brass Premier Plus electric fire

## Blenheim



Gas



Chrome class 1 gas coal fire



Brass class 1 gas coal fire

Electric



Chrome Premier Plus electric fire



Brass Premier Plus electric fire

## NOVO landscape



Gas



Polished flueless gas fire



Graphite flueless gas fire



We use only the highest quality materials on our fires, so the closer you get, the more beautiful they look.

## Grace



Gas



Chrome class 1 gas coal fire



Brass class 1 gas coal fire

Electric



Chrome Premier Plus electric fire



Brass Premier Plus electric fire

## NOVO portrait



Gas



Polished flueless gas fire



Graphite flueless gas fire

Electric

















Polished Premier electric fire



Graphite Premier electric fire

# Specifications PureGlow gas



	Zara	Annabelle/Juliet/Chloe	Churchill	Carmen hole-in-the-wall	Carmen inset	Standard inset
Available Types	NG - Class 1 (full depth) NG - Class 2 (slimline)	NG - Class 1 (full depth) NG - Class 2 (slimline)	NG - Class 1 (full depth)	NG - Class 1 (full depth) NG - Class 2 (slimline)	NG - Class 1 (full depth) NG - Class 2 (slimline)	NG - Class 1 (full depth) NG - Class 2 (slimline)
Fuel Bed Option	Coal or Pebble	Coal or Pebble	Coal or Pebble	Coal or Pebble	Coal or Pebble	Coal or Pebble
Available Finishes	Graphite Full-polished	Pure Black Highlight polished Full-polished (exc. Annabelle)	Black with chrome trim Black with brass trim	Pure Black Graphite Full-polished	Pure Black Graphite Full-polished	Bauhaus (antique or polished) Grace (brass or chrome) Blenheim (antique or polished) Media (brass or polished) Daisy (brass or polished) Wave (brass or polished)
Control Type	Manual or fingerslide	Manual or fingerslide	Manual	Manual	Manual	Manual
Output	Class 1: 3.8kW Class 2: 3.1kW	Class 1: 3.8kW Class 2: 3.1kW	Class 1: 3.8kW	Class 1: 3.8kW Class 2: 3.1kW	Class 1: 3.8kW Class 2: 3.1kW	Class 1: 3.8kW Class 2: 3.1kW
Installation	Inset	Inset	Inset	Inset	Inset	Inset
Fascia Dimensions	see diagram above	see diagram above	see diagram above	see diagram above	see diagram above	see diagram above
Opening Dimensions	Height min 540 max 575 Width min 375 max 450	Height min 540 max 575 Width min 375 max 450	Height min 540 max 575 Width min 375 max 450	Height min 540 max 575 Width min 375 max 450	Height min 540 max 575 Width min 375 max 450	Height min 540 max 575 Width min 375 max 450
Opening Dimensions	Height min 540 max 575 Width min 350 max 450	Height min 540 max 575 Width min 350 max 450	n/a	Height min 540 max 575 Width min 350 max 450	Height min 540 max 575 Width min 350 max 450	Height min 540 max 575 Width min 350 max 450
Guarantee	3 years	3 years	3 years	3 years	3 years	3 years

All dimensions in mm


\* The spigot outlet of the fire is 560mm high but should fit into the gash at the top of the fireplace as the appliance is fitted. Any modifications to the fireplace opening must be to a height of 560mm min.

# Specifications PureGlow electric

	Novo portrait	Chloe/Juliet/Annabelle	Zara/Carmen/Hole-in-the-wall	Churchill	Premier	Premier Plus
Fuel Bed Option	Supplied with both coal & pebbles	Supplied with both coals & pebbles	Supplied with both coals & pebbles	Supplied with both coals & pebbles	Supplied with both coals & pebbles	Supplied with both coals & pebbles
Engine	Premier wall hung	Premier Plus	Premier Plus	Premier Plus	Premier Inset	Premier Plus
Available Finishes	Graphite, Full-polished Maple Leaf Passion Flower	Pure Black Highlight polished Full-polished (exc. Annabelle)	Graphite Full-polished	Black / Chrome trim Black / Brass trim	Chrome trim Brass trim	Bauhaus (antique or polished) Grace (brass or chrome) Blenheim (antique or polished) Media (brass or polished) Daisy (brass or polished) Wave (brass or polished)
Efficiency	Low energy flame effect	Low energy flame effect	Low energy flame effect	Low energy flame effect	Low energy flame effect	LED Lighting
Control Type	Manual	Remote control / manual	Remote control / manual	Remote control / manual	Remote control / manual	Remote control / manual
Output	1kW and 2kw heater settings	1kW and 2kw heater settings	1kW and 2kw heater settings	1kW and 2kw heater settings	1kW and 2kw heater settings	1kW and 2kw heater settings
Installation	Wall hung	Slimline fit (75 depth) Free standing (spacer kit available)	Slimline fit (75 depth) Free standing (spacer kit available)	Slimline fit (75 depth) Free standing (spacer kit available)	Slimline fit (75 depth) Free standing (spacer kit available)	Slimline fit (75 depth) Free standing (spacer kit available) Kettle plug connection
Fascia Dimensions	see diagram above	see diagram above	see diagram above	see diagram above	see diagram above	see diagram above
Opening Dimensions		Height min 545 max 585 Width min 345 max 440	Height min 545 max 585 Width min 345 max 440	Height min 545 max 585 Width min 345 max 440	Height min 565 max 595 Width min 400 max 460	Height min 545 max 580 Width min 345 max 440
Engine size	see diagram above	see diagram above	see diagram above	see diagram above	see diagram above	see diagram above
Guarantee	1 year	3 years	3 years	3 years	1 year	3 years

All dimensions in mm

# Specifications PureGlow flueless & HE cast



The PureGlow HE cast iron range  
 Made from the highest quality materials and simple to install.

Unique installer friendly concept  
 All cast iron components fit within a 3" rebate



	Zara inset	Novo landscape	Novo portrait	HE Glass fronted	HE Open fronted
Available Types	Flueless inset	Flueless wall hung	Flueless wall hung	NG - Class 1 (full depth) NG - Class 2 (slimline) Balanced flue	NG - Class 1 (full depth) NG - Class 2 (slimline)
Available Finishes	Graphite Full-polished	Graphite Full-polished	Graphite Full-polished	Jubilee highlight polished Lytton highlight polished	Jubilee highlight polished Lytton highlight polished
Efficiency	100%	100%	100%	Class 1 : 80% Class 2 : 65%	Class 1 : 80% Class 2 : 65%
Control Type	Manual	Manual	Manual	Manual, IR remote	Manual, IR remote
Natural Gas	input max 2.3kW min 1.3kW  output max 2.3kW min 1.3kW	input max 2kW min 1.3kW  output max 2kW min 1.3kW	input max 2kW min 1kW  output max 2kW min 1kW	input Class 1 : 5.0kW input Class 2 : 5.0kW output Class 1 : 4.0kW output Class 2 : 3.3kW	input Class 1 : 6.9kW input Class 2 : 6.9kW output Class 1 : 4.0kW output Class 2 : 3.3kW
LPG	input max n/a output max n/a	input max 1.7kW min 1.3kW output max 1.7kW min 1.3kW	input max 1.7kW min 1kW output max 1.7kW min 1kW	NA NA	NA NA
Minimum Room Size	27m <sup>2</sup>	23m <sup>2</sup>	23m <sup>2</sup>	NA	NA
Installation	Inset (spacer kit available)	Wall hung	Wall hung	Inset	Inset
Air Vent Required	UK 100cm <sup>2</sup> Ireland 2 x 60cm <sup>2</sup>	UK 100cm <sup>2</sup> Ireland 2 x 60cm <sup>2</sup>	UK 100cm <sup>2</sup> Ireland 2 x 60cm <sup>2</sup>	NA	NA
Safety Feature	Oxygen Depletion Sensor, Flame	Failure Device, Catalytic Converter		Oxygen Depletion Sensor, Flame	Failure Device
Fascia Dimensions	see diagram above	see diagram above	see diagram above	940 x 940	940 x 940
Opening Dimensions	Height min 550 max 610 Width min 450 max 470	NA NA	NA NA		
Engine Size	see diagram above	460 x 500	570 x 385		
Guarantee	3 years	3 years	3 years	2 years	2 years


All dimensions in mm

## flue types

The heat source you can have in your home is largely dependant on the type of chimney you have.

Each fire in this brochure carries an icon indicating the type of flue required.

Please check your own requirements with your fireplace retailer or installer.



### Class 1

These are commonly found in older houses (pre-1960) and are identifiable by a 7" (180mm) or greater diameter flue. Prior to installation of a new fireplace, an existing flue must be structurally sound and checked for blockages.



### Class 2 - pre-fabricated

These are found either in an older house where the existing flue has been lined with a proprietary steel flue or in a newer house with a steel flue built in. Identifiable by a 5" (130mm) or greater diameter flue and a steel flue terminal.



### Class 2 - pre-cast

Many newer properties that do not have chimneys are fitted with pre-cast flues made from hollow concrete or clay blocks. These travel vertically up through the cavity wall of the property to a ridge vent or metal flue terminal on the roof.



### No chimney required

Modern houses often have no chimney and one option is a PureGlow flueless gas fire. Flueless gas fires are designed to supplement central heating and should be used as a secondary heat source.



### Electric

Another option where no chimney is available is an electric fire which can be located in virtually any room in the house.



# fireplace dimensions

All PureGlow suites consist of a surround, back panel and hearth, the dimensions of which are shown here in millimetres. Please note that overall heights do not include depth of hearth.

## cleaning and maintenance

**Cast Iron** – All cast iron products have a protective, oil based coating on polished surfaces. This should be cleaned off during installation. It is recommended that a spray-type oil is applied occasionally to discourage rusting. Ensure that your room is thoroughly dry before installation. Under no circumstances should a water based cleaner or polish be used to clean cast iron products.












**Stone** – Stone is naturally porous, so all aegean surfaces have been pre-sealed to avoid staining. Sepol limestone, once installed and dry, should be cleaned and sealed where necessary using suitable limestone sealing solution.

Protect the surface from coloured liquids such as fruit juices and red wine. In the event of an accident, use a specialist cleaning and resealing kit.

**Marble** – Protect the surface from strong coloured solutions and citrus juices. To maintain the subtle shine of the surface, occasionally wipe over with a solution of general household cleaner and buff with a soft dry cloth. Do not use any bleach or abrasive cleaning agents.

**Veneered MDF** – As this material is not resistant to very hot items, we recommend that it is not used in conjunction with any solid fuel fires. To clean, dust occasionally with a soft dry cloth. Avoid silicon based sprays.

**Gas Fires** – A gas fire is a technical piece of equipment and, just like a gas boiler, needs regular servicing. Please have your gas fire serviced by a Gas Safe™ Register (Board Gais in ROI) registered installer.





**3** GUARANTEE  
YEARS

**2** GUARANTEE  
YEARS

SELECTED PRODUCTS ONLY.

Please be advised that the guarantee only covers gas products purchased on or after 1st February 2009 and electric products from our Premier Plus range purchased on or after 1st September 2009. For all gas fires purchased, the guarantee commences from the date of purchase, provided that the following 3 terms and conditions are adhered to.

1. Any claim made within 3 years (2 years on certain products) will require provision of proof of purchase.
2. Your gas fire must have been commissioned by a competent person - up to the 31st March 2009 a CORGI qualified engineer. From the 1st April 2009, Gas Safe™ registered operatives are the only class of person considered competent by the HSE under the Gas Safety (installation and use) Regulations 1998. Evidence of this must be provided together with the CORGI or Gas Safe™ registration number.
3. Your gas appliance must have been serviced annually by a competent person (see point 2 above), evidence of which must be provided.

Consumable items such as any ceramics including; coals, pebbles, the matrix, front strips, side cheeks, rear panels, tapered rear panels and decorative items are not covered by the guarantee.

For all electric fires purchased, the guarantee commences from the date of purchase. Electric fires must be installed as per our recommendations stated in the installation manual. Consumable items such as any coals, pebbles and decorative items are not covered by the guarantee. This guarantee excludes any unfitting or refitting cost incurred.

If you do wish to make a claim under our guarantee and all the terms and conditions for your product have been met then please submit the following details by e-mail, fax or post:

1. Name, address, post code and telephone number
2. Receipt of purchase or Bank / Credit card statement
3. Original installer's CORGI or Gas Safe™ registration number (gas fires only)
4. Annual service receipt for each year after 12 months (gas fires only)

For E-MAIL submissions, please scan in your documentation and send it to [info@pureglowltd.co.uk](mailto:info@pureglowltd.co.uk) Alternatively, fax your documentation to 01384 897728 for the attention of the 3G service department.

The statutory rights of the consumer are not affected.

