

Millions of homes across the UK have stayed warm for over 100 years thanks to Valor, the country's leading manufacturer of fires.



Founded in 1890, when a Birmingham-based manufacturer began selling oil storage containers, attention soon turned to heating, with the production of oil heaters marking the birth of the first Valor heaters.

Outstanding technological developments and continual investment in product design over the years have more than met customer's rising needs and expectations, keeping Valor at the forefront of the heating industry.

1966 marked the production and sale of the first Valor radiant gas fire, followed just ten years later by the first 'living' flame gas fire complete with imitation fuel bed. A hugely significant turn in product

design, the innovative 'living' flame fire once again proved Valor's position as a ground-breaking market leader.

The turn of the millennium hailed another new era for Valor, with the merger of Newmond plc and Baxi Group; bringing together three of the world's leading fire brands, Baxi, Valor and Wonderfire, under one umbrella: Baxi Fires Division. Now working from one purpose built factory, Baxi Fires Division looks forward to heating UK homes for decades to come.





which fire is right for you?

We want you to enjoy your new Valor fire right from the very start.

That's why we've made it so easy for you to select the fire that's perfect for you and your home. Look at the pictures below and decide which one best matches the chimney at your home then, when you're reading through our brochure and find a fire you like, simply check it's suitable for the chimney at your property.

Brick built chimney (deep chimney)

Suitable for all fires, the classic brick-built chimney can handle fires with a deep bed right through to shallower slimline styles.

Prefabricated flue (deep flue)

Suitable for most fires, pre-fabricated flues are deep enough to take most of the deep models and all of the slimline styles.

Pre-cast flue (slimline flue)

Usually found in modern homes, pre-cast flues are suitable for a wide range of slimline fires. However, a number of deeper fires can be adapted for pre-cast flues with the use of a spacer kit.



No chimney or flue

Our wide range of gas and electric fires can be fitted in most homes, even if you have no chimney or flue we can have a selection of fires for you. A seperate brochure is available for our electric range.




activeheat"

Activeheat[™] and radiant heat

All fires give out radiant heat. The heat moves outwards from the fire, so the closer you get to the fire the warmer you feel. Whilst this is suitable for most homes, creating additional warmth throughout the room can take some time. This is where Activeheat[™] helps. Fires with Activeheat[™] not only give out radiant heat but actively draw in the cold air from the room, pass it through a heat exchanger to warm it up and circulate it back around the room by means of natural convection.

which fire is right for you? **High Efficiency Range** homeflame harmony homeflame dream Inset Fires artura **Decorative Gas Fires** spanish basket No Chimney Fires (Balance Flue) black beauty unigas No Chimney Fires (Power Flue) **Outset Fires** black beauty slimline **Radiant Fires** Solid Fuel Fires hamlet, arden & willow camborne suite pacha suite specification



Homeflame Harmony leading the way in both style and efficiency.

The Homeflame collection of fires are the most energy efficient, chimney installed inset living flame fires on the market with an efficiency of 89%. Features include an angled glass front to reduce reflection, a ceramic coal bed that compliments the distinctive contemporary bar design and it provides an exceptionally realistic flame picture, even when on a low setting.

The Homeflame Harmony also offers an ultra modern chic style with a choice of black or silver finishes.



Product

Homeflame 4.0kW Harmony

Max. Heat Output Control Position

Fire*Slide*® Top Control Chimney Flue Type



Homeflame Dream, offers 89% efficiency.

In light of recent gas price rises, the Homeflame Dream boasts impressive energy rating of 89%, therefore offering energy efficient solutions for your home that will help to reduce household fuel costs. The Homeflame Dream is a more traditional style of gas fire, that comes in a choice of black, gold or chrome finishes.

Additional features include the traditional 3 piece fuel bed which ensures coal placement is correct 100% of the time and a fireside top control which offers easy operation in one simple movement.





ProductMax. HHomeflame4.0kWDream4.0kW

Fire*Slide*® Top Control

Max. Heat Output Control Position Chimney Flue Type



The Adom offers authentic turn-of-the-century cast iron styling coupled with a heart-warming 4.0kW Activeheat™ output. It can also run on LPG.

This is a fire that gives you the best of both worlds. On the one hand, authentic period styling, including cast iron fascia and intricate canopy detailing, it offers a classic look. On the other, it manages to combine exceptional heating power with reassuringly low running costs.

Control Position Product Max. Heat Output Chimney Flue Type Fire*Slide*® 4.0kW Brick chimney Adorn Top Control Prefabricated flue Pre-cast flue



The Valor Visage - a true classic.

The Visage is available in black with brass or just brass; it gives a timeless look to any room.

For ease of use the Visage has been fitted with a fireslide control so you don't have to get down on your hands and knees to adjust the fire.



Product Max. H Visage 4.0kW

. Fire

Fire*Slide®* Top Control

Max. Heat Output Control Position Chimney Flue Type



The delightful Dream offers all the looks of a real coal fire without any of the time-consuming maintenance.

Fitted with fireslide top control the Dream allows effortless operation enabling you to turn the fire on, off, up or down without kneeling down.

Available in a choice of gold, black or chrome finishes the Dream guarantee's to be a stunning focal point in any room.

An electric version of the Dream is also available (please refer to Valor Electric brochure).

Product Dream Max. Heat Output 3.5kW

Dut Control Position Fire*Slide*® Top Control

tion Chimney Flue Type Brick chimney Prefabricated flue Pre-cast flue







Enjoy the fire of your dreams.

The Dream Convector and its Slimline counterpart are available in gold, black or chrome finishes. The substantial cast iron frame and style-lines will add warmth and charm to any interior and with a fireslide top control, turning the fire on and off is hassle free.

The Dream Convector boasts an exceptional 4.0kW activeheat™ output while the Dream Convector Slimline allows modern homes with shallower flues to enjoy those classic Dream looks.





Dream Convector

Product	Max. Heat Output	Control Position	Chimney Flue Type
Dream Convector	4.0kW	Fire <i>Slide</i> ® Top Control	Brick chimney Prefabricated flue Pre-cast flue
Dream Convector Slimline	3.5kW	Fire <i>Slide®</i> Top Control	Brick chimney Prefabricated flue Pre-cast flue



Ideal for the narrowest of flues, the Ultimate is a subtle modern take on the traditional gas fire.

The Ultimate provides all the atmosphere and ambience of a real coal fire with none of the mess. Available in a choice of black or brass, the Ultimate offers an impressive 3.5kW activeheat[™] output and can be converted to run on LPG.

The Ultimate is the slimmest fire on the market and is suitable for all pre-cast flues.



Product Ultimate Max. Heat Output 3.5kW

Manual Bottom Control

Control Position

Chimney Flue Type



Elegant and inviting.

The new Capri gas fire offers a clean and simple take on a classic style. With a gentle curved solid brass fret and traditional style fascia the Capri provides a timeless, classic feel to any living room.

An electric version of the Capri is also available (please refer to Valor Electric brochure).

Product Max. Heat O

Max. Heat Output Control Position

Chimney Flue Type

Capri 3.1kW

Manual



The low maintenance, high performance alternative to a real coal fire.

Both attractive and practical, the Blenheim gas fire emulates a real fire in every way, featuring a classic brass frame and clean-lined front the Blenheim is suitable for homes with deeper chimneys or flues. Blenheim Slimline is also available in black and chrome variants.

Electric and Power Flue versions of the Blenheim are also available. (see p28 for Power Flue version, for electric version see seperate Valor Electric brochure).

Product	Max. Heat Output	Control Position	Chimney FlueType
Blenheim	3.8kW	Manual behind front casting	Brick chimney Prefabricated flue Pre-cast flue
Blenheim Slimline	3.1kW	Manual behind front casting	Brick chimney Prefabricated flue Pre-cast flue



Blenheim deep fuel bed



Blenheim slimline



The Tranquility is the very epitome of contemporary design.

With its refined chrome frame and glass fascia providing a cool contrast to the natural pebble bed, the Tranquility gas fire will create a lasting impact in any room interior.

> Max. Heat Output Control Position Product

Manual bottom

Chimney Flue Type

Tranquility 2.4kW

control



The loon is destined to be the focus of attention in any room.

Specially designed for either hole-in-the-wall or hearth mounting, this fire is not only beautiful to look at, it's also a star performer. Available in either silver with pebbles or champagne with coals, the lcon is capable of an impressive 4.0kW Activeheat[™] output. It boasts a fireslide top control for easy operation and can be converted to run on LPG.



Product

Max. Heat Output

4.0kW

Control Position Fire*Slide®* Top Control Chimney Flue Type



Attractive Artura.

The Artura has a slender rectangular frame in a light off-white finish, which is easy-clean so you can keep that pristine look with the minimum of effort. A gently protruding plinth contains a pebble fuel bed backed by a charcoal grey panel completing the simple, eye- catching design that will create a stunning centrepiece in any room.

Product

Max. Heat Output

Control Position

Chimney Flue Type

Brick chimney

Artura 2.6kW

Manual


Prefabricated flue Pre-cast flue



The Obsession fire from Valor is a design classic that will create a stunning centrepiece.

Neutral styling and classic interiors showcase this fire to its full potential, while the pebble bed adds a contemporary twist. The textured chrome weave front is a distinctive feature of the fire and the Fireslide top control means it is operated effortlessly.

An electric version of the Obsession is also available (please refer to Valor Electric brochure).





Obsession Slimline



Envy is a fire with attitude.

With its Art Deco styling, clean, elegant lines, sleek chrome surround and black and chrome fire front, the Envy will compliment any modern interior.

An electric version of the Envy is also available (please refer to Valor Electric brochure).

Product Envy

Max. Heat Output 3.1kW

Control Position Fire*Slide*® Top control Chimney Flue Type



This sleek and sophisticated inset living flame fire creates an impact in both traditional and modern interior design schemes.

Available in either champagne or silver with a choice of a traditional coal or contemporary pebble bed, the Quantum also delivers a heart-warming 3.1kW heat output and, if required, can run on LPG.



Product Quantum

3.1kW

Max. Heat Output **Control Position**

Manual Bottom Control

Chimney Flue Type



Sleek sophisticated Seattle.

The Seattle has a brushed steel curved front and beautiful pebble bed, making it the ideal choice for any contemporary interior.

Product	Max. Heat Output	Control Position	Chimney Flue Type
Seattle	3.5kW	Manual Bottom Control	Brick chimney Prefabricated flue Pre-cast flue
Seattle Slimline	3.1kW	Manual Bottom Control	Brick chimney Prefabricated flue Pre-cast flue

19



A stylish decorative gas fire. Uniting soft edges, gentle curves and a sleek chrome finish, the elegant Quattro is available with either a pebble or coal bed.



Product Quattro

Max. Heat Output Control Position Chimney Flue Type 2.7kW

Control

Manual Bottom Brick chimney

Choose a fuel bed





Coal



Choose a fuel bed



Pebble



Coal

Looking for a beautifully designed fire that makes a real feature of your fireplace?

The Majestic is a stylish decorative gas fire that provides almost endless interior design options - a coal or pebble fuel bed, and black, brass or black and brass frets.

Product 2.7kW Majestic

Manual Bottom Control

Brick chimney







black and brass

Max. Heat Output | Control Position | Chimney Flue Type



For a modern fashionable design look no further than the stylish Arc.

This open fronted basket gas fire adds a warm welcome to any room with its contrasting charcoal and chalk white finish. Whilst the central domed oval pebble fuel bed makes an attractive focus to this neat manually controlled fire.

The chalk white curved plate is solid cast iron finished with high quality enamal, providing a premium finish to this uniquely designed gas fire basket.

Product Max. Heat Output Control Position Chimney Flue Type Arc 2.22kW Manual Brick Chimney



This beautiful ornate fire comes with classic Spanish style detailing.

Available in black and silver effect, its deep fuel coal bed provides real flames to warm your home through the winter months.

Product Spanish . Basket

Max. Heat Output 2.9kW

Manual

Control Position Chimney Flue Type

Brick Chimney



Our well-known and much-loved Black Beauty fires offer exceptional performance coupled with superb economy.

Black Beauty Unigas balanced flue is a version of our popular Black Beauty fire designed exclusively for homes without chimneys. It is exquisitely styled with intricate brass detailing - a truly striking centrepiece that offers exceptional efficiency at 79%.

Chimney Flue Type Product Max. Heat Output | Control Position Black Beauty 3.5kW Side Control No Chimney Unigas



No chimney? It's no problem with the Ultimate Balanced Flue.

This popular balanced flue model gives you the opportunity to have an attractive inset gas fire with a stylish glass front. Available in black, chrome or brass finish, the refined sophistication of the Ultimate balanced flue will complement both modern and traditional interiors. The Ultimate Balanced Flue can be installed into the wall cavity or, flat against the wall by using an optional extra spacer kit and offers exceptional efficiency at 84%.







Max. Heat Output 2.8kW

Product

Ultimate

Flue

Balanced

Manual Bottom Control

Control Position Chimney Flue Type



Sleek sophisticated Seattle - no chimney option.

The Seattle has a brushed steel curved front and beautiful pebble bed. making it the ideal choice for any home without a chimney.

Product

Max. Heat Output

Seattle Balanced Flue

2.8kW

Control Position Chimney Flue Type Manual Bottom

Control



If you don't have a chimney but want to enjoy an open-fronted fire then the Dream Fan Flue may well be ideal for you.

Available in either sophisticated chrome, dramatic black or luxurious gold, this tasteful inset living flame fire cleverly uses a fan to expel the gases through the wall to the outside.





Product Dream

Fan Flue

3.1kW

Manual Bottom Control

Max. Heat Output Control Position Chimney Flue Type



Traditional Blenheim.

The Blenheim Fan Flue not only looks good, but because it uses a fan to expel the gases, you can enjoy an open fronted fire with beautiful traditional styling



Product Blenheim Fan Flue Max. Heat Output 3.1kW

 Dutput
 Control Position

 Manual
 Manual

Chimney FlueType No Chimney







Sleek sophisticated Seattle.

The Seattle Fan Flue with its elegant modern lines and chrome finish, is the perfect choice if you don't have a chimney or flue.

Product Seattle Fan Flue

Max. Heat Output 3.1kW

Manual Bottom Control

Control Position

Chimney Flue Type



Our well-known and much-loved Black Beauty fires offer exceptional performance coupled with superb economy.

The Black Beauty Slimline has a beautiful flame picture to add ambience and character to any room and comes with a distinctive pargoda shaped canopy highlighted with brass detailing.

Black Beauty Slimline

Product

Max. Heat Output

4.0kW

Control Position Chimney Flue Type Side Control

Brick chimney

Prefabricated flue Pre-cast flue



At home in any room, Heartbeat Oxysafe boasts excellent heat output, advanced safety standards, exceptional reliability and easy operation.

The stylish glass front of the Heartbeat Oxysafe shows off its real flame effect fuel bed beautifully.

Product Heartbeat

Max. Heat Output Control Position 3.6kW

Side Control

Chimney Flue Type

Brick chimney Prefabricated flue Pre-cast flue

Oxysafe



At home in any room, the Black Beauty Radiant boasts excellent heat outputs.

With its distinctive styling, the Black Beauty Radiant is incredibly efficient and economical. An additional disability control can be used instead of the top positioned existing control, to assist with easier operation of the fire (as shown below).



Product

Max. Heat Output

Black Beauty Radiant 4.0kW

Output Control Position

Top Control E

Brick chimney Prefabricated flue Pre-cast flue

Chimney Flue Type



The Firelite Oxysafe offers exceptional reliability and easy operation.

The Firelite Oxysafe's white ceramic radiants ensure a truly impressive performance. The Firelite Oxysafe offers a cost effective heating option that doesn't compromise on standards of style, reliability and performance, making it an ideal choice. An electronic ignition variant is also available making the fire incredibly simple to operate.

Product Firelite

Oxysafe

Max. Heat Output

Top Control

Control Position Chimney Flue Type





Solid Fuel Performance.


With smooth lines and perfect proportions the solid fuel stoves range is ideal for those seeking an authentic heating experience in their home. Fashionable yet affordable, our coal, wood or peat burning stoves give you flexibility, performance and reliability.

Which of the stoves is right for me?

Please use the matrix below to find the stove for you - room width x length (metres)

	1	1 2 3		4	5	6	7
1			Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow
2		Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow Hamlet
3	Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow Hamlet	Arden/Willow Hamlet	Hamlet/ Arden
4	Arden/Willow	Arden/Willow	Arden/Willow	Arden/Willow Hamlet	Arden/Willow Hamlet	Hamlet/ Arden	Hamlet
5	Arden/Willow	Arden/Willow	Arden/Willow Hamlet	Arden/Willow Hamlet	Hamlet/Arden	Hamlet	Hamlet
6	Arden/Willow	Arden/Willow	Arden/Willow Hamlet	Hamlet/Arden	Hamlet	Hamlet	Hamlet
7	Arden/Willow	Arden/Willow Hamlet	Hamlet/Arden	Hamlet	Hamlet	Hamlet	Hamlet

Please note the matrix assumes an average ceiling height of 2.4mm. The suitability of each stove is calculated by multiplying room height x room width x room depth and dividing by 14 which gives the average heating requirements for the room in kilowatts. In many cases, more than one stove is suitable due to overlaps in the heating outputs.



Epitomising warmth and comfort.

The Camborne Suite comprises a smart mahogany finish surround with a classic cream hearth and back panel. The perfect alternative to a real coal fire, the Blenheim brass gas fire is included in this suite.

Max. Heat Output Control Position Product

Manual

Chimney Flue Type

Brick Chimney

Pre-fabricated flue Pre-cast flue

Camborne Suite

3.1kW



The Pacha Suite has striking clean lines that will compliment any contemporary room setting.

The brushed steel fascia and white pebble bed of the Seattle fire sit comfortably within the clean lines of the Maple finish surround and black back and hearth panels.

Product Pacha Suite

Max. Heat Output

3.1kW

Control Position Chimney Flue Type

Manual

Mix and Match Surround Options

Durham Surround

The Durham surround is available in medium oak, maple or mahogany finished veneer.







Dimensions Height: 1020 mm

Width: 1220 mm

Hearth Depth: 380 mm

Turin Surround

The Turin offers an oak finished veneered surround. The laminated reversible panel offers a black or cream finish.







Dimensions Height: 1075 mm

Width: 1220 mm

Hearth Depth: 380 mm



The Miami surround is available unfinished and offers the flexability to apply a finish of your choice to suite your decor. It also comes with the laminated reversible back panel, offering a black or cream option.







Dimensions Height: 1010 mm

Width: 1176 mm

Hearth Depth: 380 mm

specifications

Valor fire		heat output (kW)		heat input (kW)		heat type	control type and position	safety features				
		PAGE	PRODUCT NAME AND GAS TYPE	MIN	MAX	MIN	MAX	RADIANT (R) RADIANT &	CONTROL	OXYSAFE® System	FLAME SUPERVISION	BRICK BUILT CHIMNEY
_		THOL	NATURAL GAS (NG) OR (LPG)					CONVECTED (RC) CONVECTED (C)		CTOLEM	DEVICE	
gh ency		5	Homeflame Dream	1.8NG	4.ONG	2.3NG	5.0NG	RC	Fire Slide * Top control	~	4	~
effoli		4	Homeflame Harmony	1.8NG	4.ONG	2.3NG	5.0NG	RC	Fire.Slide [®] Top control	~	v	v
		6	Adorn NG & LPG+	1.5NG 2.5LPG	4.0NG 4.1LPG	2.7NG 4.3LPG	6.85NG 6.7LPG	RC	Fire.Slide® Top control	v	v	~
		7	Visage NG & LPG+	1.5NG 2.6LPG	4.0NG 4.1LPG	2.7NG 4.3LPG	6.8NG 6.7LPG	RC	Fire.Slide® Top control	~	v	v
		8	Dream NG & LPG+	1.1NG 2.2LPG	3.5NG 3.7LPG	2.7NG 4.3LPG	6.8NG 6.7LPG	R	Fire <i>Slide</i> ® Top control	~	v	~
		9	Dream Convector NG & LPG+	1.5NG 2.6LPG	4.0NG 4.1LPG	2.7NG 4.3LPG	6.85NG 6.7LPG	RC	Fire <i>Slide</i> [®] Top control	~	V	v
		9	Dream Convector Slimline	1.5NG 2.5LPG	3.5NG 3.5LPG	2.7NG 4.3LPG	6.0NG 6.1LPG	RC	Fire.Slide® Top control	v	v	~
		10	Ultimate NG & LPG+	1.2NG	3.5NG 3.6LPG	2.7NG 3.8LPG	6.8NG 6.1LPG	RC	Manual	~	V	v
		11	Capri	1.3NG	3.6LPG 3.1NG	2.3NG	6.0NG	R	Manual	~	v	~
		12	Blenheim NG & LPG+	1.3NG	3.8NG	2.3NG	6.8NG	R	Manual	~	V	~
fires		12	Blenheim Slimline NG & LPG+	2.1LPG 1.2NG	3.7LPG 3.1NG	4LPG 2.3NG	6.7LPG 6.0NG	R	Manual	~	v	~
it gas		10	Tranguility	1.9LPG 1.4NG	3.1LPG 2.4NG	3.8LPG 3.1NG	6.1LPG 5.2NG	R	Manual			
inse		13	Tranquility	- 1.5NG	- 4.0NG	- 2.7NG	- 6.8NG		Manual	~	v v	~
		14	Icon NG & LPG*	2.6LPG	4.1LPG 2.6NG	4.3LPG	6.7LPG	RC	Fire <i>Slide</i> ® Top control			
		15	Artura	1.5NG	-	3.0NG	5.0NG	R	Manual	~	v	~
		16	Obsession NG & LPG*	1.5NG 2.6LPG	4.0NG 4.1LPG	2.3NG 4.3LPG	6.8NG 6.7LPG	RC	Fire.Slide® Top control	~	v	~
		16	Obsession Slimline NG & LPG+	1.5NG 2.5LPG	3.4NG 3.5LPG	2.7NG 4.3LPG	6.0NG 6.1LPG	RC	Fire.Slide [®] Top control	~	v	~
		17	Envy NG & LPG+	1.5NG 2.3LPG	3.1NG 3.3LPG	2.7NG 4.3LPG	6.0NG 6.1LPG	R	Fire <i>Slide</i> [®] Top control	~	4	~
		18	Quantum NG & LPG+	1.3NG 2.1LPG	3.1NG 3.6LPG	2.3NG 3.8LPG	6.0NG 6.1LPG	R	Manual	~	۷	~
		19	Seattle NG & LPG+	0.9NG 4.0LPG	3.5NG 6.7LPG	2.3NG 2.1LPG	6.8NG 3.7LPG	R	Manual	~	~	~
		21	Seattle Slimline NG & LPG+	1.3NG 2.1LPG	3.1NG 3.2LPG	2.3NG 3.8LPG	6.0NG 6.1LPG	R	Manual	~	v	v
		20	Quattro NG & LPG+	0.8NG 2.5LPG	2.7NG 4.1LPG	n/a 4.3LPG	6.9NG 6.7LPG	R	Manual	v	V	v
ш		21	Majestic NG & LPG+	0.8NG 0.8LPG	2.7NG 2.7LPG	n/a n/a	6.9NG 6.7LPG	R	Manual	~	v	~
BG		22	Arc	1.3NG	2.2NG	3.0NG	5.1NG	R	Manual	~	V	~
		23	Spanish Basket	1.0NG	2.9NG	2.3NG	6.9NG	R	Manual	v	V	v
se		24	Black Beauty Unigas NG	1.6NG	3.5NG	2.2NG	4.9NG	RC	Side control - Integral Piezo ignition	×	v	×
imney fire		25	Ultimate Balanced Flue	0.8NG	2.8NG	1.6NG	3.7NG	RC	Integral Piezo ignition behind bottom casting	×	v	×
no ch		26	Seattle Balanced Flue	1.1NG	2.8NG	1.5NG	3.7NG	RC	Manual	×	~	×
ş		27	Dream Fan Flue NG & LPG+	0.8NG	3.1NG	2.2NG	- 6.0NG	R	Manual	~	~	×
nney fire		28	Blenheim Fan Flue	1.3LPG 1.1NG 1.8LPG	3.1LPG 3.1NG 3.2LPG	3.6LPG 2.3NG 3.8LPG	6.0LPG 6.0NG 6.1LPG	R	Integral Piezo ignition behind bottom casting	~	v	×
no chi		29	Seattle Fan Flue	1.3NG 2.1LPG	3.1NG 3.2LPG	2.2NG 3.6LPG	6.0NG 6.1LPG	R	Manual	v	v	×
8		30	Black Beauty Slimline NG	1.0NG	3.2LPG 4.0NG	3.6LPG	5.0NG	RC	Side control - Integral Piezo ignition	~	v	~
outset fi		31	Heartbeat Oxysafe NG	0.8NG	- 3.6NG		- 5.0NG	RC	Side control - Integral Piezo ignition	~	v	v
les		32	Black Beauty Radiant NG	1.0NG	- 4.0NG	- 1.57NG	- 5.6NG	RC	Top control - Integral Piezo ignition	~	~	~
Radiant f		33	Firelite Oxysafe NG		- 4.0NG	- 1.6NG	- 5.6NG	RC	Top control - Integral Piezo ignition	~	~	~
		34	Willow Solid Fuel Stove	- 1.0	4.0		_	R	n/a	_		~
el stoves		34	Arden Solid Fuel Stove	1.0	5.0	_		R	n/a	_	_	~
solid fu		34	Hamlet Solid Fuel Stove	1.0	7.0			R	n/a	_		~
		35	Camborne Suite	1.2NG	3.1NG		-	R	Manual	-	-	~
suites		36	Pacha Suite	1.3NG	3.1NG			R	Manual	~		~
		00		1.5NG	J. HNG			n	IVICIIUCI	, v	v	, v

Fire*Slide*[®] Fireslide top control enables you to turn the fire on, off,

up or down, without kneeling down.



◆LPG conversion kit available. †Due to the sheer number of varying flue boxes pre-cast flues it is not possible to advise on which fires are suitable until the existing fire has been removed. We do recommend the use of a hearth. If the width at the rear of the precast flue starter blocks is less than 300mm wide the minimum depth of the opening will be not less than 154mm. "When using a replacement chairbrick, fireplace openings required are Height 555-565mm Width 405-445mm Depth 305mm.

•Applicable to certain pre-cast flues only when used with the optional extra spacer kit, a rebated surround or false wall may be required part numbers 05654k1 Bowl heaters 05617k1 class1. ▲We do recommend the use of a hearth.

& dimensions

chimney/f	iue type		installation options			fir	replace or	enings rec	uired (mr	m)			clearances	rea'd from	case (mm)	app	liance dimensi	ons (mm)
PRE- FABRICATED PRE-CAST NO CHIMNEY MOUNTING BRICK BUILT CHIMNEY					FABRICATED F			PRE-CAST FLU	E	ABOVE	SIDE	BELOW	FASCIA FASCIA	FASCIA	ENGINE			
FLUE	FLUE	ORFLOE	HEARTH/WALL	HEIGHT	WIDTH	DEPTH (MIN)	HEIGHT	WIDTH	DEPTH (MIN)	HEIGHT	WIDTH	DEPTH (MIN)		(TO CORNER WALL)	(IF WALL MOUNTED)	HEIGHT (A)	WIDTH (B)	DEPTH (C)
	~•	×	H&W▲	555-575	405-457	225	555-575	405-457	305	555-575	450	225	64	100	100	636	518	225
v †	~ •	×	H&W▲	555-575	405-457	225	555-575	405-457	305	555-575	450	225	69	100	100	631	546	225
	v †	×	H&W ▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	32	100	100	768	545	235
✓†	V	×	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	150	108	100	611	529	235
	V†	х	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	140	108	100	620	560	235
v †	v †	×	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	124	100	100	636	518	235
v	V	×	H&W▲	535-575	335-435	235	535-575	335-435	150	540-575	335-435	138	114	100	72	636	518	135
V	~	×	H&W▲	540-575	380-420	195	540-575	410-440	195	540-575	302-420	115	150	178	72	600	470	78
V	~	×	H&W▲	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	165	100	72	585	450	115
v †	V	×	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	161	125	100	599	492	235
v	V	×	H&W▲	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	165	100	72	585	450	115
~	~•	×	H&W▲	553-575	405-457	285	555-575	405-457	305	565-575	450	240	88	10	85	612	505	235
v †	v †	×	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	138	65	100	622	631	235
~	~•	×	W	555-575	405-457	250	535-575	405-457	270	555-575	450	205	156	10	85	702	594	201
V	rţ	×	H&W▲	555-575	405-457	285	555-575	405-457	305	555-575	450	240	139	100	100	621	530	235
V	rt	×	H&W▲	540-575	335-435	235	540-575	335-435	165	540-575	335-435	138	139	100	72	621	530	135
~	~	×	H&W▲	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	150	100	72	600	467	115
V	~	×	H&W▲	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	150	100	72	600	500	115
∕†	rt	×	H&W▲	555-575	405-457	285	555-575	405-475	305	555-575	450	240	161	125	100	599	492	235
V	∠ †	×	H&W▲	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	165	100	72	485	450	115
×	×	×	H&W▲	460-560*	380*	193*	n/a	n/a	n/a	n/a	n/a	n/a	125	125	85	n/a	400	193
×	×	×	H&W▲	460-560*	380*	193*	n/a	n/a	n/a	n/a	n/a	n/a	125	125	85	n/a	372	193
×	×	×	Н	460-560	400-430	280	n/a	n/a	n/a	n/a	n/a	n/a	775	178	77	238	380	330
×	×	×	н	460-560	420	270	n/a	n/a	n/a	n/a	n/a	n/a	860	178	75	n/a	420	340
×	×	v	н	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	670	657	n/a
×	×	v	н	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	607	487	78
×	×	~	н	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	607	487	282
×	×	~	H&W▲	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	64	100	88	636	518	125
×	×	~	H&W▲	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	161	100	85	599	492	186
×	×	~	H&W▲	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	115	100	88	585	450	125
~	V	×	H&W▲	550-610	305-432	165	560-610	407-432	165	610	305-432	100	150	100	100	655	657	n/a
~	~	х	H&W▲	535-610	305-432	165	560-610	407-432	165	610	305-432	100	150	100	100	643	632	53
~	V	×	H&W▲	550-610	305-440	165	550-610	380-440	165	610	305-440	100	95	48	50	625	657	53
~	V	×	H&W▲	525-610	305-440	165	525-610	380-440	165	525-610	305-440	63	90	50	50	633	620	53
×	×	х	н	-	PLEA	SF	RFF	FR T		STAI	FR		-	-	-	458	355	350
×	×	×	н		/			RUCT					-	-	-	497	405	345
×	×	×	н		1		-		-	I	I		-	-	-	535	485	390
v †	\mathbf{v}^{\dagger}	х	n/a															
v †	v †	×	n/a															
Th	. Malau a																	. П

The Valor policy is one of continual improvement and development and though accurate at the time of printing, this brochure is not intended to replace the installation manual which provides more detailed information.

FOR TECHNICAL ADVICE CALL 08706 061065



For details and to view the gas collection at your local dealer phone: 0845 601 0836 or visit our website www.valor.co.uk

Sales: 0870 6061 067 Technical Advice: 0870 6061 065 Switchboard: 0870 6061 064 Spares: 0870 6000 454 Fax: 0121 373 8181



All Valor fires comply fully with minimum efficiencies as outlined in the new Part L regulations

As with all products from Baxi Fires Division you can be assured of the following:

Quality

Unlike most other manufacturers, every single fire manufactured at our purpose built factory in Erdington is gas and leak tested for your peace of mind. Our products are manufactured in accordance with the internationally recognised Quality Management System Standard ISO 9000:2001.

Assured safety

All our fires are fitted with a flame safety device which cuts off the gas in the unlikely event that the pilot flame is blown out, plus our Oxysafe system which monitors the level of oxygen in the room and cuts off the fire if there is insufficient oxygen in the room. All of our electric fires are also fitted with an eletrical cut out safety device.

After sales service

We are so sure of the quality of our fires that in the unlikely event of any mechanical problems during the warranty period we will send out one of our expert Heateam engineers to rectify the problem free of charge*.



heateam is a Baxi Heating UK operation dedicated to providing state-of-the-art customer service. Its role is to support our products long after they leave our factory. Tel: 08706 090081. Email: service@heateam.co.uk



GENERAL NOTES

All gas appliances must be installed by a competent CORGI Registered Installer and in accordance with the manufacturer's installation instructions and they should not be fitted directly onto a carpet or floor of combustible materials.

Please note that certain parts of the appliance will become hot.

A suitable guard is therefore recommended where the very young or infirm are concerned. Our policy is one of continual improvement and development. The right to change specification without prior notice is reserved.

Reproduction of colours is as accurate as photographic and printing processes will allow. The statutory rights of the consumer are not affected.

*No liability is accepted for problems caused by poor installation or misuse of the product.

Baxi Fires Division, Wood Lane, Erdington, Birmingham B24 9QP.

Valor Heating is a trading name of Baxi Heating UK Limited. Registered in England 3879156. A Baxi Group Company. Registered office: Pentagon House, Sir Frank Whittle Road, Derby DE21 4XA.



A division of BAX1 GROUP