

Yeoman

A NATURAL WARMTH



Wood, Multi-fuel, Gas and Electric stoves



From its humble origins over 25 years ago on a farm near Dartmoor, renowned for its cold winters, Yeoman has grown to become one of the UK's leading stove manufacturers. Today, we offer not only a wide selection of traditionally-styled woodburning, multi-fuel, gas and electric stoves, but also high-output boiler stoves through to contemporary stoves, with each model providing superb value for money.

The Yeoman Range...

Traditional Wood & Multi-Fuel Stoves..... 6 - 13

A comprehensive collection of classically designed stoves, incorporating the unmistakable atmosphere of a real log or smokeless fuelled fire. From the compact Exmoor model to the grander scale County, that true rural ambiance can be perfectly attained in rooms of all proportions.



CL Wood & Multi-fuel Stoves 14 - 19

For those with a more contemporary taste, the eye-catching CL range with clean geometric designs, brings woodburning and multi-fuel stoves right into the heart of 21st century living.



Traditional & CL High-Output Boiler Stoves 20 - 25

Complete home heating never looked so good. The latest additions to the Yeoman range, these five exceptionally efficient stoves not only heat the room they are in, but can also provide enough hot water to supply up to 19 radiators throughout the rest of the house. Traditional & Contemporary styles with free standing and inset models.



Double-Sided Stoves 26 - 27

Truly the ultimate centre-piece, these exquisite stoves bring two rooms together with your choice of four timeless designs in both solid fuel and gas options.



Gas Stoves 28 - 39

Combining the allure of a log or coal fire with the convenience of an instantly controllable heating source, Yeoman Gas stoves offer maximum aesthetic appeal and warmth at the turn of a switch. What's more, opt for a programmable remote control and your stove can even be set to automatically turn on or off at times to suit your lifestyle!



Electric Stoves 40 - 43

Incorporating our unique VeriFlame™ technology, the Yeoman Electric models boast a choice of glow & flame effects, individually hand-painted logs and full remote control. With superior realism and up to 2kW of heat output, a Yeoman Electric stove will always be a pleasure to come home to.





Wood, Multi-fuel, Gas & Electric stoves

Wood & Multi-fuel Stoves

All Yeoman stoves are designed to burn wood and smokeless fuels and have been independently tested to exacting standards for both heating efficiency and emissions. The Exmoor, Exe, Devon, CL3 and CL5 models have also been DEFRA approved for the burning of wood in Smoke Control districts when fitted with a smoke control kit.




Wood – Wood is the better fuel in environmental terms being carbon neutral, as the amount of carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. It is also a renewable resource, particularly when derived from plantations and cultivated woodland. For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%. This will not only give twice the output of freshly felled timber but help avoid a build up of tar in your flue. Furthermore, if you can obtain hardwood logs this is better still, as they will have around twice the calorific value of softwoods.



Solid fuels – anthracite and manufactured smokeless fuels can be burnt with the addition of a multi-fuel kit. Choose from either the economic Static Kit on the County and Double-Sided models or, for optimum performance, the external Riddling Kit on Exmoor, Exe, Devon and CL stoves, including high output boiler stoves. Please note, however, that petroleum based fuels must never be used on your stove.

Styling options

The look of your stove is very important. That is why Yeoman offers you the opportunity to personalise our stoves with a variety of styling options. According to model, these include flat top and high or low canopies, panoramic single doors, double doors with removable, window crosses, brass handles, decorative cast top plates and plain or Tudor Rose air spinners.



Boiler Stoves

Several Yeoman Woodburning/Multi-fuel stoves are designed to be fitted with optional boiler systems and details of these can be found on appropriate pages. Additionally, Yeoman offer a selection of High-Output Boiler models that come with the boiler built in. Please see pages 20-26 for details.

Gas Stoves

All Yeoman gas stoves are available with natural gas or LPG and, depending on model, feature a highly realistic coal or log effect fire. All are available as manual operation with most having the option to upgrade to either a standard remote, allowing heat regulation once the pilot light has been lit manually, or a programmable remote with additional thermostatic and timer controls.



Electric Stoves

A Yeoman can be as easy to install as plugging in and switching on! Featuring our unique VeriFlame™ technology with low energy LED illumination and hand painted fuel bed. With the heater discreetly located underneath, the remote control allows you to adjust the heat between off, 1kW and 2kW in addition to the VeriFlame™ effects.



Colour options

Colour is another option, with a choice of four paint finishes available for most stoves: Metallic Blue, Metallic Brown, Matt Black or Metallic Green. CL Stoves are finished in Midnight Black Metallic[†].



Key to symbols			Radiator Capabilities
	Flat Top		Maximum Heat Output
	Low Canopy		Boiler Output*
	High Canopy		Vent not normally required

* Information for boiler options is a guide only. Seek advice and a site survey from a qualified heating engineer before ordering.



Five Year Warranty

Your Yeoman retailer will provide you with a Five Year Warranty on the castings for your new stove. They also provide a two year warranty for the steel carcass, subject to the stove being serviced 12 months after installation.

Expert Retailer Network

To help you select the right stove for your home, you will find our useful reference symbols throughout the brochure. However, your Yeoman retailer will be pleased to provide any further information and advice you may require. We take great care to ensure that our stoves & fires are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will enable you to see a selection of models locally in their showrooms, often fully operational; discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design; and ensure that you select the most appropriate product for your home. These retailers will also be able to advise on or assist with the installation process as well as help provide any after sales support & servicing your appliance may require in the future.

Full details of these warranties are set out in our Instruction Manuals, which are also available to view online at www.yeoman-stoves.co.uk.



Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.





Exmoor - neat and compact for the smaller room

Exmoor

Wood and Multi-fuel Stoves



Particularly suited to smaller rooms, the classically styled Exmoor is designed to fit neatly into a traditional 'builder's opening'. The gently curved front and sides give this model a solid, well proportioned appearance

and one which can enhance both traditional and contemporary settings. A curved glass window also provides an excellent view of the flames.




- Woodburning and multi-fuel models
- External riddling†
- Clean Burn - the tertiary air system provides greater fuel efficiency (78% with wood)
- Yeoman Airwash System – to give a clearer view of the flames
- Optional brass handle
- Optional plain air spinners
- Top or rear flue – 128mm (5")
- Smoke Control Area Approved*
- Gas and Electric versions also available, see pages 28 - 41

† Multi-fuel version

* When fitted with Smoke Control Kit and used in accordance with operating instructions

				
Exmoor 	✓	✓	×	4.9kW

Available Colour Options





Exe - ultimate versatility with optional boiler

Exe

Wood and Multi-fuel Stoves



Compact yet versatile, the Exe offers you an extensive choice of styling options as well as an optional boiler that can provide domestic hot water. It features Yeoman's Clean Burn system too, so you will enjoy improved


fuel efficiency and a greater control of combustion. Furthermore, being a nominal 4.9kW output, no air vent is needed when the Exe is installed.



- Woodburning and multi-fuel models
- External riddling†
- Clean Burn - the tertiary air system provides greater fuel efficiency (Wood 78%, Smokeless fuels: 85%)
- Yeoman Airwash System – to give a clearer view of the flames
- Single or double door options
- Optional brass handles
- Optional plain air spinners◊
- Removable Tudor Rose door crosses*
- Optional boiler – for domestic hot water or supplementary central heating
- Top or rear flue – 153mm (6")
- Choice of extras – including spark guard* and butterfly spindle flue damper
- Smoke Control Area Approved**
- Double-Sided and Gas versions also available, see pages 26 - 27 & 30 - 31

Exe		✓	✓	×	4.9kW 1.6kW 6000BTU

Available Colour Options



Blue Brown Black Green



† Multi-fuel version

* Double door only

◊ Single door only

** When fitted with Smoke Control Kit and used in accordance with operating instructions



Devon - at home in both traditional and modern settings

Devon

Wood and Multi-fuel stoves



The Devon is a highly popular, medium sized stove which can be tailored to look equally at home in the fireplace of a modern house or the inglenook of a country cottage.


It also offers an impressive heat output of up to 9kW whether burning logs, anthracite or smokeless fuels.



- Woodburning and multi-fuel models
- External riddling†
- Clean Burn - the tertiary air system provides greater fuel efficiency (Wood 81%, Smokeless fuels: 78%)
- Yeoman Airwash System – to give a clearer view of the flames
- Single or double door options
- Optional brass handles
- Optional plain air spinners◊
- Removable Tudor Rose door crosses*
- Optional boiler – for domestic hot water
- Top or rear flue – 153mm (6")
- Choice of extras – including spark guard* and butterfly spindle flue damper
- Smoke Control Area Approved**
- Double-Sided and Gas versions also available, see pages 26 - 27 & 34 - 35
- High output boiler version, pages 20 - 23

					
Devon	✓	✓	✓	9.0kW	3.5kW 12000BTU

Available Colour Options



Blue Brown Black Green



† Multi-fuel version
* Double door only
◊ Single door only
** When fitted with Smoke Control Kit and used in accordance with operating instructions

County

Wood and Multi-fuel Stoves



Largest of our traditional stoves, the County has the proportions to grace any inglenook and the performance to provide a magnificent focal point in larger rooms and open living spaces. The vast firebox is designed to accept

logs up to 460mm (18”) long, so that you do not need to load fuel so often. It also has the potential to produce considerable heat output.




- Woodburning and multi-fuel models
- Static multi-fuel grate[†]
- Clean Burn - the tertiary air system provides greater fuel efficiency (Wood 78%: Smokeless fuels: 84%)
- Yeoman Airwash System – to give a clearer view of the flames
- Single or double door options
- Optional brass handles
- Optional plain air spinners[∅]
- Removable Tudor Rose door crosses*
- Optional boiler – for domestic hot water
- Top or rear flue – 153mm (6”)
- Optional butterfly spindle flue damper
- Large combustion chamber for logs up to 460mm (18”) in length
- Double-Sided and integral high output boiler versions available, see pages 20 - 23 & 26 - 27

[†] Multi-fuel version
^{*} Double door only
[∅] Single door only

County	✓	✓	✓	13.0kW	7.0kW 24000BTU

Available Colour Options





County - our largest stove with an impressive heat output



CL3 - small stove, big impression

CL3

Wood and Multi-fuel Stove



Designed to be equally at home in either a traditional setting or today's modern interiors, Yeoman's new woodburning and multi-fuel CL range of stoves are an eye-catching focal point. Furthermore, the CL range offers the very latest in heating technology creating high

efficiency and trend setting aesthetics. The smallest in the series, the CL3, makes a big impression despite its compact proportions. To complement the gentle curves of the stove front, there is a decorative cast top plate available for each of the CL stoves as an optional extra.



- Multi-fuel model
- External riddling
- Clean Burn – the tertiary air system provides greater fuel efficiency (up to 86%)
- Smoke Control Area Approved*
- Yeoman Airwash system – to give a clearer view of the flames
- Optional decorative cast top plates
- Top or rear flue – 128mm (5")
- Levelling system
- Stainless steel handle with self locking function
- Contemporary screen printed ceramic glass
- Integral raised plinth
- High performance firebox lining to enhance combustion process
- Heavy duty steel construction
- Primary air control

			
CL3		✓	3.75kW



Midnight
Black Metallic



* When fitted with Smoke Control Kit and used in accordance with operating instructions

Registered Design: Community Design
Application Number: 001202600



CL5 - high efficiency heating and 'modern traditional' styling

CL5

Wood and Multi-fuel Stove



With high efficiency and ‘modern traditional’ styling, the CL5 offers a fresh alternative for heating in today’s homes. Along with the smaller CL3, the CL5 is approved for use in Smoke Control zones, so you can achieve carbon neutral heating with wood wherever your location! It is available in two versions: woodburning only or multi-fuel

which incorporates a riddling grate to allow the burning of smokeless fuels. In addition, both versions can be enhanced by the optional decorative cast top which provides even greater elegance with its subtle, curved form.



- Woodburning and Multi-fuel models
- External riddling†
- Clean Burn – the tertiary air system provides greater fuel efficiency (up to 85%)
- Yeoman Airwash system – to give a clearer view of the flames
- Smoke Control Area Approved*
- Optional decorative cast top plates
- Top or rear flue – 128mm (5")
- Levelling system
- Stainless steel handle with self locking function
- Contemporary screen printed ceramic glass
- Integral raised plinth
- High performance firebox lining to enhance combustion process
- Heavy duty steel construction
- Primary air control

† Multi-fuel version

* When fitted with Smoke Control Kit and used in accordance with operating instructions

		
CL5		4.9kW



Midnight
Black Metallic



Registered Design: Community Design
Application Number: 001202600

CL8

Wood and Multi-fuel Stove



The largest of the CL range, the CL8 is designed to provide high efficiency heating as well as creating an outstanding focal point for your living space. Choose from either the woodburning-only model or the multi-

fuel version, the latter incorporating a riddling grate to allow you to burn smokeless fuels. An optional decorative cast top is also available to further enhance it's already impressive visual impact.



- Woodburning and Multi-fuel models
- External riddling†
- Clean Burn – the tertiary air system provides greater fuel efficiency (up to 81%)
- Yeoman Airwash system – to give a clearer view of the flames
- Optional decorative cast top plates
- Top or rear flue – 153mm (6")
- Levelling system
- Stainless steel handle with self locking function
- Contemporary screen printed ceramic glass
- Integral raised plinth
- High performance firebox lining to enhance combustion process
- Heavy duty steel construction
- Primary air control
- High output boiler version, pages 24 - 25

† Multi-fuel version

		
CL8	✓	8kW


Midnight
Black Metallic



Registered Design: Community Design
Application Number: 001202600



CL8 - outstanding focal point for your living space


High-Output Boilers

Multi-fuel Boiler Stoves

Four models within the range have been specifically designed to supply your domestic hot water and central heating requirements or augment your existing heating system via 'link up' technology. Whichever your choice, you will enjoy all the atmosphere of a real fire and exceptional heating performance for other areas of your home.

When providing hot water and central heating, each stove is capable of feeding an average 8000BTU hotwater cylinder and from 9 up to 19 radiators. The exact number of radiators will depend upon how many rooms you wish to heat and sizes of those rooms. Radiators also come in a variety of sizes/capacities but, for example, a typical 400mm high x 1000mm wide, single panel radiator requires 2500BTU/hr. You should always consult a qualified heating engineer to ensure the stove can meet your requirements.

Alternatively, you can 'link up' a Yeoman high output boiler with your existing or proposed heating system to reduce your reliance on gas or oil and help decrease overall heating fuel costs. There are ways to link with conventional oil or gas central heating, gas or oil sealed heating systems, combi boilers, underfloor heating and even solar panels to provide flexible and cost-effective solutions. Yeoman produces a 'link up' guide showing typical arrangements and covering some frequently



asked questions. You may find it useful to download this from www.yeoman-stoves.co.uk before discussing your requirements with a qualified heating engineer.

All Yeoman high-output boiler stoves are designed for multi-fuel use and incorporate an externally operated riddling grate. This is because solid mineral fuels tend to provide greater calorific values. Should you wish to reduce your CO₂ emissions then you can also burn a combination of smokeless fuels and logs together. However, if Woodburning only is your preference, you can still achieve good performance but, as logs burn best with slightly different firebox characteristics, we recommend you purchase the optional log tray which replaces the riddling system.

				
Devon 50HB	✓	13.0kW	10.0kW 34,000BTU	9 ^Δ
County 60HB	✓	18.0kW	13.0kW 45,000BTU	15 ^Δ
County 80HB	✓	21.0kW	18.0kW 62,000BTU	19 ^Δ
CL8HB	✓	13.0kW	10.0kW 34,000BTU	9 ^Δ

Devon and County Colour Options



Blue Brown Green Black

CL8HB Colour



Midnight
Black Metallic

AIR
WASH

^Δ Includes 8000 BTU allowance for hot water cylinder.

* Please see comments on radiator capabilities above and on page 20 and 25, as these are a guide only.




Devon 50HB

Devon and County Boiler Design Features

- 1 5mm and 10mm heavy duty steel body.
- 2 Excellent heat output to water when burning solid fuels or wood.
- 3 4 x 1" BSP boiler tappings for flexible efficient connection to your hot water circuits.
- 4 Extensive water jacket on 4 sides of stove to ensure maximum transmission of heat to water.
- 5 Highly developed boiler flue baffle system to ensure maximum heating efficiency.
- 6 Top or rear flue exit.
- 7 Specially designed reciprocating grate ensures effective removal of ash from the fuel bed.
- 8 Large ash collection tray.
- 9 Discreet external riddling socket, with removable tool.
- 10 Levelling system in each foot to ensure complete stability on uneven surfaces.
- 11 Primary air controls to manually adjust the running temperatures.

- 12 Airwash helps to keep the glass clear and to control the running temperature when burning wood.
- 13 Removable Tudor Rose door crosses.
- 14 Optional thermostatic control to maintain desired running temperatures (not illustrated).
- 15 Optional woodburning tray (not illustrated).



High-Output Boilers

Devon and County Multi-fuel Boiler Stoves



Key Facts:	Devon 50HB	County 60HB	County 80HB
Multi-fuel with external riddling	✓	✓	✓
Airwash	✓	✓	✓
Nominal heat output to room	4.9kW	7.0kW	7.0kW
Nominal heat output to boiler	8.2kW	11.0kW	15.0kW
Maximum system rating	10kW (34,000BTU)	13kW (45,000BTU)	18kW (62,000BTU)
Radiator capabilities - example No. of 2500BTU radiators + 8000BTU cylinders*	9 radiators	15 radiators	19 radiators
Maximum log length	15 ³ / ₄ " (400mm)	19 1/2" (500mm)	23 ¹ / ₂ " (600mm)
Optional log tray	✓	✓	✓
Flue outlet	6" top or rear	6" top or rear	6" top or rear
Choice of four colours	✓	✓	✓
Optional thermostat	✓	✓	✓

* Please note that radiator capabilities are a guide only. We strongly recommend you have a site survey and advice from an appropriately qualified heating engineer before ordering.



County 80HB - exceptional output for whole house heating



CL8HB - complete home heating with cutting edge style!


High-Output Boilers

CL8 Multi-fuel Boiler Stove

CL8 Boiler Design Features

- 1 5mm and 8mm heavy duty steel body.
- 2 Excellent heat output to water when burning solid fuels or wood.
- 3 4 x 1" BSP boiler tappings for flexible efficient connection to your hot water circuits.
- 4 Extensive water jacket on 4 sides of stove to ensure maximum transmission of heat to water.
- 5 Highly developed boiler flue baffle system to ensure maximum heating efficiency.
- 6 Top or rear flue exit.
- 7 Specially designed reciprocating grate ensures effective removal of ash from the fuel bed.
- 8 Large ash collection tray.
- 9 Discreet external riddling socket, with removable tool.
- 10 Levelling system to ensure complete stability on uneven surfaces.
- 11 Primary air controls to manually adjust the running temperatures.
- 12 Airwash helps to keep the glass clear and to control the running temperature when burning wood.

- 13 Optional thermostatic control to maintain desired running temperatures (not illustrated).
- 14 Optional woodburning tray (not illustrated).
- 15 Optional cast iron top plates in top & rear flue.
- 16 Stainless steel door handle, with self-locking function (not illustrated).



Registered Design: Community Design
Application Number: 001202600

Key Facts:

CL8HB

Multi-fuel with external riddling	✓
Airwash	✓
Nominal heat output to room	4.9kW
Nominal heat output to boiler	8.2kW
Maximum system rating	10kW (34,000BTU)
Radiator capabilities - example No. of 2500BTU radiators + 8000BTU cylinders*	9 radiators
Maximum log length	15 ³ / ₄ " (400mm)
Optional log tray	✓
Flue outlet	6" top or rear
Optional thermostat	✓
Optional decorative cast top plate (top & rear flue versions)	✓

*Please note that radiator capabilities are a guide only. We strongly recommend you have a site survey and advice from an appropriately qualified heating engineer before ordering.



Exe Double-Sided - the warming heart of your home

Double-Sided

Wood, Multi-fuel and Gas Stoves

There can be few sights as inviting or reassuringly evocative, especially on a cold winter's night, as the roaring fire of a Yeoman double-sided stove turning two rooms into the warming heart of your home. With a Yeoman Double you enjoy twice the stove. Doors front and back are designed to open into adjoining rooms with one central chimney. You can choose from Exe, Devon and County models and from single or double

depth versions. Each model also has a number of styling options to complement your decor. In addition to the wood/multi-fuel stoves, the Devon double, single depth is available with the convenience of a highly realistic, gas log effect fire. Opt for the remote control and you can even adjust the flames and heat from the comfort of your favourite armchair or sofa.



Solid Fuel

- Top flue - 152mm (6")
- Suitable for burning wood or multi-fuel#
- Yeoman Airwash System – to give a clearer view of the flames
- Optional butterfly spindle flue damper
- Optional spark guards*
- Tudor rose or plain air spinners[◇]
- Single or double depth versions (depending on model)

Gas

- Conventional top flue - 128mm (5")
- Superb log effect fire
- Variable heat output
- Optional remote control
- Natural gas or LPG

All versions

- Removable Tudor Rose door crosses*
- Optional brass handles
- Single or double door options (depending on model)

* Double door - Devon & Exe only. County has crosses, but no spark guard
[◇] Single door only
[#] With the use of a static multi-fuel kit (except County Double Depth which is woodburning only)

Available Colour Options



	Depth	Doors					Nominal Gas Input	Supply Pressure
Exe	Double	1 or 2	✓	×	×	11.0kW	n/a	n/a
Devon	Single	1 or 2	✓	✓	×	9.0kW	n/a	n/a
Devon	Single	2	×	×	✓	9.0kW	n/a	n/a
Devon	Double	1 or 2	✓	✓	×	13.0kW	n/a	n/a
Devon	Double	2	×	×	✓	13.0kW	n/a	n/a
County	Single	2	✓	✓	✓	15.0kW	n/a	n/a
County	Double	2	✓	✓	✓	22.0kW	n/a	n/a
Devon Gas	Single	1 or 2	×	×	✓	4.5kW**	6.9kW	37mb

** Output for guidance only and is dependent on gas type and flue variation

Exmoor

Gas Stoves



This popular model combines traditional charm with modern technology to bring you a gas stove that can be installed into almost any room - even one that does not have a chimney. Further, its highly realistic fire provides an impressive


3.5kW of adjustable heat, whether you opt for manual or remote controls, so it's ideal to take the chill away from those long winter days and nights.



- Conventional flue coal and balanced flue log effects
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 1.9 – 3.5kW
- Up to 80% efficient
- Optional brass handle
- Top or rear flue (conventional class 1 or 2) - 128mm (5") Rear flue only (balanced) - 152mm (6")
- Natural gas or LPG
- Wood, Multi-fuel and Electric versions also available, see pages 6 and 40

				Nominal Gas Input	Supply Pressure	Fire Effect	
Exmoor Gas CF		✓	✓	3.5kW*	4.5kW	37mb	Coal
Exmoor Gas BF		✓	✓	2.9kW*	3.6kW	37mb	Log

Available Colour Options



Blue Brown Black Green

* Output for guidance only and is dependent on gas type and flue variation



Exmoor Gas - a small stove with big appeal

Exe

Gas Stove



The medium sized Exe is the latest addition to the Yeoman Gas range. Traditionally styled but with the versatility to feature in the most contemporary of homes,

the single door Exe combines time honoured design and craftsmanship with ultra-modern heating convenience and efficiency.



- Conventional flue coal and balanced flue log effects
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 1.95 – 3.95kW
- Up to 80% efficient
- Optional brass handle
- Low canopy version available
- Natural gas or LPG
- Top or rear flue (conventional class 1 or 2) - 128mm (5") (balanced) - 152mm (6")
- Woodburning and Multi-fuel versions also available, see page 8

				Nominal Gas Input	Supply Pressure	Fire Effect	
Exe Gas CF		✓	✓	3.5kW*	4.6kW	37mb	Coal
Exe Gas BF		✓	✓	3.4kW*	4.2kW	37mb	Log

Available Colour Options



* Output for guidance only and is dependent on gas type and flue variation



Exe Gas - Compact and versatile

Exminster

Gas Stoves



With a comprehensive choice of styling options the Exminster Gas makes an impressive focal point in any type of room from a traditional cottage to a newly-built, contemporary home.

It also comes with a choice of highly realistic log or coal-effect fires and the option of manual or remote controls.




- Conventional flue
- Realistic coal and log effects
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 2.0 – 5.3kW
82% efficient
- Flat top, low & high canopy options
- Optional brass handles
- Single or double doors
- Removable Tudor Rose door crosses**
- Optional plain air spinners^Δ
- Top or rear flue (class 1 or class 2)
- 128mm (5")
- Natural gas or LPG

** Double door only
Δ Single door only

					Nominal Gas Input	Supply Pressure
Exminster Gas CF 	✓	✓	✓	5.3kW*	6.5kW	37mb

* Output for guidance only and is dependent on gas type and flue variation

Available Colour Options





Exminster Gas - convenient and efficient



Devon Gas - superb heating performance

Devon

Gas Stoves



Offering you superb heating performance and an authentic real fire look, with glowing coals and dancing flames, the Devon comes with the optional convenience

of a remote control. It has a balanced flue operation too, so there is not even a need for a chimney.



- Balanced flue only
- Realistic coal effect
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 2.0 – 6.0kW
- 80% efficient
- Optional brass handles
- Single or double doors
- Removable Tudor Rose door crosses**
- Optional plain air spinners[◊]
- Top or rear flue - 153mm (6")
- Natural gas or LPG
- Wood, Multi-fuel and Double-Sided versions also available, see pages 10 and 20

** Double door only
◊ Single door only

					Nominal Gas Input	Supply Pressure
Devon Gas BF	✓	×	✓	5.0kW*	6.3kW	37mb

* Output for guidance only and is dependent on gas type and flue variation

Available Colour Options



Dartmoor

Gas Stoves



Yeoman's Dartmoor gas stove not only offers you even more choice but also features a highly realistic log effect. Just as importantly, it is a highly efficient room heater with up to 5.0kW of comfort available at the turn of a

switch. Furthermore, the Dartmoor is available in both conventional flue and balanced flue versions with a wide choice of styling options to help you tailor it to your exact requirements, including the option of a high canopy.



- Conventional and balanced flue log effects
- Realistic new log effect
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 2.5 – 5.0kW
- Up to 82% efficient
- Single or double doors
- Optional brass handle[◊]
- Removable Tudor Rose door crosses^{**}
- Top or rear flue - CF class 1 or 2 128mm (5"); BF 153mm (6") (top exit requires decorative flue collar)
- Natural gas or LPG
- Electric version also available, see page 42


^{**} Double door only

[◊] Single door only

					Nominal Gas Input	Supply Pressure
Dartmoor Gas CF 	✓	×	✓	5.03kW*	6.45kW	37mb
Dartmoor Gas BF 	✓	×	✓	5.15kW*	6.25kW	37mb

* Output for guidance only and is dependent on gas type and flue variation

Available Colour Options





Dartmoor Gas - latest log effect for increased realism

Dartmouth Inset

Gas Fires

Offering the familiar 'family look' of Yeoman stoves and the latest high-efficiency heating, the Dartmouth is an inset convector gas fire that very much blends traditional appeal with modern convenience. At its heart is the latest high efficiency gas combustion system that has

been specially developed by our sister company Gazco to combine the exceptional heat output with much improved fuel economy (gas consumption is lower so saving you money). In fact, the balanced flue version is an outstanding 86% efficient.



- Manual control
- Conventional and balanced flue options
- Realistic coal effect fire
- Convected and radiant heat to quickly warm your room
- Variable heat output 1.8 - 3.9kW
- Up to 86% efficient
- Flue - CF class 1 or 2 128mm (5"); BF 153mm (6")
- Natural gas or LPG

			Nominal Gas Input	Supply Pressure	
Dartmouth Inset Gas CF		✓	3.65kW*	4.8kW	37mb
Dartmouth Inset Gas BF		✓	3.52kW*	4.10kW	37mb

Available Colour Options



* Output for guidance only and is dependent on gas type and flue variation



Dartmouth Inset Gas - with high efficiency technology



Exmoor Electric - complete operation by remote control

Exmoor

Electric Stove



The latest in the range is the electric version of the ever popular Exmoor stove. Available in traditional Matt Black, this stove perfectly combines the classic good looks of a woodburner with the ease of an Electric stove. At its heart the unique VeriFlame™ technology which allows you to choose from 3 brightness levels and blue or

orange flame setting to match your mood exactly – and everything is operated from remote control to save you bending! Furthermore, you can select fire effect only; fire effect + 1kW heat; and fire effect + 2kW heat according to your heating needs.



- Realistic hand-painted log effect
- VeriFlame™ technology
- Low energy LED illumination
- Remote control as standard
- Optional brass handle
- Matt Black
- 13 amp socket needed
- Variable heat output 1.0-2.0kW
- No flue, chimney or air vent required
- Wood, multi-fuel and gas versions also available, see pages 6 and 28.

		
Exmoor Electric		2.0kW



Matt Black

Dartmoor

Electric Stove



Using the same cast iron door and heavy gauge steel body as the Gas Dartmoor's, the electric versions are brought alive with VeriFlame™ technology. This means you will enjoy a choice of flame and glow effects from a remarkably authentic log-effect fire that creates a superb focal point in your room. All this and a choice of single or double doors to suit your exact styling requirements!

The heater is discreetly located under the stove but, as all functions can be operated from the complementary remote control; there is no stooping or crouching. In fact you can alter the VeriFlame™ effect or adjust the heat output whilst relaxing in your favourite chair!



- Realistic hand-painted log effect
- VeriFlame™ technology
- Low energy LED illumination
- Remote control as standard
- Matt Black
- Single or double doors
- Removable Tudor rose door crosses**
- Optional brass handle◊
- 13 amp socket needed
- Variable heat output 1.0-2.0kW
- No flue, chimney or air vent required
- Gas version also available, see page 36

** Double door only
◊ Single door only

		
Dartmoor Electric		2.0kW




Matt Black




Dartmoor Electric – authentic log effect for ultimate realism

Accessories & Flue Pipe



Fireplace, Stove & Hearth Accessories

Yeoman is a member of the Stovax Group which manufactures and distributes many other high quality fireplace, stove care and accessory products, as well as solid fuel, gas and electric fires and stoves along with traditional range cookers. To maximise the enjoyment from your woodburning or multi-fuel stove, please ask your Yeoman retailer for a Stovax accessories brochure or view the complete range online at www.stovax.com.



Stove Care & Flue Pipe

Included in the Accessories brochure is a comprehensive range of flue pipe components and a wide range of cleaning and maintenance accessories to help you get the best performance from your stove and keep it in good condition, inside and out.



Balanced Flue Systems

Yeoman's sister company, Gazco, have specifically developed a range of flue system components to complement your balanced flue Yeoman gas stove. Crafted from 304 grade stainless steel and aluminium with some items additionally offered in anthracite paint finish. Designed with ease of installation and flexibility in mind, these flue systems simply push together without the requirement for locking bands or screws. Both the inner and outer pipes are secured with easy fit, self locking, high temperature silicone seals. For further information, please speak to your retailer or visit www.gazco.com.



Technical Information

Product Improvement & Guarantee

Yeoman pursue a policy of continuous product improvement. Products supplied may therefore differ in specification from those illustrated or described in this brochure. All Yeoman Stoves are guaranteed for 2 years from the date of purchase and have a 5 year castings warranty. However, this is dependant upon servicing the appliance 12 months after installation and specifically excludes 'wear and tear items' such as, rope seal, firebricks and grates. The use of petrocoke in a Yeoman Stove will invalidate its guarantee. For full details, please visit www.yeoman-stoves.co.uk.


Installing Your Yeoman Stove

A HETAS, GasSafe Register or Bord Gais approved installer should undertake a site survey prior to purchase and must install your Yeoman Stove for you. Your Yeoman retailer will be able to offer advice on this. You may also view or download complete installation instructions at our website – www.yeoman-stoves.co.uk.

The following diagrams cover some of the basic requirements. All fires and stoves consume air as they burn. To comply with Building Regulations (Document J), therefore, if you are purchasing a stove with a maximum heat output in excess of 5.0kW, you will need to install a fixed air vent to ensure adequate ventilation. Outputs below this will not normally require a vent.

Balanced Flue Gas Stove System

The Yeoman Balanced Flue system means having no chimney is not a problem if you opt for either an Exmoor, Exe, Devon, Dartmoor or Dartmouth Inset gas stove, as it draws combustion air from outside through its concentric pipe system. A full range of optional flue components is available to suit the configurations shown below.




Please note that these are diagrammatic representations only and vary according to model. Full installation information can be downloaded from www.yeoman-stoves.co.uk.

HIGH OUTPUT BOILER STOVES

Stoves

YM-W9202HB	Devon 50HB, Multi-fuel, Flat top, Double door
YM-W9302HB	County 60HB, Multi-fuel, Flat top, Double door
YM-W9902HB	County 80HB, Multi-fuel, Flat top, Double door
YM-CL8HB	CL8HB Multi-fuel, flat top, single door



Options

YM-ASTATST	Thermostat - suits Devon & County
STATST	Thermostat - CL8HB
YM-A50BWT	Woodburning tray - 50HB
YM-A60BWT	Woodburning tray - 60HB
YM-A80BWT	Woodburning Tray - 80HB
7113WT	Woodburning Tray - CL8HB
YM-A9904	Brass handle for double door, left*
YM-A9905	Brass handle for double door, right*
YM-A9901	Butterfly spindle (flue damper)*
YMA9902	Spark Guard*
YM-CL8CT	Decorative cast top plate - CL8HB top flue
YM-CL8CTR	Decorative cast top plate - CL8HB rear flue
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue)* BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

	A	B	C	D	E	F	G	H	I	J	K (DIA)
Devon 50HB	590	659	389	118	469	430	120	400	241	315	153
County 60HB	632	772	446	125	507	508	126	530	246	343	153
County 80HB	691	857	508	125	566	572	138	608	258	397	153
CL8HB	572	563	363	105	452	-	-	430	224	317	153

All above dimensions provide in millimeters.
* Devon and County models only.

Technical Information

DOUBLE-SIDED STOVES

EXE - Double-sided, double depth - Solid Fuel

YM-W9121FL	Woodburning, flat top, single door
YM-W9122FL	Woodburning, flat top, double doors
Options	
YM-A9140DDCE	Multi-fuel kit, static
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9902	Spark guard (double door only)
YM-A9901	Butterfly spindle (flue damper)
4227	Ash Caddy
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

DEVON - Double-Sided, single depth - Solid Fuel

YM-W9211FL	Woodburning, flat top, single door
YM-W9212FL	Woodburning, flat top, double doors
YM-W9211LC	Woodburning, low canopy, single door
YM-W9212LC	Woodburning, low canopy, double doors
YM-W9212HC	Woodburning, high canopy, double doors
Options	
YM-A9240SDCE	Multi-fuel kit, static
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9902	Spark guard (double door only)
YM-A9901	Butterfly spindle (flue damper)
4227	Ash Caddy
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

DEVON - Double-Sided, double depth - Solid Fuel

YM-W9221FL	Woodburning, flat top, single door
YM-W9222FL	Woodburning, flat top, double doors
YM-W9221LC	Woodburning, low canopy, single door
YM-W9222LC	Woodburning, low canopy, double doors
YM-W9222HC	Woodburning, high canopy, double doors
Options	
YM-A9240DDCE	Multi-fuel kit, static
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9902	Spark guard (double door only)
YM-A9901	Butterfly spindle (flue damper)
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

DEVON - Double-Sided, single depth, conventional flue - Gas - Manual or remote control

YM-G9211LGHC	Natural gas, high canopy, logs, single door
YM-G9212LGHC	Natural gas, high canopy, logs, double doors
YM-P9211LGHC	LPG, high canopy, logs, single door
YM-P9212LGHC	LPG, high canopy, logs, double doors
Options	
YM-A9904	Brass handle (each)
YM-A8455	Standard remote control
YM-A8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

Technical Information

DOUBLE-SIDED STOVES


COUNTY - Double-sided, single depth - Solid Fuel

YM-W9312FL	Woodburning, flat top, double doors
YM-W9312LC	Woodburning, low canopy, double doors
YM-W9312HC	Woodburning, high canopy, double doors
Options	
YM-A9340SDCE	Multi-fuel kit, static
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9901	Butterfly spindle (flue damper)
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

COUNTY - Double-Sided, double depth - Solid Fuel

YM-W9322FL	Woodburning, flat top, double doors
YM-W9322LC	Woodburning, low canopy, double doors
YM-W9322HC	Woodburning, high canopy, double doors
Options	
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9901	Butterfly spindle (flue damper)
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

	Depth	Doors	A	B	C
Exe FT	Double	1 or 2	580	620	517
Devon FT	Single	1 or 2	462	615	563
Devon LC	Single	1 or 2	462	599	733
Devon HC	Single	2	462	603	888
Devon FT	Double	1 or 2	655	641	563
Devon LC	Double	1 or 2	655	633	731
Devon HC	Double	2	655	628	888
County FT	Single	2	587	738	597
County LC	Single	2	587	768	820
County HC	Single	2	587	768	935
County FT	Double	2	875	796	597
County LC	Double	2	875	768	820
County HC	Double	2	875	768	935
Devon Gas HC	Single	1 or 2	462	607	882




Technical Information

TRADITIONAL WOODBURNING AND MULTI-FUEL STOVES

EXMOOR



YM-W9001FL	Woodburning, flat top, single door
YM-W9001LC	Woodburning, low canopy, single door
YM-W9001ERFL	Multi-fuel, flat top, single door
YM-W9001ERLC	Multi-fuel, low canopy, single door
Options	
YM-A9040CE	Multi-fuel kit, external riddling
YM-A9900	Plain spinners
YM-A9903	Brass handle
4227	Ash Caddy
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



Approx. Weight: 64 - 68Kg

EXE



YM-W9101FL	Woodburning, flat top, single door
YM-W9102FL	Woodburning, flat top, double doors
YM-W9101LC	Woodburning, low canopy, single door
YM-W9102LC	Woodburning, low canopy, double doors
YM-W9101ERFL	Multi-fuel, flat top, single door
YM-W9102ERFL	Multi-fuel, flat top, double doors
YM-W9101ERLC	Multi-fuel, low canopy, single door
YM-W9102ERLC	Multi-fuel, low canopy, double doors
Options	
YM-A9140CE	Multi-fuel kit, external riddling
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9130	Boiler, stainless steel- 2.5kW (8500 BTU)
YM-A9902	Spark guard (double door only)
YM-A9901	Butterfly spindle (flue damper)
4227	Ash Caddy
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



Approx. Weight: 94 - 100Kg

DEVON

YM-W9201FL	Woodburning, flat top, single door
YM-W9202FL	Woodburning, flat top, double doors
YM-W9201LC	Woodburning, low canopy, single door
YM-W9202LC	Woodburning, low canopy, double doors
YM-W9201HC	Woodburning, high canopy, single door
YM-W9202HC	Woodburning, high canopy, double doors
YM-W9201ERFL	Multi-fuel, flat top, single door
YM-W9202ERFL	Multi-fuel, flat top, double doors
YM-W9201ERLC	Multi-fuel, low canopy, single door
YM-W9202ERLC	Multi-fuel, low canopy, double doors
YM-W9201ERHC	Multi-fuel, high canopy, single door
YM-W9202ERHC	Multi-fuel, high canopy, double doors
Options	
YM-A9240CE	Multi-fuel kit, external riddling
YM-A9900	Plain spinners (single door only)
YM-A9903	Brass handle for single door
YM-A9904	Brass handle for double door, left
YM-A9905	Brass handle for double door, right
YM-A9230	Boiler-3.5kW (12,000 BTU)
YM-A9902	Spark guard (double door only)
YM-A9901	Butterfly spindle (flue damper)
4227	Ash Caddy
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




Approx. Weight: 102 - 118Kg

Technical Information

TRADITIONAL WOODBURNING AND MULTI-FUEL STOVES

COUNTY

YM-W9301FL	Woodburning, flat top, single door
YM-W9302FL	Woodburning, flat top, double doors
YM-W9301LC	Woodburning, low canopy, single door
YM-W9302LC	Woodburning, low canopy, double doors
YM-W9301HC	Woodburning, high canopy, single door
YM-W9302HC	Woodburning, high canopy, double doors
Options	
YM-A9340CE	Multi-fuel kit, static
YM-A9900	Plain spinners (single door only)
YM-A9904	Brass handle (single door only)
YM-A9330	Boiler-7kW (24,000 BTU)
YM-A9901	Butterfly spindle (flue damper)
4229	Ash Caddy
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




Approx. Weight: 124Kg

TRADITIONAL GAS STOVES

DARTMOOR - Conventional flue gas, manual or remote control


YM-N5101CFLUC	Natural gas, flat top, logs, single door
YM-N5102CFLUC	Natural gas, flat top, logs, double doors
YM-P5101CFLUC	LPG, flat top, logs, single door
YM-P5102CFLUC	LPG, flat top, logs, double doors
YM-N5101CFLUCHC	Natural gas, high canopy, logs, single door
YM-N5102CFLUCHC	Natural gas, high canopy, logs, double doors
YM-P5101CFLUCHC	LPG, high canopy, logs, single door
YM-P5102CFLUCHC	LPG, high canopy, logs, double doors
Options	
YM-A8549	Decorative flue collar for top exit (must be purchased for top flue)
YM-A9904	Brass handle (single door only)
YM-A8455	Standard remote control
YM-A8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



Approx. Weight: 71 - 81Kg

DARTMOOR - Balanced flue gas, manual or remote control

YM-N5201BFLUC	Natural gas, flat top, logs, single door
YM-P5201BFLUC	LPG, flat top, logs, single door
YM-N5201BFLUCHC	Natural gas, high canopy, logs, single door
YM-P5201BFLUCHC	LPG, high canopy, logs, single door
YM-N5202BFLUC	Natural gas, flat top, logs, double doors
YM-P5202BFLUC	LPG, flat top, logs, double doors
YM-N5202BFLUCHC	Natural gas, high canopy, logs, double doors
YM-P5202BFLUCHC	LPG, high canopy, logs, double doors
Options	
YM-A8548	Decorative flue collar for top exit (must be purchased for top flue)
YM-A9904	Brass handle (single door only)
YM-A8455	Standard remote control
YM-A8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




Approx. Weight: 71 - 81Kg

Technical Information

TRADITIONAL GAS STOVES

DARTMOUTH - Inset, conventional and balanced flue - Gas - Manual or remote control


YM-N9801CFMCUC	(until Oct 2010)	Conventional Flue. Natural gas, flat top, coals
YM-P9801CFMCUC	(until Oct 2010)	Conventional Flue. LPG, flat top, coals
YM-N9801BFMCUC	(until Oct 2010)	Balanced Flue. Natural gas, flat top, coals
YM-P9801BFMCUC	(until Oct 2010)	Balanced Flue. LPG, flat top, coals
Options		
YM-A8455	(until Oct 2010)	Standard remote control
YM-A8456	(until Oct 2010)	Programmable remote control
YM-N9875	(From Oct 2010)	Conventional Flue. Natural gas, flat top, coals. Manual control
YM-P9875	(From Oct 2010)	Conventional Flue. LPG, flat top, coals. Manual control
YM-N9885	(From Oct 2010)	Balanced Flue. Natural gas, flat top, coals. Manual control
YM-P9885	(From Oct 2010)	Balanced Flue. LPG, flat top, coals. Manual control



Approx. Weight: 42 Kg

DEVON - Balanced flue, manual or remote control

YM-G9202	Natural gas, flat top, coals, double doors*
YM-G9202HC	Natural gas, high canopy, coals, double doors*
YM-P9202	LPG, flat top, coals, double doors*
YM-P9202HC	LPG, high canopy, coals, double doors*
Options	
YM-A9904	Brass handle
YM-A8455	Standard remote control
YM-A8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code
	*Please specify top or rear flue exit




Approx. Weight: 62 - 82Kg

EXMINSTER - Conventional flue, manual or remote control


YM-G9701FL	Natural gas, flat top, coals, single door	YM-P9701LGLC	LPG, low canopy, logs, single door
YM-G9702FL	Natural gas, flat top, coals, double doors	YM-P9702LGLC	LPG, low canopy, logs, double doors
YM-G9701LC	Natural gas, low canopy, coals, single door	YM-P9701LGHC	LPG, high canopy, logs, single door
YM-G9702LC	Natural gas, low canopy, coals, double doors	YM-P9702LGHC	LPG, high canopy, logs, double doors
Options			
YM-G9701HC	Natural gas, high canopy, coals, single door	YM-A9904	Brass handle
YM-G9702HC	Natural gas, high canopy, coals, double doors	YM-A8455	Standard remote control
YM-P9701FL	LPG, flat top, coals, single door	YM-A8456	Programmable remote control
YM-P9702FL	LPG, flat top, coals, double doors	BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code
YM-P9701LC	LPG, low canopy, coals, single door		
YM-P9702LC	LPG, low canopy, coals, double doors		
YM-P9701HC	LPG, high canopy, coals, single door		
YM-P9702HC	LPG, high canopy, coals, double doors		
YM-G9701LGFL	Natural gas, flat top, logs, single door		
YM-G9702LGFL	Natural gas, flat top, logs, double doors		
YM-G9701LGLC	Natural gas, low canopy, logs, single door		
YM-G9702LGLC	Natural gas, low canopy, logs, double doors		
YM-G9701LGHC	Natural gas, high canopy, logs, single door		
YM-G9702LGHC	Natural gas, high canopy, logs, double doors		
YM-P9701LGFL	LPG, flat top, logs, single door		
YM-P9702LGFL	LPG, flat top, logs, double doors		

Approx. Weight: 42 - 60Kg



EXE - Conventional & Balanced flue gas, manual or remote control

YM-N9171FL	CF, nat gas, flat top, coals, single door
YM-N9171LC	CF, nat gas, low canopy, coals, single door
YM-P9171FL	CF, LPG, flat top, coals, single door
YM-P9171LC	CF, LPG, low canopy, coals, single door
YM-N9181FL	BF, nat gas, flat top, logs, single door
YM-N9181LC	BF, nat gas, low canopy, logs, single door
YM-P9181FL	BF, LPG, flat top, logs, single door
YM-P9181LC	BF, LPG, low canopy, logs, single door
Options	
YM-A9903	Brass handle
YM-A8455	Standard remote control
YM-A8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, ad BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




Approx. Weight: 61Kg

Technical Information

TRADITIONAL GAS STOVES

EXMOOR - Conventional flue gas, manual or remote control


YM-N9001CFMCUC	Natural gas, flat top, coals, single door
YM-N9001CFMCUCLC	Natural gas, low canopy, coals, single door
YM-P9001CFMCUC	LPG, flat top, coals, single door
YM-P9001CFMCUCLC	LPG, low canopy, coals, single door
Options	
YM-A8549	Decorative flue collar for top exit
YM-A9904	Brass handle
YM-A8455	Standard remote control
YM-A8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



Approx. Weight: 47Kg

EXMOOR - Balanced flue gas, manual or remote control

YM-G9601BFLUC	Natural gas, flat top, logs, single door
YM-G9601BFLUCLC	Natural gas, low canopy, logs, single door
YM-P9601BFLUC	LPG, flat top, logs, single door
YM-P9601BFLUCLC	LPG, low canopy, logs, single door
Options	
YM-A9904	Brass handle
YM-A8455	Standard remote control
YM-A8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




Approx. Weight: 47Kg

TRADITIONAL ELECTRIC STOVES

ELECTRIC STOVES

YM-E9001FL	Exmoor 1 Door - flat top
YM-E5201FL	Dartmoor 1 Door - flat top
YM-E5202FL	Dartmoor 2 Door - flat top
Options	
YM-A9904	Brass handle (single door only)




Exmoor - Approx. Weight: 47Kg

Dartmoor - Approx. Weight: 75Kg

CL WOOD & MULTI-FUEL STOVES

CL WOODBURNING & MULTI-FUEL STOVES

YM-CL3MF	CL3, Multi-fuel
YM-CL5W	CL5, Wood
YM-CL5MF	CL5, Multi-fuel
YM-CL8W	CL8, Wood
YM-CL8MF	CL8, Multi-fuel
Options	
YM-CL3CT	Cast iron top for CL3, top flue exit
YM-CL3CTR	Cast iron top for CL3, rear flue exit
YM-CL5CT	Cast iron top for CL5, top flue exit
YM-CL5CTR	Cast iron top for CL5, rear flue exit
YM-CL8CT	Cast iron top for CL8, top flue exit
YM-CL8CTR	Cast iron top for CL8, rear flue exit
YM-CL3SCKIT	Smoke Control Kit for CL3 Multi-fuel
YM-CL5SCKIT	Smoke Control Kit for CL5 Woodburning
YM-CL5MFSCKIT	Smoke Control Kit for CL5 Multi-fuel



	A	B	C	D	E	F	G	J	K
CL 3	360	510	306	93	416	128	400	240	195
CL 5	435	518	303	90	424	128	408	315	199
CL 8	563	572	363	105	478	153	449	441	225



CL5 Stove



Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF

Solid Fuel Trade Sales
Tel: 01392 474500
Fax: 01392 219932

Gas and Electric Trade Sales
Tel: 01392 261900
Fax: 01392 444148

Other Depts Tel: 01392 474011

e-mail: yeoman@stovax.com Web: www.yeoman-stoves.co.uk

Your local Yeoman retailer

£2.00



Yeoman Stoves gratefully acknowledge the assistance of the following companies with photographic settings:

Furnishings and Ornaments: - **Eclectique** - www.eclectique.co.uk; **Furniture Village** - www.furniturevillage.co.uk; **Fagins Antiques** - www.faginsantiques.com;
Laura Ashley - www.lauraashley.com; **Orange Tree** - www.theorangetree.co.uk; **Debenhams** - www.debenhams.co.uk; **House Of Fraser** - www.houseoffraser.co.uk;
The Cook Shop - www.justaddfood.co.uk; Wood Flooring: - **Beach Bros Ltd** - www.beachbros.co.uk; Stone Flooring and Wall Tiles: - **Original Style** - www.originalstyle.com;
Stone Mantels: - **Farmington** - www.farmington.co.uk; Conservatories: - **Apple Conservatories** - www.appleconservatories.com

Paper sourced from sustainable forests and printed using vegetable based inks